




# *Personal Systems Reference Lenovo® ThinkPad® TopSeller™ Notebooks*

*January 2011 - Version 391*



Visit [www.lenovo.com/psref](http://www.lenovo.com/psref) for the latest version



PC3-8500 DDR3 Low-Halogen SODIMM  
1GB 55Y3706  
2GB 55Y3707



ThinkPad Mini Dock Plus Series 3  
433810U



USB 2.0 Portable Secure Hard Disk  
160GB 43R2018  
320GB 43R2019



ThinkPad Bluetooth Laser Mouse  
41U5008



Lenovo® Power Hub  
57Y4600



90W Ultraslim AC/DC Combo Adapter  
41R4493



Lenovo® ThinkPad L412



Lenovo ThinkPad L412 with  
ThinkPad Battery 55++ (9-cell)  
57Y4186



Lenovo ThinkPad L412



Lenovo ThinkPad L412



Lenovo ThinkPad L412



Lenovo ThinkPad L412

# ThinkPad® L412 4403 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model | Processor | GHz  | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Carrier | Finger print reader | Blue-tooth | Preload | Avail date |
|------------|-----------|------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------|---------------------|------------|---------|------------|
| 4403-33U   | i3-350M   | 2.26 |                 | 2GB    | 14.0" HD            | 2.0M   | 160G 7200                     | Intel 6200 <sup>28</sup> | WWAN upg            | None    |                     | Blue       | Pro 64  | May 10     |
| 4403-34U   | i5-520M   | 2.40 | 2.93            | 2GB    | 14.0" HD            | 2.0M   | 320G 7200                     | Intel 6200               | WWAN upg            | None    | Finger              | Blue       | Pro 64  | May 10     |
| 4403-69U   | i3-370M   | 2.40 |                 | 2GB    | 14.0" HD            | 2.0M   | 160G 7200                     | Intel 6200               | WWAN upg            | None    |                     | Blue       | Pro 64  | Jul 10     |
| 4403-75U   | i5-480M   | 2.66 | 2.93            | 2GB    | 14.0" HD            | 2.0M   | 320G 7200                     | 11b/g/n                  | WWAN upg            | None    |                     |            | Pro 64  | Jan 11     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |   |  |  |
|---|---|--|--|
| Positioning Processor   | Mainstream business performance; two spindles<br><b>Intel® Core™ i3 processor i3-350M or i3-370M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or<br><b>Intel Core i5 processor i5-480M or i5-520M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache | <b>Preloaded operating system</b> <sup>20</sup><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Password Manager</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage System Update</li><li>• Fingerprint Software (fingerprint models)</li><li>• ThinkVantage Toolbox</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® WinDVD® (DVD±RW)</li><li>• Corel Burn.Now™ Lenovo Edition (DVD±RW)</li><li>• Corel DVD MovieFactory® Lenovo Edition (DVD±RW)</li></ul> |  |
| Memory  | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |  |  |
| SATA DVD±RW<br>SATA disk  | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>160GB</b> <sup>8</sup> (7200 rpm) or <b>320GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™   |  |  |
| Widescreen display<br>Camera  | <b>14.0"</b> (355mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus   |  |  |
| Integrated graphics   | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)  | Supports ThinkVantage® technologies<br><br>65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |  |
| Keyboard<br>TrackPoint®<br>Touch pad<br>ThinkLight™                           | 6-row, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>None  |  |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup>                                | <b>14.0W" (WxDxH):</b> 13.5" x 9.2" x 1.26–1.42"; 344mm x 233mm x 32–36mm<br><b>4-cell:</b> from 4.92 lb (2.23kg); <b>6-cell:</b> from 5.11 lb (2.32kg); <b>9-cell:</b> from 5.45 lb (2.47kg)   |  |  |
| Case color<br>Case material<br>Battery - type<br>Battery - life <sup>10</sup> | black<br>Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>6-cell</b><br><b>4-cell:</b> up to 2.8 hr; <b>6-cell:</b> up to 5.0 hr; <b>9-cell:</b> up to 8.1 hr  |  |  |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports                        | <b>Mobile Intel HM55 Express Chipset</b><br>One slot (ExpressCard/34)<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor <sup>11</sup> (VGA DB-15, DisplayPort), ethernet (RJ-45)  |  |  |
| PCIe Mini Card<br>11b/g/n<br>Intel 6200 <sup>26</sup><br>WWAN upg             | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br><i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2<br>Wireless WAN upgradable  |  |  |
| Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support                 | None<br><i>Some:</i> Bluetooth 2.1 wireless, LED indicator<br>Realtek® RTL8111DL Gigabit Network Connection<br>None<br>High Definition (HD) Audio, Realtek ALC269Q codec / stereo speakers, 1.5 watt x 2 / volume up, down, mute buttons / digital mic, mic mute button, combo audio/mic jack   |  |  |
| Security<br>Security chip<br>Fingerprint reader                               | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br><i>Some:</i> UPEK fingerprint reader on palm rest, swipe sensor, supports the security chip   |  |  |
| Limited warranty <sup>12</sup>  | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available   |  | ThinkPlus™. <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 5-year LOR 9x5 NBD 45K5975<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>ThinkPlus 5-year P&L P/U Depot 45K5976<br><br>Post-warranty annual maintenance agreements at<br><b>lenovo.com/thinkplus/warranty</b> |

See footnotes for important warranty information

US model announced January 11, 2011; previous models on May 11 or July 6, 2010

© Lenovo  
(DMD3-7) January 2011

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>3</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Bat-tery cells | Preload | Avail date |
|------------|-----------|------------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------------------|------------|----------------|---------|------------|
| 4404-32U   | i3-350M   | 2.26       |                 | 2GB    | 14.0" HD            | 2.0M   | 160G 7200                     | 11b/g/n                  | WWAN upg            |                     | Blue       | 6              | Pro 64  | May 10     |
| 4404-33U   | i5-520M   | 2.40       | 2.93            | 2GB    | 14.0" HD            | 2.0M   | 160G 7200                     | Intel 6200 <sup>28</sup> | WWAN upg            |                     | Blue       | 6              | Pro 64  | May 10     |
| 4404-34U   | i5-520M   | 2.40       | 2.93            | 2GB    | 14.0" HD            | 2.0M   | 320G 7200                     | Intel 6200               | WWAN upg            |                     | Blue       | 6              | Pro 64  | May 10     |
| 4404-35U   | i5-540M   | 2.53       | 3.06            | 2GB    | 14.0" HD            | 2.0M   | 320G 7200                     | Intel 6200               | WWAN upg            | Finger              | Blue       | 6              | Pro 64  | May 10     |
| 4404-4LU   | i3-370M   | 2.40       |                 | 2GB    | 14.0" HD            | 2.0M   | 160G 7200                     | Intel 6200               | WWAN upg            |                     | Blue       | 6              | Pro 64  | Jul 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These models have a depot repair service 3-year limited warranty
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |
|--|--|--|
| Positioning Processor  | Mainstream business performance; two spindles<br><b>Intel® Core™ i3 processor i3-350M or i3-370M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or <b>Intel Core i5 processor i5-520M or i5-540M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Password Manager</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage System Update</li><li>• Fingerprint Software (fingerprint models)</li><li>• ThinkVantage Toolbox</li><li>• Adobe® Reader®</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® WinDVD® (DVD±RW)</li><li>• Corel Burn.Now™ Lenovo Edition (DVD±RW)</li><li>• Corel DVD MovieFactory® Lenovo Edition (DVD±RW)</li></ul> |
| Memory   | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |
| SATA DVD±RW<br>SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>160GB<sup>8</sup></b> (7200 rpm) or <b>320GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™   |  |
| Widescreen display<br>Camera   | <b>14.0"</b> (355mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  |  |
| Integrated graphics  | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)   |  |
| Keyboard<br>TrackPoint®<br>Touch pad<br>ThinkLight™  | 6-row, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>None   |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color<br>Case material<br>Battery - type<br>Battery - life <sup>10</sup>    | <i>14.0W" (WxDxH):</i> 13.5" x 9.2" x 1.26–1.42"; 344mm x 233mm x 32–36mm<br><i>4-cell:</i> from 4.92 lb (2.23kg); <i>6-cell:</i> from 5.11 lb (2.32kg); <i>9-cell:</i> from 5.45 lb (2.47kg)<br>black<br>Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>6-cell</b><br><i>4-cell:</i> up to 2.8 hr; <i>6-cell:</i> up to 5.0 hr; <i>9-cell:</i> up to 8.1 hr  | Supports ThinkVantage® technologies  |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports   | <b>Mobile Intel HM55 Express Chipset</b><br>One slot (ExpressCard/34)<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor <sup>11</sup> (VGA DB-15, DisplayPort), ethernet (RJ-45)   | 65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |
| PCIe Mini Card<br>11b/g/n<br>Intel 6200 <sup>28</sup><br>WWAN upg<br>Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br><i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2<br>Wireless WAN upgradable<br>None<br>Bluetooth 2.1 wireless, LED indicator<br>Realtek® RTL8111DL Gigabit Network Connection<br>None<br>High Definition (HD) Audio, Realtek ALC269Q codec / stereo speakers, 1.5 watt x 2 / volume up, down, mute buttons / digital mic, mic mute button, combo audio/mic jack<br>Power-on password, hard disk password, supervisor password, security keyhole | ThinkPlus™. <sup>22</sup> 3-year LOR <sup>24</sup> 9x5 NBD 45K6021<br>ThinkPlus 4-year LOR 9x5 NBD 45K6022<br>ThinkPlus 5-year LOR 9x5 NBD 45K6024<br>ThinkPlus 4-year P&L P/U Depot 45K6023<br>ThinkPlus 5-year P&L P/U Depot 45K6025   |
| Security<br>Security chip<br>Fingerprint reader  | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br><i>Some:</i> UPEK fingerprint reader on palm rest, swipe sensor, supports the security chip  | Post-warranty annual maintenance agreements at<br><b>lenovo.com/thinkplus/warranty</b>   |
| Limited warranty <sup>12</sup>   | <b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available  |  |

See footnotes for important warranty information

US model announced July 6, 2010; previous models on May 11, 2010

© Lenovo  
(DMD3-8) July 2010

# ThinkPad® L412 4403 (Discrete) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Processor | GHz  | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>3</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Carrier | Finger print reader | Blue-tooth | Preload | Avail date |
|------------|-----------|------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------|---------------------|------------|---------|------------|
| 4403-58U   | i5-520M   | 2.40 | 2.93            | 2GB    | 14.0" HD            | 2.0M   | 160G 7200                     | Intel 6200 <sup>28</sup> | WWAN upg            | None    | None                | Blue       | Pro 64  | Jun 10     |

- **This small and medium business (SMB) model is part of the US TopSeller™ Program**
- **This system is Microsoft® Office 2010 Product Key Ready (O10PKR)**

|   |   |  |
|---|---|--|
| Positioning Processor   | Mainstream business performance; two spindles<br><b>Intel® Core™ i5 processor i5-520M</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   | <b>Preloaded operating system</b> <sup>20</sup><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Corel® WinDVD® (DVD±RW)<br>• Corel Burn.Now™ Lenovo Edition (DVD±RW)<br>• Corel DVD MovieFactory® Lenovo Edition (DVD±RW) |
| Memory  | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |  |
| SATA DVD±RW<br>SATA disk  | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>160GB</b> <sup>8</sup> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™  |  |
| Widescreen display<br>Camera  | <b>14.0"</b> (355mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus   |  |
| Discrete graphics   | <b>ATI™ Mobility Radeon™ HD 5145 graphics</b> , 512MB memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)   |  |
| Keyboard<br>TrackPoint®<br>Touch pad<br>ThinkLight™   | 6-row, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>None  | Supports ThinkVantage® technologies<br><br>90-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color<br>Case material<br>Battery - type<br>Battery - life <sup>10</sup> | <i>14.0W" (WxDxH):</i> 13.5" x 9.2" x 1.26–1.42"; 344mm x 233mm x 32–36mm<br><i>4-cell:</i> from 5.09 lb (2.31kg); <i>6-cell:</i> from 5.28 lb (2.40kg); <i>9-cell:</i> from 5.62 lb (2.55kg)<br>black<br>Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>9-cell</b><br><i>4-cell:</i> up to 2.5 hr; <i>6-cell:</i> up to 4.5 hr; <i>9-cell:</i> up to 7.4 hr   |  |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports  | <b>Mobile Intel HM55 Express Chipset</b><br>One slot (ExpressCard/34)<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor <sup>11</sup> (VGA DB-15, DisplayPort), ethernet (RJ-45)  |  |
| PCIe Mini Card<br>Intel 6200 <sup>28</sup><br>WWAN upg<br>Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support         | Two PCI Express Mini Card slots<br>11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2<br>Wireless WAN upgradable<br>None<br>Bluetooth 2.1 wireless, LED indicator<br>Realtek® RTL8111DL Gigabit Network Connection<br>None<br>High Definition (HD) Audio, Realtek ALC269Q codec / stereo speakers, 1.5 watt x 2 / volume up, down, mute buttons / digital mic, mic mute button, combo audio/mic jack<br>Power-on password, hard disk password, supervisor password, security keyhole |  |
| Security<br>Security chip<br>Fingerprint reader   | Trusted Platform Module, TCG 1.2-compliant<br>None  |  |
| Limited warranty <sup>12</sup>  | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available   |  |

See footnotes for important warranty information  
US model announced June 22, 2010

© Lenovo  
(DMD3-9) June 2010

# ThinkPad® L412 4404 (Discrete) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Carrier            | Finger print reader | Blue-tooth | Bat-tery cells | Preload | Avail date |
|------------|-----------|------------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|--------------------|---------------------|------------|----------------|---------|------------|
| 4404-3GU   | i3-370M   | 2.40       |                 | 2GB    | 14.0" HD            | 2.0M   | 160G 7200                     | Intel 6200 <sup>28</sup> | WWAN upg            |                    | Finger              | Blue       | 9              | Pro 64  | Jun 10     |
| 4404-3HU   | i3-370M   | 2.40       |                 | 2GB    | 14.0" HD            | 2.0M   | 320G 7200                     | Intel 6200               | Gobi 2000           | AT&T <sup>23</sup> |                     | Blue       | 9              | Pro 64  | Jun 10     |
| 4404-3JU   | i5-520M   | 2.40       | 2.93            | 2GB    | 14.0" HD            | 2.0M   | 320G 7200                     | Intel 6200               | WWAN upg            |                    | Finger              | Blue       | 9              | Pro 64  | Jun 10     |
| 4404-3KU   | i3-350M   | 2.26       |                 | 2GB    | 14.0" HD            | 2.0M   | 160G 7200                     | Intel 6200               | WWAN upg            |                    |                     | Blue       | 9              | Pro 64  | Jun 10     |
| 4404-3LU   | i5-520M   | 2.40       | 2.93            | 2GB    | 14.0" HD            | 2.0M   | 320G 7200                     | Intel 6200               | WWAN upg            |                    |                     | Blue       | 9              | Pro 64  | Jun 10     |

- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a depot repair service 3-year limited warranty**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

|   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Positioning Processor   | Mainstream business performance; two spindles<br><b>Intel® Core™ i3 processor i3-350M or i3-370M</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or<br><b>Intel Core i5 processor i5-520M</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Windows Live™ Toolbar<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br>• Corel® WinDVD® (DVD±RW)<br>• Corel Burn.Now™ Lenovo Edition (DVD±RW)<br>• Corel DVD MovieFactory® Lenovo Edition (DVD±RW) |  |  |  |  |
| Memory  | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| SATA DVD±RW<br>SATA disk  | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>160GB<sup>8</sup></b> (7200 rpm) or <b>320GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Widescreen display<br>Camera  | <b>14.0"</b> (355mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Discrete graphics   | <b>ATI™ Mobility Radeon™ HD 5145 graphics</b> , 512MB memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Keyboard<br>TrackPoint®<br>Touch pad<br>ThinkLight™   | 6-row, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>None   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color<br>Case material<br>Battery - type<br>Battery - life <sup>10</sup> | <b>14.0W" (WxDxH):</b> 13.5" x 9.2" x 1.26–1.42"; 344mm x 233mm x 32–36mm<br><b>4-cell:</b> from 5.09 lb (2.31kg); <b>6-cell:</b> from 5.28 lb (2.40kg); <b>9-cell:</b> from 5.62 lb (2.55kg)<br>black<br>Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>9-cell</b><br><b>4-cell:</b> up to 2.5 hr; <b>6-cell:</b> up to 4.5 hr; <b>9-cell:</b> up to 7.4 hr  |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies  |  |  |  |  |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports  | <b>Mobile Intel HM55 Express Chipset</b><br>One slot (ExpressCard/34)<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor <sup>11</sup> (VGA DB-15, DisplayPort), ethernet (RJ-45)   |  |  |  |  |  |  |  |  |  | 90-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |  |  |  |  |
| PCIe Mini Card<br>Intel 6200 <sup>28</sup><br>WWAN upg<br>Gobi™ 2000  | Two PCI Express Mini Card slots<br>11a/b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2<br><i>Some:</i> Wireless WAN upgradable<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Carrier<br>Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support  | <i>Some:</i> AT&T®, contract required with service provider<br>None<br>Bluetooth 2.1 wireless, LED indicator<br>Realtek® RTL8111DL Gigabit Network Connection<br>None<br>High Definition (HD) Audio, Realtek ALC269Q codec / stereo speakers, 1.5 watt x 2 / volume up, down, mute buttons / digital mic, mic mute button, combo audio/mic jack  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Security<br>Security chip<br>Fingerprint reader   | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br><i>Some:</i> UPEK fingerprint reader on palm rest, swipe sensor, supports the security chip  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Limited warranty <sup>12</sup>  | <b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available  |  |  |  |  |  |  |  |  |  | ThinkPlus™.22 3-year LOR <sup>24</sup> 9x5 NBD 45K6021<br>ThinkPlus 4-year LOR 9x5 NBD 45K6022<br>ThinkPlus 5-year LOR 9x5 NBD 45K6024<br>ThinkPlus 4-year P&L P/U Depot 45K6023<br>ThinkPlus 5-year P&L P/U Depot 45K6025<br>Post-warranty annual maintenance agreements at<br><b>lenovo.com/thinkplus/warranty</b>   |  |  |  |  |

See footnotes for important warranty information  
US models announced June 22, 2010

© Lenovo  
(DMD3-10) June 2010

**Memory**

|  |         |     |          |
|--|---------|-----|----------|
| 1GB PC3-10600 DDR3 L-H SODIMM          | 55Y3709 | ann | 03/02/10 |
| 1GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 57Y4415 | ann | 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM          | 55Y3710 | ann | 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 57Y4416 | ann | 03/02/10 |
| 4GB PC3-10600 DDR3 L-H SODIMM          | 55Y3711 | ann | 03/02/10 |

**Storage and removable storage**

|   |         |     |          |
|---|---------|-----|----------|
| SL410/510 500GB Disk SATA 3G/s (5400 rpm) | 43N3422 | ann | 10/22/09 |
| USB 2.0 Portable 500GB Hard Disk          | 45K1690 | ann | 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk   | 43R2018 | ann | 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk   | 43R2019 | ann | 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive     | 57Y4400 | ann | 01/07/10 |
| USB 2.0 Portable DVD Burner               | 43N3264 | ann | 01/05/10 |

**Wireless WAN (Mini PCI Express)**

Only WWAN upgradable models:

|   |         |     |          |
|---|---------|-----|----------|
| ThinkPad Gobi™ 2000 Broadband Option      | 78Y1399 | ann | 01/07/10 |
| ThinkPad AT&T® Gobi 2000 Broadband Option | 78Y1398 | ann | 01/07/10 |

**ThinkPad Expansion**

|   |         |     |          |
|---|---------|-----|----------|
| Lenovo® Essential Notebook Stand          | 45J9292 | ann | 05/12/09 |
| USB Port Replicator with Digital Video    | 45K1610 | ann | 07/28/09 |
| ThinkPad Port Replicator Series 3         | 433610W | ann | 06/23/09 |
| ThinkPad Mini Dock Series 3 <sup>61</sup> | 433710U | ann | 06/23/09 |

<sup>61</sup> When docked, ThinkPad Mini Dock Series 3 (433710U) Audio ports are inactive, ThinkPad Audio ports are active.

|  |         |     |          |
|--|---------|-----|----------|
| ThinkPad Mini Dock Plus Series 3 <sup>61</sup> | 433810U | ann | 06/23/09 |
|--|---------|-----|----------|

<sup>61</sup> When docked, ThinkPad Mini Dock Plus Series 3 (433810U) eSATA & Audio ports are inactive, ThinkPad eSATA & Audio ports are active.

|  |         |     |          |
|--|---------|-----|----------|
| ThinkPad Mini Dock Plus Series 3 - Mobile WS | 433820U | ann | 01/07/10 |
|--|---------|-----|----------|

**Keyboard**

|   |         |     |          |
|---|---------|-----|----------|
| TrackPoint Cap Collection   | 73P2698 | ann | 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann | 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann | 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann | 03/23/04 |
| Ultralim Wireless Keyboard and Mouse <sup>52</sup>                            | 57Y4700 | ann | 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |     |          |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann | 08/18/09 |
| Lenovo® USB Fingerprint Keyboard  | 73P4730 | ann | 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann | 03/24/09 |

**Mouse**

|  |         |     |          |
|--|---------|-----|----------|
| Lenovo Optical Mouse (USB)               | 06P4069 | ann | 05/21/03 |
| Lenovo Laser Mouse (USB)                 | 41U3074 | ann | 01/23/07 |
| ThinkPad USB Laser Mouse                 | 57Y4635 | ann | 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical) | 31P7405 | ann | 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)     | 31P7410 | ann | 06/04/02 |
| ThinkPad Bluetooth Laser Mouse           | 41U5008 | ann | 01/22/08 |

**Multimedia**

|                            |         |     |          |
|----------------------------|---------|-----|----------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann | 01/07/10 |
|----------------------------|---------|-----|----------|

**Modem**

|                      |         |     |          |
|----------------------|---------|-----|----------|
| USB 2.0 Lenovo Modem | 43R1814 | ann | 02/26/08 |
|----------------------|---------|-----|----------|

**Security**

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Kensington® MicroSaver® Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock     | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock          | 57Y4303 | ann | 08/24/10 |
| USB Gemplus GemPC Smart Card Reader | 41N3040 | ann | 02/21/06 |

**Batteries**

|   |         |     |          |
|---|---------|-----|----------|
| ThinkPad Battery 55+ (6-cell)                   | 57Y4185 | ann | 03/30/10 |
| ThinkPad Battery 55++ (9-cell)                  | 57Y4186 | ann | 03/30/10 |
| ThinkPad External Battery Charger <sup>44</sup> | 40Y7625 | ann | 09/20/05 |

<sup>44</sup> Requires the *ThinkPad 90W AC Adapter*

40Y7659 or the adapter provided with the system.

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|                                       |         |     |          |
|---------------------------------------|---------|-----|----------|
| ThinkPad 65W AC Adapter <sup>45</sup> | 40Y7696 | ann | 01/05/06 |
|---------------------------------------|---------|-----|----------|

<sup>45</sup> Only compatible with the integrated graphics models.

|                                  |         |     |          |
|----------------------------------|---------|-----|----------|
| ThinkPad 90W AC Adapter          | 40Y7659 | ann | 09/20/05 |
| Lenovo Power Hub                 | 57Y4600 | ann | 09/07/10 |
| 90W Ultralim AC/DC Combo Adapter | 41R4493 | ann | 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

Charging tips for 90W Ultralim AC/DC Combo Adapter 41R4493

|                                      |         |     |          |
|--------------------------------------|---------|-----|----------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann | 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann | 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)**Carrying Cases**

Up to 14" widescreen models:

|                          |         |     |          |
|--------------------------|---------|-----|----------|
| ThinkPad 14W Case Sleeve | 57Y4294 | ann | 03/16/10 |
|--------------------------|---------|-----|----------|

Up to 15.4" widescreen models:

|                                 |         |     |          |
|---------------------------------|---------|-----|----------|
| ThinkPad 15W Case Sleeve        | 51J0477 | ann | 08/18/09 |
| Lenovo Business Messenger Case  | 51J0475 | ann | 08/18/09 |
| Lenovo Messenger Max            | 41U5253 | ann | 05/01/07 |
| ThinkPad Business Topload Case  | 43R2476 | ann | 05/13/08 |
| ThinkPad Business Backpack      | 43R2482 | ann | 05/13/08 |
| ThinkPad Deluxe Expander Case   | 43R2478 | ann | 05/13/08 |
| ThinkPad Executive Leather Case | 43R2480 | ann | 05/13/08 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)**Monitors**

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann | 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann | 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann | 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann | 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann | 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann | 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann | 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann | 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann | 09/17/08 |

**Monitor Accessories<sup>46</sup>**

|                                   |         |     |          |
|-----------------------------------|---------|-----|----------|
| Lenovo USB-to-DVI Monitor Adapter | 45K5296 | ann | 05/12/09 |
| ThinkVision USB Soundbar          | 40Y7616 | ann | 08/23/05 |
| ThinkVision Soundbar              | 45K1263 | ann | 09/16/08 |
| Kensington MicroSaver Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock   | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock        | 57Y4303 | ann | 08/24/10 |
| Lenovo Easy Reach Monitor Stand   | 55Y9258 | ann | 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

ThinkPad®



Lenovo® ThinkPad L512



Lenovo ThinkPad L512 with  
ThinkPad Battery 55++ (9-cell)  
57Y4186



Lenovo ThinkPad L512



Lenovo ThinkPad L512



Lenovo ThinkPad L512



Lenovo ThinkPad L512

| Type-model | Processor | GHz  | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Battery cells | Preload | Avail date |
|------------|-----------|------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------------------|------------|---------------|---------|------------|
| 4444-32U   | i3-350M   | 2.26 |                 | 2GB    | 15.6" HD            | 2.0M   | 160G 7200                     | 11b/g/n                  | WWAN upg            |                     | Blue       | 6             | Pro 32  | May 10     |
| 4444-33U   | i3-350M   | 2.26 |                 | 2GB    | 15.6" HD            | 2.0M   | 160G 7200                     | Intel 6200 <sup>28</sup> | WWAN upg            |                     | Blue       | 6             | Pro 64  | May 10     |
| 4444-34U   | i5-520M   | 2.40 | 2.93            | 2GB    | 15.6" HD            | 2.0M   | 320G 7200                     | Intel 6200               | WWAN upg            | Finger              | Blue       | 6             | Pro 64  | May 10     |
| 4444-4EU   | i3-370M   | 2.40 |                 | 2GB    | 15.6" HD            | 2.0M   | 160G 7200                     | 11b/g/n                  | WWAN upg            |                     | Blue       | 6             | Pro 64  | Jul 10     |
| 4444-4FU   | i3-370M   | 2.40 |                 | 2GB    | 15.6" HD            | 2.0M   | 160G 7200                     | Intel 6200               | WWAN upg            |                     | Blue       | 6             | Pro 64  | Jul 10     |
| 4444-4VU   | i5-560M   | 2.66 | 3.20            | 2GB    | 15.6" HD            | 2.0M   | 320G 7200                     | Intel 6200               | WWAN upg            | Finger              | Blue       | 6             | Pro 64  | Sep 10     |

• These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Positioning Processor  | Mainstream business performance; two spindles<br><b>Intel® Core™ i3 processor i3-350M or i3-370M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or<br><b>Intel Core i5 processor i5-520M or i5-560M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache  |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Some: Genuine Windows® 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• Fingerprint Software (fingerprint models)<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Corel® WinDVD® (DVD±RW)<br>• Corel Burn.Now™ Lenovo Edition (DVD±RW)<br>• Corel DVD MovieFactory® Lenovo Edition (DVD±RW) |  |  |  |
| Memory   | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| SATA DVD±RW<br>SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>160GB<sup>8</sup></b> (7200 rpm) or <b>320GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Widescreen display<br>Camera   | <b>15.6"</b> (395mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Integrated graphics  | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)   |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies  |  |  |  |
| Keyboard<br>TrackPoint®<br>Touchpad<br>ThinkLight™   | 6-row, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>None   |  |  |  |  |  |  |  |  |  | 65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |  |  |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color<br>Case material<br>Battery - type<br>Battery - life <sup>10</sup>    | <b>15.6W" (WxDxH):</b> 15" x 9.7" x 1.26–1.42"; 380mm x 247mm x 32–36mm<br><b>4-cell:</b> from 5.48 lb (2.49kg); <b>6-cell:</b> from 5.67 lb (2.57kg); <b>9-cell:</b> from 6.01 lb (2.73kg)<br>black<br>Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>6-cell</b><br><b>4-cell:</b> up to 2.8 hr; <b>6-cell:</b> up to 4.9 hr; <b>9-cell:</b> up to 8.0 hr  |  |  |  |  |  |  |  |  |  | ThinkPlus™. <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD<br>45K5968  |  |  |  |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports   | <b>Mobile Intel HM55 Express Chipset</b><br>One slot (ExpressCard/34)<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor <sup>11</sup> (VGA DB-15, DisplayPort), ethernet (RJ-45)   |  |  |  |  |  |  |  |  |  | ThinkPlus 2-year LOR 9x5 NBD<br>45K5969<br>ThinkPlus 3-year LOR 9x5 NBD<br>45K5970   |  |  |  |
| PCIe Mini Card<br>11b/g/n<br>Intel 6200 <sup>28</sup><br>WWAN upg<br>Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br><i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2<br>Wireless WAN upgradable<br>None<br>Bluetooth 2.1 wireless, LED indicator<br>Realtek® RTL8111DL Gigabit Network Connection<br>None<br>High Definition (HD) Audio, Realtek ALC269Q codec / stereo speakers, 1.5 watt x 2 / volume up, down, mute buttons / digital mic, mic mute button, combo audio/mic jack<br>Power-on password, hard disk password, supervisor password, security keyhole |  |  |  |  |  |  |  |  |  | ThinkPlus 4-year LOR 9x5 NBD<br>45K5973<br>ThinkPlus 5-year LOR 9x5 NBD<br>45K5975<br>ThinkPlus 2-year P&L P/U Depot<br>45K5971<br>ThinkPlus 3-year P&L P/U Depot<br>45K5972<br>ThinkPlus 4-year P&L P/U Depot<br>45K5974<br>ThinkPlus 5-year P&L P/U Depot<br>45K5976   |  |  |  |
| Security<br>Security chip<br>Fingerprint reader  | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br><i>Some:</i> UPEK fingerprint reader on palm rest, swipe sensor, supports the security chip  |  |  |  |  |  |  |  |  |  | Post-warranty annual maintenance agreements at<br><b>lenovo.com/thinkplus/warranty</b>   |  |  |  |
| Limited warranty <sup>12</sup>   | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  |  |  |  |  |  |  |  |  |  |  |  |  |

See footnotes for important warranty information

US model announced September 28, 2010; previous models on May 11 or July 6, 2010

© Lenovo  
(RUB3-5) October 2010

# ThinkPad® L512 4447 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Bat-tery cells | Preload | Avail date |
|------------|-----------|------------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------------------|------------|----------------|---------|------------|
| 4447-32U   | i3-350M   | 2.26       |                 | 2GB    | 15.6" HD            | 2.0M   | 160G 7200                     | 11b/g/n                  | WWAN upg            |                     | Blue       | 6              | Pro 32  | May 10     |
| 4447-33U   | i5-520M   | 2.40       | 2.93            | 2GB    | 15.6" HD            | 2.0M   | 160G 7200                     | Intel 6200 <sup>28</sup> | WWAN upg            | Finger              | Blue       | 6              | Pro 64  | May 10     |
| 4447-3EU   | i5-520M   | 2.40       | 2.93            | 2GB    | 15.6" HD            | 2.0M   | 160G 7200                     | Intel 6200               | WWAN upg            |                     | Blue       | 6              | Pro 32  | Jul 10     |
| 4447-3HU   | i3-370M   | 2.40       |                 | 2GB    | 15.6" HD            | 2.0M   | 160G 7200                     | 11b/g/n                  | WWAN upg            |                     | Blue       | 6              | Pro 64  | Jul 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These models have a depot repair service 3-year limited warranty
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Positioning Processor  | Mainstream business performance; two spindles<br><b>Intel® Core™ i3 processor i3-350M or i3-370M with dual-core,</b> DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or<br><b>Intel Core i5 processor i5-520M with dual-core,</b> DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Some: Genuine Windows® 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br>• Corel® WinDVD® (DVD±RW)<br>• Corel Burn.Now™ Lenovo Edition (DVD±RW)<br>• Corel DVD MovieFactory® Lenovo Edition (DVD±RW) |  |  |  |
| Memory   | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| SATA DVD±RW<br>SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>160GB<sup>8</sup></b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Widescreen display<br>Camera   | <b>15.6"</b> (395mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Integrated graphics  | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Keyboard<br>TrackPoint®<br>Touchpad<br>ThinkLight™   | 6-row, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>None   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color<br>Case material<br>Battery - type<br>Battery - life <sup>10</sup>    | <b>15.6W"</b> (WxDxH): 15" x 9.7" x 1.26–1.42"; 380mm x 247mm x 32–36mm<br><i>4-cell:</i> from 5.48 lb (2.49kg); <i>6-cell:</i> from 5.67 lb (2.57kg); <i>9-cell:</i> from 6.01 lb (2.73kg)<br>black<br>Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>6-cell</b><br><i>4-cell:</i> up to 2.8 hr; <i>6-cell:</i> up to 4.9 hr; <i>9-cell:</i> up to 8.0 hr  |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies  |  |  |  |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports   | <b>Mobile Intel HM55 Express Chipset</b><br>One slot (ExpressCard/34)<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor <sup>11</sup> (VGA DB-15, DisplayPort), ethernet (RJ-45)   |  |  |  |  |  |  |  |  |  | 65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup><br>via 800-426-7378   |  |  |  |
| PCIe Mini Card<br>11b/g/n<br>Intel 6200 <sup>28</sup><br>WWAN upg<br>Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br><i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2<br>Wireless WAN upgradable<br>None<br>Bluetooth 2.1 wireless, LED indicator<br>Realtek® RTL8111DL Gigabit Network Connection<br>None<br>High Definition (HD) Audio, Realtek ALC269Q codec / stereo speakers, 1.5 watt x 2 / volume up, down, mute buttons / digital mic, mic mute button, combo audio/mic jack<br>Power-on password, hard disk password, supervisor password, security keyhole |  |  |  |  |  |  |  |  |  | ThinkPlus™. 22 3-year LOR <sup>24</sup> 9x5 NBD 45K6021<br>ThinkPlus 4-year LOR 9x5 NBD 45K6022<br>ThinkPlus 5-year LOR 9x5 NBD 45K6024<br>ThinkPlus 4-year P&L P/U Depot 45K6023<br>ThinkPlus 5-year P&L P/U Depot 45K6025<br>Post-warranty annual maintenance agreements at<br><b>lenovo.com/thinkplus/warranty</b>  |  |  |  |
| Security<br>Security chip<br>Fingerprint reader<br>Limited warranty <sup>12</sup>  | <i>Some:</i> UPEK fingerprint reader on palm rest, swipe sensor, supports the security chip<br><b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available   |  |  |  |  |  |  |  |  |  |  |  |  |  |

See footnotes for important warranty information

US models announced July 6, 2010; previous models on May 11, 2010

© Lenovo  
(RUB3-6) July 2010

**Memory**

|  |         |     |          |
|--|---------|-----|----------|
| 1GB PC3-10600 DDR3 L-H SODIMM          | 55Y3709 | ann | 03/02/10 |
| 1GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 57Y4415 | ann | 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM          | 55Y3710 | ann | 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 57Y4416 | ann | 03/02/10 |
| 4GB PC3-10600 DDR3 L-H SODIMM          | 55Y3711 | ann | 03/02/10 |

**Storage and removable storage**

|   |         |     |          |
|---|---------|-----|----------|
| SL410/510 500GB Disk SATA 3G/s (5400 rpm) | 43N3422 | ann | 10/22/09 |
| USB 2.0 Portable 500GB Hard Disk          | 45K1690 | ann | 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk   | 43R2018 | ann | 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk   | 43R2019 | ann | 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive     | 57Y4400 | ann | 01/07/10 |
| USB 2.0 Portable DVD Burner               | 43N3264 | ann | 01/05/10 |

**Wireless WAN (Mini PCI Express)**

Only WWAN upgradable models:

|   |         |     |          |
|---|---------|-----|----------|
| ThinkPad Gobi™ 2000 Broadband Option      | 78Y1399 | ann | 01/07/10 |
| ThinkPad AT&T® Gobi 2000 Broadband Option | 78Y1398 | ann | 01/07/10 |

**ThinkPad Expansion**

|   |         |     |          |
|---|---------|-----|----------|
| Lenovo® Essential Notebook Stand          | 45J9292 | ann | 05/12/09 |
| USB Port Replicator with Digital Video    | 45K1610 | ann | 07/28/09 |
| ThinkPad Port Replicator Series 3         | 433610W | ann | 06/23/09 |
| ThinkPad Mini Dock Series 3 <sup>61</sup> | 433710U | ann | 06/23/09 |

<sup>61</sup> When docked, ThinkPad Mini Dock Series 3 (433710U) Audio ports are inactive, ThinkPad Audio ports are active.

|  |         |     |          |
|--|---------|-----|----------|
| ThinkPad Mini Dock Plus Series 3 <sup>61</sup> | 433810U | ann | 06/23/09 |
|--|---------|-----|----------|

<sup>61</sup> When docked, ThinkPad Mini Dock Plus Series 3 (433810U) eSATA & Audio ports are inactive, ThinkPad eSATA & Audio ports are active.

|  |         |     |          |
|--|---------|-----|----------|
| ThinkPad Mini Dock Plus Series 3 - Mobile WS | 433820U | ann | 01/07/10 |
|--|---------|-----|----------|

**Keyboard**

|   |         |     |          |
|---|---------|-----|----------|
| TrackPoint Cap Collection   | 73P2698 | ann | 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann | 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann | 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann | 03/23/04 |
| Ultralim Wireless Keyboard and Mouse <sup>52</sup>                            | 57Y4700 | ann | 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |     |          |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann | 08/18/09 |
| Lenovo® USB Fingerprint Keyboard  | 73P4730 | ann | 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann | 03/24/09 |

**Mouse**

|  |         |     |          |
|--|---------|-----|----------|
| Lenovo Optical Mouse (USB)               | 06P4069 | ann | 05/21/03 |
| Lenovo Laser Mouse (USB)                 | 41U3074 | ann | 01/23/07 |
| ThinkPad USB Laser Mouse                 | 57Y4635 | ann | 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical) | 31P7405 | ann | 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)     | 31P7410 | ann | 06/04/02 |
| ThinkPad Bluetooth Laser Mouse           | 41U5008 | ann | 01/22/08 |

**Multimedia**

|                            |         |     |          |
|----------------------------|---------|-----|----------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann | 01/07/10 |
|----------------------------|---------|-----|----------|

**Modem**

|                      |         |     |          |
|----------------------|---------|-----|----------|
| USB 2.0 Lenovo Modem | 43R1814 | ann | 02/26/08 |
|----------------------|---------|-----|----------|

**Security**

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Kensington® MicroSaver® Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock     | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock          | 57Y4303 | ann | 08/24/10 |
| USB Gemplus GemPC Smart Card Reader | 41N3040 | ann | 02/21/06 |

**Batteries**

|   |         |     |          |
|---|---------|-----|----------|
| ThinkPad Battery 55+ (6-cell)                   | 57Y4185 | ann | 03/30/10 |
| ThinkPad Battery 55++ (9-cell)                  | 57Y4186 | ann | 03/30/10 |
| ThinkPad External Battery Charger <sup>44</sup> | 40Y7625 | ann | 09/20/05 |

<sup>44</sup> Requires the *ThinkPad 90W AC Adapter*

40Y7659 or the adapter provided with the system.

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|                                       |         |     |          |
|---------------------------------------|---------|-----|----------|
| ThinkPad 65W AC Adapter <sup>45</sup> | 40Y7696 | ann | 01/05/06 |
|---------------------------------------|---------|-----|----------|

<sup>45</sup> Only compatible with the integrated graphics models.

|                                  |         |     |          |
|----------------------------------|---------|-----|----------|
| ThinkPad 90W AC Adapter          | 40Y7659 | ann | 09/20/05 |
| Lenovo Power Hub                 | 57Y4600 | ann | 09/07/10 |
| 90W Ultralim AC/DC Combo Adapter | 41R4493 | ann | 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

Charging tips for 90W Ultralim AC/DC Combo Adapter 41R4493

|                                      |         |     |          |
|--------------------------------------|---------|-----|----------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann | 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann | 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)**Carrying Cases**

Up to 15.4" widescreen models:

|                                |         |     |          |
|--------------------------------|---------|-----|----------|
| ThinkPad 15W Case Sleeve       | 51J0477 | ann | 08/18/09 |
| Lenovo Business Messenger Case | 51J0475 | ann | 08/18/09 |
| Lenovo Messenger Max           | 41U5253 | ann | 05/01/07 |
| ThinkPad Business Topload Case | 43R2476 | ann | 05/13/08 |
| ThinkPad Business Backpack     | 43R2482 | ann | 05/13/08 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)**Monitors**

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann | 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann | 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann | 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann | 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann | 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann | 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann | 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann | 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann | 09/17/08 |

**Monitor Accessories<sup>46</sup>**

|                                   |         |     |          |
|-----------------------------------|---------|-----|----------|
| Lenovo USB-to-DVI Monitor Adapter | 45K5296 | ann | 05/12/09 |
| ThinkVision USB Soundbar          | 40Y7616 | ann | 08/23/05 |
| ThinkVision Soundbar              | 45K1263 | ann | 09/16/08 |
| Kensington MicroSaver Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock   | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock        | 57Y4303 | ann | 08/24/10 |
| Lenovo Easy Reach Monitor Stand   | 55Y9258 | ann | 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)  
 Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

ThinkPad®



Lenovo® ThinkPad T410



Lenovo ThinkPad T410



Lenovo ThinkPad T410



Lenovo ThinkPad T410



ThinkPad triple external monitor configuration  
using NVIDIA's Optimus technology



ThinkPad Mini Dock Series 3  
433710U

# ThinkPad® T410 2516 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model | Processor | Max Base (GHz) | turbo (GHz) | Memory (MHz) | Wide-screen display | Cam-era | Disk SATA GB <sup>8</sup> | rpm  | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Bat-tery Intel vPro | Preload | Avail date    |
|------------|-----------|----------------|-------------|--------------|---------------------|---------|---------------------------|------|-----------------------|---------------------|---------------------|------------|---------------------|---------|---------------|
| 2516-ADU   | i5-520M   | 2.40           | 2.93        | 2GBx1 1066   | 14.1" WXGA          | 2.0M    | 250G                      | 5400 | 11b/g/n               |                     | None                | None       | 6                   | No      | Pro 32 Jan 10 |
| 2516-DCU   | i5-560M   | 2.66           | 3.20        | 2GBx1 1066   | 14.1" WXGA          | 2.0M    | 320G                      | 7200 | 11b/g/n               |                     | None                | None       | 6                   | No      | Pro 64 Sep 10 |
| 2516-F9U   | i5-480M   | 2.66           | 2.93        | 4GBx1 1333   | 14.1" WXGA          | 2.0M    | 320G                      | 7200 | Intel 1000            | WWAN upg            | None                | None       | 6                   | No      | Pro 64 Jan 11 |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|
| Positioning Processor  | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i5 processor i5-480M, i5-520M, or i5-560M with dual-core,</b> DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Some: Genuine Windows® 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64   |  |  |  |  |
| Memory   | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz or PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  |  |  |  |  |  |  |  |  |  | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW)               |  |  |  |  |
| SATA DVD±RW Ultrabay Slim SATA disk                                  | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><b>250GB<sup>8</sup></b> (5400 rpm) or <b>320GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports 2nd disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™                  |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies   |  |  |  |  |
| Widescreen display Camera  | <b>14.1"</b> (358mm) <b>WXGA (1280x800) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:10 aspect ratio, 300:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus   |  |  |  |  |  |  |  |  |  | 65-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |  |  |  |  |
| Integrated graphics  | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915) |  |  |  |  |  |  |  |  |  | ThinkPlus™. <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 5-year LOR 9x5 NBD 45K5975<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>ThinkPlus 5-year P&L P/U Depot 45K5976<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b> |  |  |  |  |
| Keyboard TrackPoint® Touchpad ThinkLight™                            | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions                                     |  |  |  |  |  |  |  |  |  | Limited warranty <sup>12</sup> <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  |  |  |  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material | <b>14.1W"</b> (WxDxH): 13.2" x 9.4" x 1.1–1.3"; 335.5 x 239mm x 27.6–31.9mm<br><b>6-cell:</b> starting at 5.0 lb (2.27kg); <b>9-cell:</b> starting at 5.35 lb (2.43kg)<br>Black<br><i>Top:</i> High Elasticity PolyCarbonate (HEPC);<br><i>Bottom:</i> Carbon-Fiber Reinforced Plastic   |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Battery - type Battery - life <sup>10</sup>                          | Lithium Ion <b>6-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom<br><b>6-cell:</b> up to 6.6 hr; <b>9-cell:</b> up to 11 hr; <b>9-cell plus Slice battery:</b> up to 22 hr   |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports        | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Four USB 2.0 (one powered), eSATA port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)   |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| PCIe Mini Card 11b/g/n Intel 1000 WWAN upg                           | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br><i>Some:</i> Wireless WAN upgradable  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Modem Bluetooth™ Ethernet Intel AMT Audio support                    | 56K V.92 <sup>6</sup> modem<br>None<br>Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack                              |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Security Security chip Fingerprint reader                            | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>None   |  |  |  |  |  |  |  |  |  |   |  |  |  |  |

See footnotes for important warranty information

US model announced January 11, 2011; previous models on January 7 or September 28, 2010

© Lenovo  
(NZ1-1) January 2011

# ThinkPad® T410 2518 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model | Processor | Max Base turbo |       | Memory | Wide-screen display | Camera | Disk SATA       |      | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Carrier            | Finger print reader | Bat- tooth | Intel vPro | Preload       | Avail date |
|------------|-----------|----------------|-------|--------|---------------------|--------|-----------------|------|--------------------------|---------------------|--------------------|---------------------|------------|------------|---------------|------------|
|            |           | (GHz)          | (GHz) |        |                     |        | GB <sup>8</sup> | rpm  |                          |                     |                    |                     |            |            |               |            |
| 2518-C2U   | i5-520M   | 2.40           | 2.93  | 2GB    | 14.1" WXGA          | 2.0M   | 250G            | 5400 | Intel 6200 <sup>28</sup> | Gobi 2000           | AT&T <sup>23</sup> | Finger              | Blue       | 6 vPro     | Pro 32 Jan 10 |            |
| 2518-F3U   | i5-520M   | 2.40           | 2.93  | 2GB    | 14.1" WXGA          | 2.0M   | 250G            | 5400 | 11b/g/n                  | WWAN upg            |                    |                     | Blue       | 6 vPro     | Pro 32 Jan 10 |            |
| 2518-F6U   | i5-520M   | 2.40           | 2.93  | 4GB    | 14.1" WXGA+         | 2.0M   | 80G             | SSD  | Intel 6200               | WWAN upg            |                    | Finger              | Blue       | 9 vPro     | Pro 32 Jan 10 |            |
| 2518-4HU   | i5-520M   | 2.40           | 2.93  | 2GB    | 14.1" WXGA          | 2.0M   | 320G            | 7200 | Intel 6200               | WWAN upg            |                    | Finger              | Blue       | 6 vPro     | Pro 32 Mar 10 |            |
| 2518-QBU   | i5-540M   | 2.53           | 3.06  | 4GB    | 14.1" WXGA          | 2.0M   | 160G            | SSD  | Intel 6200               | WWAN upg            |                    | Finger              |            | 6 vPro     | Pro 64 Jul 10 |            |
| 2518-AHU   | i5-560M   | 2.66           | 3.20  | 2GB    | 14.1" WXGA          | 2.0M   | 320G            | 7200 | Intel 6200               | WWAN upg            |                    |                     | Blue       | 6 vPro     | Pro 64 Sep 10 |            |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These models have a depot repair service 3-year limited warranty
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |   |  |
|--|---|--|
| Positioning Processor  | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i5 processor i5-520M, i5-540M, or i5-560M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache  | <b>Preloaded operating system<sup>20</sup></b><br>- <i>Some:</i> Genuine Windows® 7 Professional 32<br>- <i>Some:</i> Genuine Windows 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Password Manager</li><li>• Fingerprint Software (fingerprint models)</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Windows Live™ Toolbar</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Microsoft Research AutoCollage Touch</li><li>• Roxio® Creator® Business Edition (DVD±RW)</li><li>• Roxio MyDVD® (DVD±RW)</li><li>• Corel® WinDVD® (DVD±RW)</li></ul> |
| Memory   | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |
| SATA DVD±RW Ultrabay Slim SATA disk                                  | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><i>Some:</i> <b>80GB<sup>8</sup></b> or <b>160GB</b> Solid State Drive (SSD) / SATA 3.0Gb/s, 1.8" wide, 8mm high<br><i>Some:</i> <b>250GB</b> (5400 rpm) or <b>320GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, Active Protection System™<br><i>All:</i> removable, upgradable, supports 2nd disk, Shock Mounted Hard Drive |  |
| Widescreen display   | <i>Some:</i> <b>14.1"</b> (358mm) <b>WXGA (1280x800) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:10 aspect ratio, 300:1 contrast ratio<br><i>Some:</i> <b>14.1"</b> (358mm) <b>WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:10 aspect ratio, 300:1 contrast ratio   |  |
| Camera   | Camera on top of screen, 2.0-megapixel, fixed focus   |  |
| Integrated graphics  | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort)@60Hz; 2048x1536 (VGA)@75Hz; 1920x1200@60Hz (single-link DVI-D via cable 45J7915)   |  |
| Keyboard TrackPoint® Touchpad ThinkLight™                            | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions   |  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material | <b>14.1W"</b> (WxDxH): 13.2" x 9.4" x 1.1–1.3"; 335.5 x 239mm x 27.6–31.9mm<br><i>6-cell:</i> starting at 5.0 lb (2.27kg); <i>9-cell:</i> starting at 5.35 lb (2.43kg)<br>Black<br><i>Top:</i> High Elasticity PolyCarbonate (HEPC);<br><i>Bottom:</i> Carbon-Fiber Reinforced Plastic  |  |
| Battery - type Battery - life <sup>10</sup>                          | Lithium Ion <b>6-cell</b> or <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery<br><i>6-cell:</i> up to 6.6 hr; <i>9-cell:</i> up to 11 hr; <i>9-cell plus Slice battery:</i> up to 22 hr   |  |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports        | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Four USB 2.0 (one powered), eSATA port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)  |  |
| PCIe Mini Card 11b/g/n Intel 6200 <sup>28</sup> WWAN upg Gobi™ 2000  | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br><i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2<br><i>Some:</i> Wireless WAN upgradable<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider<br><i>Some:</i> AT&T®, contract required with service provider                    |  |
| Carrier Modem Bluetooth™ Ethernet                                    | 56K V.92 <sup>6</sup> modem<br><i>Some:</i> Bluetooth 2.1 wireless, LED indicator<br><i>Non-vPro model:</i> Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br><i>vPro model:</i> Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)  |  |
| Intel AMT Audio support  | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack  |  |
| Security Security chip Fingerprint reader                            | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br><i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |  |
| Limited warranty <sup>12</sup>                                       | <b>3-years/1-yr battery - depot repair service / service upgrades<sup>22</sup> available</b>  |  |

See footnotes for important warranty information

US model announced September 28, 2010; previous models on January 7, March 2, or July 6, 2010

© Lenovo  
(NZ1-3) October 2010

# ThinkPad® T410 2518 (TopSeller) - Windows 7 (January 2011)

Personal Systems Reference (PSREF)

| Type-model | Processor | Max Base turbo (GHz) | Memory (MHz) | Wide-screen display | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Carrier    | Battery cells | Power Adapter (watt) | Intel vPro | Preload | Avail date |
|------------|-----------|----------------------|--------------|---------------------|-------------------------------|-----------------------|---------------------|------------|---------------|----------------------|------------|---------|------------|
| 2518-BGU   | i7-620M   | 2.66 3.33            | 4GBx1 1333   | 14.1" WXGA+         | 500G 7200                     | Intel 1000            | WWAN upg            |            | 9             | 90W                  |            | Pro 64  | Jan 11     |
| 2518-BJU   | i5-560M   | 2.66 3.20            | 2GBx1 1066   | 14.1" WXGA+         | 320G 7200                     | WiMAX                 | Gobi 2000           | selectable | 6             | 65W                  | vPro       | Pro 64  | Jan 11     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These models have a depot repair service 3-year limited warranty
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Positioning Processor  | <b>Premiere performance; two spindles</b><br><b>Intel® Core™ i5 processor i5-560M with dual-core, or Intel Core i7 processor i7-620M with dual-core,</b><br>DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology;<br><i>i5-560M: 3MB cache; i7-620M: 4MB cache</i>   |  |  |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Windows Live™ Toolbar<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW) |
| Memory   | <b>2GB or 4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz or PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets   |  |  |  |  |  |  |  |  |  |  |  |  |
| SATA DVD±RW Ultrabay Slim SATA disk                                  | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><b>320GB<sup>8</sup></b> (7200 rpm) or <b>500GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports 2nd disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™  |  |  |  |  |  |  |  |  |  |  |  |  |
| Widescreen display Camera  | <b>14.1" (358mm) WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:10 aspect ratio, 300:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus   |  |  |  |  |  |  |  |  |  |  |  |  |
| Integrated graphics  | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution: 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)</i>   |  |  |  |  |  |  |  |  |  |  |  |  |
| Keyboard TrackPoint® Touchpad ThinkLight™                            | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions   |  |  |  |  |  |  |  |  |  |  |  |  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material | <b>14.1W" (WxDxH): 13.2" x 9.4" x 1.1–1.3"; 335.5 x 239mm x 27.6–31.9mm</b><br><b>6-cell:</b> starting at 5.0 lb (2.27kg); <b>9-cell:</b> starting at 5.35 lb (2.43kg)<br>Black<br>Top: High Elasticity PolyCarbonate (HEPC);<br>Bottom: Carbon-Fiber Reinforced Plastic   |  |  |  |  |  |  |  |  |  |  |  |  |
| Battery - type Battery - life <sup>10</sup>                          | Lithium Ion <b>6-cell</b> or <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery<br><b>6-cell:</b> up to 6.6 hr; <b>9-cell:</b> up to 11 hr; <b>9-cell plus Slice battery:</b> up to 22 hr  |  |  |  |  |  |  |  |  |  |  |  |  |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports        | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Four USB 2.0 (one powered), eSATA port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)   |  |  |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies  |
| PCIe Mini Card Intel 1000 WiMAX WWAN upg Gobi™ 2000 Carrier          | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br><i>Some:</i> 11a/b/g/n and WiMAX wireless, PCIe Half Mini Card, Intel Centrino Advanced-N + WiMAX 6250, 2x2 AGN + 1x2 WiMAX<br><i>Some:</i> Wireless WAN upgradable<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider<br><i>Some:</i> User selectable at first boot, AT&T®, Verizon®, or Sprint®, contract required with service provider |  |  |  |  |  |  |  |  |  |  |  | 65-watt or 90-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |
| Modem Bluetooth™ Ethernet  | 56K V.92 <sup>6</sup> modem<br>Bluetooth 2.1 wireless, LED indicator<br>Non-vPro model: Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>vPro model: Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1   |  |  |  |  |  |  |  |  |  |  |  | ThinkPlus™.22 3-year LOR <sup>24</sup> 9x5 NBD 45K6021<br>ThinkPlus 4-year LOR 9x5 NBD 45K6022<br>ThinkPlus 5-year LOR 9x5 NBD 45K6024<br>ThinkPlus 4-year P&L P/U Depot 45K6023<br>ThinkPlus 5-year P&L P/U Depot 45K6025   |
| Intel AMT Audio support  | Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack  |  |  |  |  |  |  |  |  |  |  |  | Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>  |
| Security Security chip Fingerprint reader                            | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |  |  |  |  |  |  |  |  |  |  |  |  |
| Limited warranty <sup>12</sup>                                       | <b>3-years/1-yr battery - depot repair service / service upgrades<sup>22</sup> available</b>   |  |  |  |  |  |  |  |  |  |  |  |  |

See footnotes for important warranty information  
 US models announced January 11, 2011

© Lenovo  
 (NZ1-19) January 2011

# ThinkPad® T410 2518 (Optimus) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model   | Processor   | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Finger print reader | Blue-tooth   | Intel vPro | Preload | Avail date |
|--|---|------------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------------------|--|------------|---------|------------|
| 2518-AJU   | i5-560M   | 2.66       | 3.20            | 2GB    | 14.1" WXGA+         | 2.0M   | 320G 7200                     | Intel 6200 <sup>28</sup> | WWAN upg            | None                | Blue   | vPro       | Pro 64  | Sep 10     |
| <ul style="list-style-type: none"> <li>• <i>These small and medium business (SMB) models are part of the US TopSeller™ Program</i></li> <li>• <i>These models have a depot repair service 3-year limited warranty</i></li> <li>• <i>These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)</i></li> </ul> |   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Positioning Processor  | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i5 processor i5-560M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   |            |                 |        |                     |        |                               |                          |                     |                     | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64   |            |         |            |
| Memory   | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |            |                 |        |                     |        |                               |                          |                     |                     | <b>Preloaded applications<sup>14</sup></b> (only some listed) <ul style="list-style-type: none"> <li>• Rescue and Recovery™</li> <li>• Access Connections™</li> <li>• Password Manager</li> <li>• ThinkVantage System Update</li> <li>• ThinkVantage Power Manager</li> <li>• ThinkVantage Toolbox</li> <li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li> <li>• Adobe® Reader®</li> <li>• Adobe Flash® Player</li> <li>• Windows Live™ Toolbar</li> <li>• Skype™ for Windows</li> <li>• Microsoft Office 2010 preloaded; purchase product key to activate</li> <li>• Microsoft Research AutoCollage Touch</li> <li>• Roxio® Creator® Business Edition (DVD±RW)</li> <li>• Roxio MyDVD® (DVD±RW)</li> <li>• Corel® WinDVD® (DVD±RW)</li> </ul> |            |         |            |
| SATA DVD±RW Ultrabay Slim SATA disk  | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><b>320GB<sup>8</sup></b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports 2nd disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Widescreen display   | <b>14.1"</b> (358mm) <b>WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:10 aspect ratio, 300:1 contrast ratio  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Camera   | Camera on top of screen, 2.0-megapixel, fixed focus   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Optimus graphics <sup>37</sup>   | NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, <b>Intel HD Graphics</b> in processor, and <b>NVIDIA Quadro® NVS3100M</b> , PCI Express® x16, <b>512MB</b> memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915) |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Keyboard   | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| TrackPoint®  | TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Touchpad   | UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| ThinkLight™  | Illuminates the keyboard to improve visibility in low-light conditions  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Dimensions <sup>3</sup>  | <b>14.1W"</b> (WxDxH): 13.2" x 9.4" x 1.1–1.3"; 335.5 x 239mm x 27.6–31.9mm   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Weight <sup>2</sup>  | <b>6-cell:</b> starting at 5.0 lb (2.27kg); <b>9-cell:</b> starting at 5.35 lb (2.43kg)   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Case color   | Black   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Case material  | <b>Top:</b> High Elasticity PolyCarbonate (HEPC);<br><b>Bottom:</b> Carbon-Fiber Reinforced Plastic   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Battery - type   | Lithium Ion <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Battery - life <sup>10</sup>   | <b>6-cell:</b> up to 6.5 hr; <b>9-cell:</b> up to 10.9 hr; <b>9-cell plus Slice battery:</b> up to 21.9 hr  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Chipset  | <b>Mobile Intel QM57 Express Chipset</b>  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| ExpressCard/34   | One slot (ExpressCard/34)   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Smart Card read  | None  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Multicard reader   | 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Ports  | Four USB 2.0 (one powered), eSATA port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| PCIe Mini Card   | Two PCI Express Mini Card slots   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Intel 6200 <sup>28</sup>   | 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| WWAN upg   | Wireless WAN upgradable   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Modem  | 56K V.92 <sup>6</sup> modem   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Bluetooth™   | Bluetooth 2.1 wireless, LED indicator   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Ethernet   | Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Intel AMT  | Intel Active Management Technology (iAMT)   |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Audio support  | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Security   | Power-on password, hard disk password, supervisor password, security keyhole  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Security chip  | Trusted Platform Module, TCG 1.2-compliant  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Fingerprint reader   | None  |            |                 |        |                     |        |                               |                          |                     |                     |  |            |         |            |
| Limited warranty <sup>12</sup>   | <b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available   |            |                 |        |                     |        |                               |                          |                     |                     | <b>lenovo.com/thinkplus/warranty</b>   |            |         |            |

See footnotes for important warranty information  
 US model announced September 28, 2010

© Lenovo  
 (NZ1-17) December 2010

# ThinkPad® T410 2516 (Discrete) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | CCFL or LED | Camera | Disk SATA GB <sup>5</sup> rpm | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Bat-tery cells | Intel vPro | Preload | Avail date |
|------------|-----------|------------|-----------------|--------|---------------------|-------------|--------|-------------------------------|-----------------------|---------------------|---------------------|------------|----------------|------------|---------|------------|
| 2516-AEU   | i5-520M   | 2.40       | 2.93            | 2GB    | 14.1" WXGA          | LED         | 2.0M   | 320G 7200                     | 11b/g/n               | None                | None                | Blue       | 9              | No         | Pro 32  | Jan 10     |

- This small and medium business (SMB) model is part of the US TopSeller™ Program
- This system is Microsoft® Office 2010 Product Key Ready (O10PKR)

|                                     |  |  |
|-------------------------------------|--|--|
| Positioning Processor               | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i5 processor i5-520M</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache  | <b>Preloaded operating system</b> <sup>20</sup><br>- Genuine Windows® 7 Professional 32<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Microsoft Research AutoCollage Touch</li><li>• Roxio® Creator® Business Edition (DVD±RW)</li><li>• Roxio MyDVD® (DVD±RW)</li><li>• Corel® WinDVD® (DVD±RW)</li></ul><br>Supports ThinkVantage® technologies |
| Memory                              | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |  |
| SATA DVD±RW Ultrabay Slim SATA disk | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><b>320GB<sup>8</sup></b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports 2nd disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™   |  |
| Widescreen display                  | <b>14.1"</b> (358mm) <b>WXGA (1280x800) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:10 aspect ratio, 300:1 contrast ratio  |  |
| Camera                              | Camera on top of screen, 2.0-megapixel, fixed focus  |  |
| Discrete graphics                   | <b>NVIDIA® Quadro® NVS3100M</b> , PCI Express® x16, <b>256MB</b> memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @85Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915) |  |
| Keyboard                            | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys   |  |
| TrackPoint®                         | TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass   |  |
| Touchpad                            | UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch   |  |
| ThinkLight™                         | Illuminates the keyboard to improve visibility in low-light conditions   |  |
| Dimensions <sup>3</sup>             | <b>14.1W"</b> (WxDxH): 13.2" x 9.4" x 1.1–1.3"; 335.5 x 239mm x 27.6–31.9mm  | 90-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |
| Weight <sup>2</sup>                 | <b>6-cell:</b> starting at 5.0 lb (2.27kg); <b>9-cell:</b> starting at 5.35 lb (2.43kg)  |  |
| Case color                          | Black  |  |
| Case material                       | <i>Top:</i> High Elasticity PolyCarbonate (HEPC);<br><i>Bottom:</i> Carbon-Fiber Reinforced Plastic  |  |
| Battery - type                      | Lithium Ion <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom   |  |
| Battery - life <sup>10</sup>        | <b>6-cell:</b> up to 5.0 hr; <b>9-cell:</b> up to 8.3 hr; <b>9-cell plus Slice battery:</b> up to 16.6 hr  |  |
| Chipset                             | <b>Mobile Intel QM57 Express Chipset</b>   |  |
| ExpressCard/34                      | One slot (ExpressCard/34)  |  |
| Smart Card read                     | None   |  |
| Multicard reader                    | 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)   |  |
| Ports                               | Four USB 2.0 (one powered), eSATA port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)  |  |
| PCIe Mini Card                      | Two PCI Express Mini Card slots  | ThinkPlus™. <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968   |
| 11b/g/n                             | 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card  | ThinkPlus 2-year LOR 9x5 NBD 45K5969   |
| WWAN upg                            | None   | ThinkPlus 3-year LOR 9x5 NBD 45K5970   |
| Modem                               | 56K V.92 <sup>6</sup> modem  | ThinkPlus 4-year LOR 9x5 NBD 45K5973   |
| Bluetooth™                          | Bluetooth 2.1 wireless, LED indicator  | ThinkPlus 5-year LOR 9x5 NBD 45K5975   |
| Ethernet                            | Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1  | ThinkPlus 2-year P&L P/U Depot 45K5971   |
| Intel AMT                           | Intel Active Management Technology (iAMT)  | ThinkPlus 3-year P&L P/U Depot 45K5972   |
| Audio support                       | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack   | ThinkPlus 4-year P&L P/U Depot 45K5974   |
| Security                            | Power-on password, hard disk password, supervisor password, security keyhole   | ThinkPlus 5-year P&L P/U Depot 45K5976   |
| Security chip                       | Trusted Platform Module, TCG 1.2-compliant   | Post-warranty annual maintenance agreements at   |
| Fingerprint reader                  | None   | <b>lenovo.com/thinkplus/warranty</b>   |
| Limited warranty <sup>12</sup>      | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  |

See footnotes for important warranty information  
US model announced January 7, 2010

© Lenovo  
(NZ1-4) January 2010

# ThinkPad® T410 2518 (Discrete) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Processor | Max Base (GHz) | turbo (GHz) | Memory     | Wide-screen display | Camera | Disk SATA GB <sup>3</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Carrier               | Finger print reader | Blue-tooth | Intel vPro | Preload | Avail date |
|------------|-----------|----------------|-------------|------------|---------------------|--------|-------------------------------|--------------------------|---------------------|-----------------------|---------------------|------------|------------|---------|------------|
| 2518-C4U   | i5-520M   | 2.40           | 2.93        | 2GB        | 14.1" WXGA+         | 2.0M   | 320G 7200                     | 11b/g/n                  | Gobi 2000           | Verizon <sup>16</sup> | Fing                | Blue       |            | Pro 32  | Jan 10     |
| 2518-F5U   | i5-540M   | 2.53           | 3.06        | <b>4GB</b> | 14.1" WXGA+         | 2.0M   | 500G 7200                     | WiMAX                    | WWAN upg            |                       | Fing                | Blue       | vPro       | Pro 32  | Jan 10     |
| 2518-4KU   | i5-520M   | 2.40           | 2.93        | <b>4GB</b> | 14.1" WXGA+         | 2.0M   | 320G 7200                     | Intel 6200 <sup>28</sup> | Gobi 2000           | Verizon               | Fing                | Blue       | vPro       | Pro 64  | Mar 10     |
| 2518-4LU   | i5-540M   | 2.53           | 3.06        | <b>4GB</b> | 14.1" WXGA+         | 2.0M   | 320G 7200                     | WiMAX                    | WWAN upg            |                       | Fing                | Blue       | vPro       | Pro 64  | Mar 10     |
| 2518-QCU   | i5-540M   | 2.53           | 3.06        | <b>4GB</b> | 14.1" WXGA+         | 2.0M   | 160G SSD                      | Intel 6200               | WWAN upg            |                       |                     | Blue       | vPro       | Pro 64  | Jul 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These models have a depot repair service 3-year limited warranty
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|                                     |   |  |
|-------------------------------------|---|--|
| Positioning Processor               | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i5 processor i5-520M or i5-540M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   | <b>Preloaded operating system<sup>20</sup></b><br>- <i>Some:</i> Genuine Windows® 7 Professional 32<br>- <i>Some:</i> Genuine Windows 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Password Manager</li><li>• Fingerprint Software (fingerprint models)</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Windows Live™ Toolbar</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Microsoft Research AutoCollage Touch</li><li>• Roxio® Creator® Business Edition (DVD±RW)</li><li>• Roxio MyDVD® (DVD±RW)</li><li>• Corel® WinDVD® (DVD±RW)</li></ul> |
| Memory                              | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |
| SATA DVD±RW Ultrabay Slim SATA disk | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><i>Some:</i> <b>160GB</b> <sup>8</sup> Solid State Drive (SSD) / SATA 3.0Gb/s, 1.8" wide, 8mm high<br><i>Some:</i> <b>320GB</b> (7200 rpm) or <b>500GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, Active Protection System™<br><i>All:</i> removable, upgradable, supports 2nd disk, Shock Mounted Hard Drive |  |
| Widescreen display                  | <b>14.1"</b> (358mm) <b>WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:10 aspect ratio, 300:1 contrast ratio  |  |
| Camera                              | Camera on top of screen, 2.0-megapixel, fixed focus   |  |
| Discrete graphics                   | <b>NVIDIA® Quadro® NVS3100M</b> , PCI Express® x16, <b>256MB</b> memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort)@60Hz; 2048x1536 (VGA)@85Hz; 1920x1200@60Hz (single-link DVI-D via cable 45J7915)   |  |
| Keyboard                            | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys  |  |
| TrackPoint®                         | TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass  |  |
| Touchpad                            | UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch  |  |
| ThinkLight™                         | Illuminates the keyboard to improve visibility in low-light conditions  |  |
| Dimensions <sup>3</sup>             | <b>14.1W"</b> (WxDxH): 13.2" x 9.4" x 1.1–1.3"; 335.5 x 239mm x 27.6–31.9mm   |  |
| Weight <sup>2</sup>                 | <b>6-cell:</b> starting at 5.0 lb (2.27kg); <b>9-cell:</b> starting at 5.35 lb (2.43kg)   |  |
| Case color                          | Black   |  |
| Case material                       | <i>Top:</i> High Elasticity PolyCarbonate (HEPC);<br><i>Bottom:</i> Carbon-Fiber Reinforced Plastic   |  |
| Battery - type                      | Lithium Ion <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom  |  |
| Battery - life <sup>10</sup>        | <b>6-cell:</b> up to 5.0 hr; <b>9-cell:</b> up to 8.3 hr; <b>9-cell plus Slice battery:</b> up to 16.6 hr   |  |
| Chipset                             | <b>Mobile Intel QM57 Express Chipset</b>  |  |
| ExpressCard/34                      | One slot (ExpressCard/34)   |  |
| Smart Card read                     | None  |  |
| Multicard reader                    | 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)  |  |
| Ports                               | Four USB 2.0 (one powered), eSATA port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)   |  |
| PCIe Mini Card                      | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br><i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2<br><i>Some:</i> 11a/b/g/n and WiMAX wireless, PCIe Half Mini Card, Intel Centrino® Advanced-N + WiMAX 6250, 2x2 AGN + 1x2 WiMAX   |  |
| WWAN upg                            | <i>Some:</i> Wireless WAN upgradable  |  |
| Gobi™ 2000                          | <i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider  |  |
| Carrier                             | <i>Some:</i> Verizon®, contract required with service provider  |  |
| Modem                               | 56K V.92 <sup>6</sup> modem   |  |
| Bluetooth™                          | Bluetooth 2.1 wireless, LED indicator   |  |
| Ethernet                            | <i>Non-vPro model:</i> Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br><i>vPro model:</i> Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1  |  |
| Intel AMT                           | Intel Active Management Technology (iAMT)   |  |
| Audio support                       | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack  |  |
| Security                            | Power-on password, hard disk password, supervisor password, security keyhole  |  |
| Security chip                       | Trusted Platform Module, TCG 1.2-compliant  |  |
| Fingerprint reader                  | <i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |  |
| Limited warranty <sup>12</sup>      | <b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available   |  |

|  | | Supports ThinkVantage® technologies |
|  | | 90-watt AC adapter ThinkPad Roll Cage (one-piece magnesium frame) EPEAT™ Gold rating ENERGY STAR® 5.0-compliant RoHS-compliant International Warranty Service<sup>17</sup> 24 hour x 7 day<sup>18</sup> toll-free support during the warranty period<sup>12</sup> via 800-426-7378 |
|  | | ThinkPlus™.22 3-year LOR<sup>24</sup> 9x5 NBD 45K6021 |
|  | | ThinkPlus 4-year LOR 9x5 NBD 45K6022 |
|  | | ThinkPlus 5-year LOR 9x5 NBD 45K6024 |
|  | | ThinkPlus 4-year P&L P/U Depot 45K6023 |
|  | | ThinkPlus 5-year P&L P/U Depot 45K6025 |
|  | | Post-warranty annual maintenance agreements at **lenovo.com/thinkplus/warranty** |

See footnotes for important warranty information

US model announced July 6, 2010; previous models on January 7 or March 2, 2010

© Lenovo  
(NZ1-6) July 2010

# ThinkPad® T410i 2516 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model | Processor | GHz  | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Carrier    | Finger print reader | Blue-tooth | Battery Intel cells vPro | Preload | Avail date    |
|------------|-----------|------|--------|---------------------|--------|-------------------------------|-----------------------|---------------------|------------|---------------------|------------|--------------------------|---------|---------------|
| 2516-AQU   | i3-330M   | 2.13 | 2GB    | 14.1" WXGA          | 2.0M   | 250G 5400                     | Intel 1000            |                     |            | None                | None       | 6                        | No      | Pro 32 Feb 10 |
| 2516-72U   | i3-370M   | 2.40 | 2GB    | 14.1" WXGA          | 2.0M   | 250G 5400                     | Intel 1000            |                     |            | None                | None       | 6                        | No      | Pro 64 Jul 10 |
| 2516-73U   | i3-370M   | 2.40 | 2GB    | 14.1" WXGA          | 2.0M   | 320G 7200                     | Intel 1000            |                     |            | None                | None       | 6                        | No      | Pro 64 Jul 10 |
| 2516-74U   | i3-370M   | 2.40 | 2GB    | 14.1" WXGA          | 2.0M   | 320G 7200                     | Intel 1000            | Gobi 2000           | selectable | None                | None       | 6                        | No      | Pro 64 Jul 10 |
| 2516-FBU   | i3-390M   | 2.66 | 2GB    | 14.1" WXGA          | 2.0M   | 320G 7200                     | Intel 1000            | WWAN upg            |            | None                | None       | 6                        | No      | Pro 64 Jan 11 |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |   |
|--|--|---|
| Positioning Processor  | Premiere performance; two spindles<br><b>Intel® Core™ i3 processor i3-330M, i3-370M, or i3-390M</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache   | <b>Preloaded operating system<sup>20</sup></b><br>- Some: Genuine Windows® 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64   |
| Memory   | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available   | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW) |
| SATA DVD±RW Ultrabay Slim SATA disk                                  | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><b>250GB<sup>8</sup></b> (5400 rpm) or <b>320GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports 2nd disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™                  |   |
| Widescreen display   | <b>14.1"</b> (358mm) <b>WXGA (1280x800) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:10 aspect ratio, 300:1 contrast ratio  |   |
| Camera   | Camera on top of screen, 2.0-megapixel, fixed focus  |   |
| Integrated graphics  | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915) |   |
| Keyboard TrackPoint® Touchpad ThinkLight™                            | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions  |   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material | <b>14.1W" (WxDxH):</b> 13.2" x 9.4" x 1.1–1.3"; 335.5 x 239mm x 27.6–31.9mm<br><b>6-cell:</b> starting at 5.0 lb (2.27kg); <b>9-cell:</b> starting at 5.35 lb (2.43kg)<br>Black<br><i>Top:</i> High Elasticity PolyCarbonate (HEPC);<br><i>Bottom:</i> Carbon-Fiber Reinforced Plastic   | Supports ThinkVantage® technologies   |
| Battery - type Battery - life <sup>10</sup>                          | Lithium Ion <b>6-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom<br><b>6-cell:</b> up to 6.6 hr; <b>9-cell:</b> up to 11 hr; <b>9-cell plus Slice battery:</b> up to 22 hr   | 65-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports        | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Four USB 2.0 (one powered), eSATA port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)   | ThinkPlus™.22 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 5-year LOR 9x5 NBD 45K5975<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>ThinkPlus 5-year P&L P/U Depot 45K5976  |
| PCIe Mini Card Intel 1000 WWAN upg Gobi™ 2000                        | Two PCI Express Mini Card slots<br>11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br><i>Some:</i> Wireless WAN upgradable<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS  |   |
| Carrier  | <i>Some:</i> User selectable at first boot, AT&T®, Verizon®, or Sprint®, contract required with service provider   |   |
| Modem Bluetooth™ Ethernet Intel AMT Audio support                    | 56K V.92 <sup>9</sup> modem<br>None<br>Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack                              |   |
| Security Security chip Fingerprint reader                            | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>None   |   |
| Limited warranty <sup>12</sup>                                       | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  | Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>   |

See footnotes for important warranty information

US model announced January 11, 2011; previous models on February 2 or July 6, 2010

US model withdrawn effective July 31, 2010

© Lenovo  
(NZ1i-2) January 2011

# ThinkPad® T410i 2518 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model  | Processor   | GHz  | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Carrier    | Finger print reader | Blue-tooth   | Battery Intel vPro | Preload | Avail date    |
|---|---|------|--------|---------------------|--------|-------------------------------|-----------------------|---------------------|------------|---------------------|--|--------------------|---------|---------------|
| 2518-JWU  | i3-370M   | 2.40 | 2GB    | 14.1" WXGA          | 2.0M   | 320G 7200                     | Intel 1000            | Gobi 2000           | selectable |                     | Blue   | 9                  | No      | Pro 64 Jul 10 |
| 2518-JXU  | i3-370M   | 2.40 | 2GB    | 14.1" WXGA          | 2.0M   | 250G 5400                     | Intel 1000            | WWAN upg            |            | Finger              |  | 9                  | No      | Pro 64 Jul 10 |
| 2518-MHU  | i3-370M   | 2.40 | 2GB    | 14.1" WXGA          | 2.0M   | 250G 5400                     | Intel 1000            |                     |            | Finger              |  | 9                  | No      | Pro 64 Jul 10 |
| <ul style="list-style-type: none"> <li>• These small and medium business (SMB) models are part of the US TopSeller™ Program</li> <li>• These models have a depot repair service 3-year limited warranty</li> <li>• These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)</li> </ul> |   |      |        |                     |        |                               |                       |                     |            |                     |  |                    |         |               |
| Positioning Processor   | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i3 processor i3-370M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache  |      |        |                     |        |                               |                       |                     |            |                     | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64   |                    |         |               |
| Memory  | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |      |        |                     |        |                               |                       |                     |            |                     | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Windows Live™ Toolbar<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW) |                    |         |               |
| SATA DVD±RW Ultrabay Slim SATA disk   | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><b>250GB<sup>8</sup></b> (5400 rpm) or <b>320GB</b> (7200 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports 2nd disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™                                |      |        |                     |        |                               |                       |                     |            |                     |  |                    |         |               |
| Widescreen display  | <b>14.1"</b> (358mm) <b>WXGA (1280x800) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:10 aspect ratio, 300:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  |      |        |                     |        |                               |                       |                     |            |                     |  |                    |         |               |
| Integrated graphics   | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)                  |      |        |                     |        |                               |                       |                     |            |                     |  |                    |         |               |
| Keyboard TrackPoint® Touchpad ThinkLight™   | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions   |      |        |                     |        |                               |                       |                     |            |                     |  |                    |         |               |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color Case material  | <b>14.1W"</b> (WxDxH): 13.2" x 9.4" x 1.1–1.3"; 335.5 x 239mm x 27.6–31.9mm<br><b>6-cell:</b> starting at 5.0 lb (2.27kg); <b>9-cell:</b> starting at 5.35 lb (2.43kg)<br>Black<br><i>Top:</i> High Elasticity PolyCarbonate (HEPC);<br><i>Bottom:</i> Carbon-Fiber Reinforced Plastic  |      |        |                     |        |                               |                       |                     |            |                     |  |                    |         |               |
| Battery - type Battery - life <sup>10</sup>   | Lithium Ion <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery<br><b>6-cell:</b> up to 6.6 hr; <b>9-cell:</b> up to 11 hr; <b>9-cell plus Slice battery:</b> up to 22 hr  |      |        |                     |        |                               |                       |                     |            |                     |  |                    |         |               |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports   | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Four USB 2.0 (one powered), eSATA port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)  |      |        |                     |        |                               |                       |                     |            |                     | Supports ThinkVantage® technologies  |                    |         |               |
| PCIe Mini Card Intel 1000 WWAN upg Gobi™ 2000 Carrier   | Two PCI Express Mini Card slots<br>11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br><i>Some:</i> Wireless WAN upgradable<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS<br><i>Some:</i> User selectable at first boot, AT&T®, Verizon®, or Sprint®, contract required with service provider       |      |        |                     |        |                               |                       |                     |            |                     | 65-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |                    |         |               |
| Modem Bluetooth™ Ethernet Intel AMT Audio support   | 56K V.92 <sup>6</sup> modem<br><i>Some:</i> Bluetooth 2.1 wireless, LED indicator<br>Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack |      |        |                     |        |                               |                       |                     |            |                     | ThinkPlus™.22 3-year LOR <sup>24</sup> 9x5 NBD 45K6021<br>ThinkPlus 4-year LOR 9x5 NBD 45K6022<br>ThinkPlus 5-year LOR 9x5 NBD 45K6024<br>ThinkPlus 4-year P&L P/U Depot 45K6023<br>ThinkPlus 5-year P&L P/U Depot 45K6025<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>  |                    |         |               |
| Security Security chip Fingerprint reader   | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br><i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |      |        |                     |        |                               |                       |                     |            |                     |  |                    |         |               |
| <b>Limited warranty<sup>12</sup> 3-years/1-yr battery - depot repair service / service upgrades<sup>22</sup> available</b>  |   |      |        |                     |        |                               |                       |                     |            |                     |  |                    |         |               |

See footnotes for important warranty information  
 US models announced July 6, 2010

© Lenovo  
 (NZ11-3) July 2010

# ThinkPad® T410i 2518 (Discrete) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model  | Processor  | GHz  | Memory | Wide-screen display | CCFL or LED | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Carrier | Blue/Fing   | Intel vPro | Preload | Avail date |
|---|--|------|--------|---------------------|-------------|--------|-------------------------------|--------------------------|---------------------|---------|---|------------|---------|------------|
| 2518-JYU  | i3-370M  | 2.40 | 2GB    | 14.1" WXGA+         | LED         | 2.0M   | 320G 7200                     | Intel 6200 <sup>28</sup> | WWAN upg            | None    | Yes   | No         | Pro 64  | Jul 10     |
| <ul style="list-style-type: none"> <li>• <b>This small and medium business (SMB) model is part of the US TopSeller™ Program</b></li> <li>• <b>This model has a depot repair service 3-year limited warranty</b></li> <li>• <b>This system is Microsoft® Office 2010 Product Key Ready (O10PKR)</b></li> </ul> |  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Positioning Processor   | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i3 processor i3-370M with dual-core,</b> DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache   |      |        |                     |             |        |                               |                          |                     |         | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64  |            |         |            |
| Memory  | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |      |        |                     |             |        |                               |                          |                     |         | <b>Preloaded applications<sup>14</sup></b> (only some listed) <ul style="list-style-type: none"> <li>• Rescue and Recovery™</li> <li>• Access Connections™</li> <li>• Password Manager</li> <li>• Fingerprint Software (fingerprint models)</li> <li>• ThinkVantage System Update</li> <li>• ThinkVantage Power Manager</li> <li>• ThinkVantage Toolbox</li> <li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li> <li>• Adobe® Reader®</li> <li>• Adobe Flash® Player</li> <li>• Windows Live™ Toolbar</li> <li>• Skype™ for Windows</li> <li>• Microsoft Office 2010 preloaded; purchase product key to activate</li> <li>• Microsoft Research AutoCollage Touch</li> <li>• Roxio® Creator® Business Edition (DVD±RW)</li> <li>• Roxio MyDVD® (DVD±RW)</li> <li>• Corel® WinDVD® (DVD±RW)</li> </ul> |            |         |            |
| SATA DVD±RW Ultrabay Slim SATA disk   | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><b>320GB<sup>8</sup></b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports 2nd disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Widescreen display  | <b>14.1"</b> (358mm) <b>WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:10 aspect ratio, 300:1 contrast ratio   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Camera  | Camera on top of screen, 2.0-megapixel, fixed focus  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Discrete graphics   | <b>NVIDIA® Quadro® NVS3100M</b> , PCI Express® x16, <b>256MB</b> memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @85Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915) |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Keyboard  | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| TrackPoint®   | TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Touchpad  | UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| ThinkLight™   | Illuminates the keyboard to improve visibility in low-light conditions   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Dimensions <sup>3</sup>   | <b>14.1W" (WxDxH):</b> 13.2" x 9.4" x 1.1–1.3"; 335.5 x 239mm x 27.6–31.9mm  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Weight <sup>2</sup>   | <b>6-cell:</b> starting at 5.0 lb (2.27kg); <b>9-cell:</b> starting at 5.35 lb (2.43kg)  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Case color  | Black  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Case material   | <i>Top:</i> High Elasticity PolyCarbonate (HEPC);<br><i>Bottom:</i> Carbon-Fiber Reinforced Plastic  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Battery - type  | Lithium Ion <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Battery - life <sup>10</sup>  | <b>6-cell:</b> up to 5.0 hr; <b>9-cell:</b> up to 8.3 hr; <b>9-cell plus Slice battery:</b> up to 16.6 hr  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Chipset   | <b>Mobile Intel QM57 Express Chipset</b>   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| ExpressCard/34  | One slot (ExpressCard/34)  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Smart Card read   | None   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Multicard reader  | 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Ports   | Four USB 2.0 (one powered), eSATA port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| PCIe Mini Card  | Two PCI Express Mini Card slots  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Intel 6200 <sup>28</sup>  | 11a/b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| WWAN upg  | Wireless WAN upgradable  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Modem   | 56K V.92 <sup>6</sup> modem  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Bluetooth™  | Bluetooth 2.1 wireless, LED indicator  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Ethernet  | Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Intel AMT   | Intel Active Management Technology (iAMT)  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Audio support   | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Security  | Power-on password, hard disk password, supervisor password, security keyhole   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Security chip   | Trusted Platform Module, TCG 1.2-compliant   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Fingerprint reader  | UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |
| Limited warranty <sup>12</sup>  | <b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available  |      |        |                     |             |        |                               |                          |                     |         |   |            |         |            |

See footnotes for important warranty information  
 US model announced July 6, 2010

© Lenovo  
 (NZ1i-4) July 2010

**Memory**

|  |         |     |          |
|--|---------|-----|----------|
| 1GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3706 | ann | 06/23/09 |
| 1GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4385 | ann | 06/23/09 |
| 2GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3707 | ann | 06/23/09 |
| 2GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4386 | ann | 06/23/09 |
| 4GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3708 | ann | 06/23/09 |

**Ultrabay Slim 9.5mm**

|   |         |     |          |
|---|---------|-----|----------|
| Serial ATA Hard Drive Bay Adapter III         | 43N3412 | ann | 06/23/09 |
| DVD-ROM Ultrabay Slim Drive II SATA 1.5G/s    | 43N3292 | ann | 08/03/10 |
| DVD Burner Ultrabay Slim Drive II SATA 1.5G/s | 43N3229 | ann | 06/23/09 |
| Ultrabay Slim Blu-ray Burner II (SATA)        | 43N3230 | ann | 06/23/09 |

**Storage and removable storage**

|  |         |     |          |
|--|---------|-----|----------|
| 160GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 41N5737 | ann | 10/16/07 |
| 250GB Disk SATA 3.0Gb/s (5400 rpm) <sup>41</sup>     | 43R8152 | ann | 01/15/08 |
| 250GB Disk FDE SATA 3.0Gb/s (7200 rpm) <sup>41</sup> | 43N3410 | ann | 01/20/09 |
| 320GB Disk SATA 3.0Gb/s (5400 rpm) <sup>41</sup>     | 43N3403 | ann | 08/05/08 |
| 320GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 43N3411 | ann | 01/20/09 |
| 500GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 43N3423 | ann | 01/07/10 |

<sup>41</sup> Can be used as the main HDD or

with Serial ATA Hard Drive Bay Adapter III 43N3412 in the Ultrabay

|  |         |     |          |
|--|---------|-----|----------|
| 128GB SSD SATA 3.0Gb/s 1.8" (2.5" cover)     | 43N3406 | ann | 08/26/08 |
| 256GB FDE SSD SATA 3Gb/s 1.8" (2.5" cover)   | 43N3417 | ann | 06/23/09 |
| ThinkPad 160GB Intel X25-M SSD <sup>41</sup> | 43N3435 | ann | 06/22/10 |

|   |         |     |          |
|---|---------|-----|----------|
| USB 2.0 Portable 320GB Hard Disk        | 45K1689 | ann | 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk        | 45K1690 | ann | 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk | 43R2018 | ann | 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk | 43R2019 | ann | 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive   | 57Y4400 | ann | 01/07/10 |
| USB 2.0 Portable DVD Burner             | 43N3264 | ann | 01/05/10 |

**Wireless WAN (Mini PCI Express)**

Only WWAN upgradeable models:

|   |         |     |          |
|---|---------|-----|----------|
| ThinkPad Gobi™ 2000 Broadband Option      | 78Y1399 | ann | 01/07/10 |
| ThinkPad AT&T® Gobi 2000 Broadband Option | 78Y1398 | ann | 01/07/10 |

**ThinkPad Expansion**

|  |         |     |          |
|--|---------|-----|----------|
| Lenovo® Essential Notebook Stand             | 45J9292 | ann | 05/12/09 |
| USB Port Replicator with Digital Video       | 45K1610 | ann | 07/28/09 |
| ThinkPad Port Replicator Series 3            | 433610W | ann | 06/23/09 |
| ThinkPad Mini Dock Series 3                  | 433710U | ann | 06/23/09 |
| ThinkPad Mini Dock Plus Series 3             | 433810U | ann | 06/23/09 |
| ThinkPad Mini Dock Plus Series 3 - Mobile WS | 433820U | ann | 01/07/10 |

**Keyboard**

|   |         |     |          |
|---|---------|-----|----------|
| TrackPoint Cap Collection   | 73P2698 | ann | 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann | 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann | 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann | 03/23/04 |
| Ultralim Wireless Keyboard and Mouse <sup>52</sup>                            | 57Y4700 | ann | 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |     |          |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann | 08/18/09 |
| Lenovo® USB Fingerprint Keyboard  | 73P4730 | ann | 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann | 03/24/09 |

**Mouse**

|  |         |     |          |
|--|---------|-----|----------|
| Lenovo Optical Mouse (USB)               | 06P4069 | ann | 05/21/03 |
| Lenovo Laser Mouse (USB)                 | 41U3074 | ann | 01/23/07 |
| ThinkPad USB Laser Mouse                 | 57Y4635 | ann | 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical) | 31P7405 | ann | 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)     | 31P7410 | ann | 06/04/02 |
| ThinkPad Bluetooth Laser Mouse           | 41U5008 | ann | 01/22/08 |

**Multimedia**

|                            |         |     |          |
|----------------------------|---------|-----|----------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann | 01/07/10 |
|----------------------------|---------|-----|----------|

**Security**

|  |         |     |          |
|--|---------|-----|----------|
| Kensington® MicroSaver® Cable Lock   | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock  | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock   | 57Y4303 | ann | 08/24/10 |
| USB Gemplus GemPC Smart Card Reader  | 41N3040 | ann | 02/21/06 |
| ThinkPad T400/T410/R400 Privacy Filter   | 43R2472 | ann | 08/05/08 |
| Note: ThinkPad T400/T410/R400 Privacy Filter (43R2472) is not supported on T400s or T410s. |         |     |          |

**Batteries**

|   |         |     |          |
|---|---------|-----|----------|
| ThinkPad Battery 55+ (6-cell)   | 57Y4185 | ann | 03/30/10 |
| ThinkPad Battery 55++ (9-cell)  | 57Y4186 | ann | 03/30/10 |
| ThinkPad Battery 27++ (9-cell, slice) <sup>43</sup>   | 57Y4545 | ann | 01/07/10 |
| <sup>43</sup> To be used along with system battery for all-day computing; attaches under ThinkPad using docking connector (not supported when using Series 3 Port Replicator or Docks). |         |     |          |
| ThinkPad External Battery Charger   | 40Y7625 | ann | 09/20/05 |

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|  |         |     |          |
|--|---------|-----|----------|
| ThinkPad 65W AC Adapter <sup>45</sup>                              | 40Y7696 | ann | 01/05/06 |
| <sup>45</sup> Only compatible with the integrated graphics models. |         |     |          |
| ThinkPad 90W AC Adapter  | 40Y7659 | ann | 09/20/05 |
| Lenovo Power Hub   | 57Y4600 | ann | 09/07/10 |
| 90W Ultralim AC/DC Combo Adapter                                   | 41R4493 | ann | 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

Charging tips for 90W Ultralim AC/DC Combo Adapter 41R4493

|                                      |         |     |          |
|--------------------------------------|---------|-----|----------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann | 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann | 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)**Carrying Cases**

Up to 14" widescreen models:

|                          |         |     |          |
|--------------------------|---------|-----|----------|
| ThinkPad 14W Case Sleeve | 57Y4294 | ann | 03/16/10 |
|--------------------------|---------|-----|----------|

Up to 15.4" widescreen models:

|                                 |         |     |          |
|---------------------------------|---------|-----|----------|
| ThinkPad 15W Case Sleeve        | 51J0477 | ann | 08/18/09 |
| Lenovo Business Messenger Case  | 51J0475 | ann | 08/18/09 |
| Lenovo Messenger Max            | 41U5253 | ann | 05/01/07 |
| Lenovo Performance Backpack     | 41U5254 | ann | 05/01/07 |
| ThinkPad Business Topload Case  | 43R2476 | ann | 05/13/08 |
| ThinkPad Business Backpack      | 43R2482 | ann | 05/13/08 |
| ThinkPad Deluxe Expander Case   | 43R2478 | ann | 05/13/08 |
| ThinkPad Executive Leather Case | 43R2480 | ann | 05/13/08 |

Up to 15.6" widescreen models:

|                                    |         |     |          |
|------------------------------------|---------|-----|----------|
| Wenger Backpack for Lenovo         | 57Y4271 | ann | 01/07/10 |
| Wenger Slim Case for Lenovo        | 57Y4272 | ann | 01/07/10 |
| Wenger Deluxe Slim Case for Lenovo | 57Y4273 | ann | 01/07/10 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)**Monitors**

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann | 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann | 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann | 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann | 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann | 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann | 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann | 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann | 06/10/10 |

[www.lenovo.com/support/thinkpad/optimus-monitors](http://www.lenovo.com/support/thinkpad/optimus-monitors)**Monitor Accessories<sup>46</sup>**

|   |         |     |          |
|---|---------|-----|----------|
| Lenovo USB-to-DVI Monitor Adapter                                     | 45K5296 | ann | 05/12/09 |
| DisplayPort to Single-link DVI-D Cable                                | 45J7915 | ann | 08/05/08 |
| ThinkVision USB Soundbar  | 40Y7616 | ann | 08/23/05 |
| ThinkVision Soundbar  | 45K1263 | ann | 09/16/08 |
| Kensington MicroSaver Cable Lock                                      | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock                                       | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock  | 57Y4303 | ann | 08/24/10 |
| Lenovo Easy Reach Monitor Stand                                       | 55Y9258 | ann | 09/22/09 |
| <sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors. |         |     |          |

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)  
 Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

ThinkPad®



Lenovo® ThinkPad T410s



Lenovo ThinkPad T410s



ThinkPad Battery 42 (3-cell, bay)  
57Y4536



ThinkPad Battery 59+ (6-cell)  
51J0497



ThinkPad triple external monitor configuration  
using NVIDIA's Optimus technology



Lenovo ThinkPad T410s

# ThinkPad® T410s 2901 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model | Processor | Max Base turbo (GHz) | Memory | Wide-screen display | Camera      | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Card slot | Intel vPro | Preload | Avail date    |
|------------|-----------|----------------------|--------|---------------------|-------------|-------------------------------|-----------------------|---------------------|---------------------|------------|-----------|------------|---------|---------------|
| 2901-ATU   | i5-560M   | 2.66                 | 3.20   | 2GB                 | 14.1" WXGA+ | 2.0M                          | 250G 5400             | 11b/g/n             | WWAN upg            | None       | Blue      | Express    | No      | Pro 64 Sep 10 |

- This small and medium business (SMB) model is part of the US TopSeller™ Program

|                                     |  |   |
|-------------------------------------|--|---|
| Positioning Processor               | <i>Premiere performance and ultraportability; two spindles</i><br><b>Intel® Core™ i5 processor i5-560M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   | <b>Preloaded operating system</b> <sup>20</sup><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Client Security Solution™</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Presentation Director</li><li>• ThinkVantage Productivity Center</li><li>• Roxio® Creator® Business Edition (DVD±RW)</li><li>• Roxio MyDVD® (DVD±RW)</li><li>• Corel® WinDVD® (DVD±RW)</li></ul><br>Supports ThinkVantage® technologies<br><br>65-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378<br><br>ThinkPlus™. <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 5-year LOR 9x5 NBD 45K5975<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>ThinkPlus 5-year P&L P/U Depot 45K5976<br>Post-warranty annual maintenance agreements at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a> |
| Memory                              | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |   |
| SATA DVD±RW Ultrabay Slim SATA disk | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><b>250GB</b> <sup>8</sup> (5400 rpm) /<br>SATA 3.0Gb/s, 1.8" wide, 9.5mm high, removable, upgradable, supports 2nd disk, Shock Mounted Hard Drive, Active Protection System™  |   |
| Widescreen display                  | <b>14.1"</b> (358mm) <b>WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 300 nits, 16:10 aspect ratio, 300:1 contrast ratio   |   |
| Camera                              | Camera on top of screen, 2.0-megapixel, fixed focus  |   |
| Integrated graphics                 | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915) |   |
| Keyboard                            | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys   |   |
| TrackPoint®                         | TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass   |   |
| Touchpad                            | UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch   |   |
| ThinkLight™                         | Illuminates the keyboard to improve visibility in low-light conditions   |   |
| Dimensions <sup>3</sup>             | <b>14.1W" (WxDxH):</b> 13.3" x 9.5" x 0.83–1.02"; 337 x 241.5mm x 21.1–25.9mm  |   |
| Weight <sup>2</sup>                 | <b>6-cell:</b> starting at 3.94 lb (1.79kg)  |   |
| Case material                       | <i>Display cover:</i> Carbon-fiber reinforced plastic (top), glass-fiber reinforced plastic (side walls); <i>Base:</i> Magnesium alloy   |   |
| Battery - type                      | Lithium Ion <b>6-cell</b> , supports unique 2nd battery in Ultrabay Slim   |   |
| Battery - life <sup>10</sup>        | <b>6-cell:</b> up to 4.8 hr; <b>6-cell plus Ultrabay battery:</b> up to 7.9 hr   |   |
| Chipset                             | <b>Mobile Intel QS57 Express Chipset</b>   |   |
| ExpressCard/34                      | One slot (ExpressCard/34)  |   |
| Multicard Reader                    | None   |   |
| Ports                               | Two USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), ethernet (RJ-45)   |   |
| PCIe Mini Card                      | Two PCI Express Mini Card slots  |   |
| 11b/g/n                             | 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card  |   |
| WWAN upg                            | Wireless WAN upgradable  |   |
| Modem                               | None   |   |
| Bluetooth™                          | Bluetooth 2.1 wireless, LED indicator  |   |
| Ethernet                            | Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1  |   |
| Intel AMT                           | Intel Active Management Technology (iAMT)  |   |
| Audio support                       | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack   |   |
| Security                            | Power-on password, hard disk password, supervisor password, security keyhole   |   |
| Security chip                       | Trusted Platform Module, TCG 1.2-compliant   |   |
| Fingerprint reader                  | None   |   |
| Limited warranty <sup>12</sup>      | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |   |

See footnotes for important warranty information  
 US model announced September 28, 2010

© Lenovo  
 (SN2-11) October 2010

# ThinkPad® T410s 2904 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Finger print reader | Card slot | Intel vPro | Preload | Avail date |
|------------|-----------|------------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------------------|-----------|------------|---------|------------|
| 2904-FZU   | i5-520M   | 2.40       | 2.93            | 4GB    | 14.1" WXGA+         | 2.0M   | 128G SSD                      | Intel 6200 <sup>28</sup> | WWAN upg            | Finger              | Express   | vPro       | Pro 64  | Mar 10     |
| 2904-GGU   | i5-520M   | 2.40       | 2.93            | 2GB    | 14.1" WXGA+         | 2.0M   | 250G 5400                     | Intel 6200               | WWAN upg            |                     | Express   | vPro       | Pro 64  | May 10     |
| 2904-HCU   | i5-560M   | 2.66       | 3.20            | 4GB    | 14.1" WXGA+         | 2.0M   | 128G SSD                      | Intel 6200               | WWAN upg            |                     | Express   | vPro       | Pro 64  | Sep 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These models have a depot repair service 3-year limited warranty
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |   |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Positioning Processor                     | Premiere performance and ultraportability; two spindles<br><b>Intel® Core™ i5 processor i5-520M or i5-560M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64   |  |  |  |
| Memory                                    | <b>2GB or 4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |  |  |  |  |  |  |  |  |  | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW) |  |  |  |
| SATA DVD±RW Ultrabay Slim SATA disk       | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><i>Some:</i> <b>128GB<sup>8</sup></b> Solid State Drive (SSD) / SATA 3.0Gb/s, 1.8" wide, 5mm high<br><i>Some:</i> <b>250GB</b> (5400 rpm) / SATA 3.0Gb/s, 1.8" wide, 9.5mm high, Active Protection System™<br><i>All:</i> removable, upgradable, supports 2nd disk, Shock Mounted Hard Drive |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Widescreen display                        | <b>14.1"</b> (358mm) <b>WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 300 nits, 16:10 aspect ratio, 300:1 contrast ratio  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Camera                                    | Camera on top of screen, 2.0-megapixel, fixed focus   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Integrated graphics                       | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Keyboard TrackPoint® Touchpad ThinkLight™ | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Dimensions <sup>3</sup>                   | <b>14.1W"</b> (WxDxH): 13.3" x 9.5" x 0.83–1.02"; 337 x 241.5mm x 21.1–25.9mm   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Weight <sup>2</sup>                       | <b>6-cell:</b> starting at 3.94 lb (1.79kg)   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Case material                             | <i>Display cover:</i> Carbon-fiber reinforced plastic (top), glass-fiber reinforced plastic (side walls); <i>Base:</i> Magnesium alloy  |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies  |  |  |  |
| Battery - type                            | Lithium Ion <b>6-cell</b> , supports unique 2nd battery in Ultrabay Slim  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Battery - life <sup>10</sup>              | <b>6-cell:</b> up to 4.8 hr; <b>6-cell plus Ultrabay battery:</b> up to 7.9 hr  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Chipset                                   | <b>Mobile Intel QS57 Express Chipset</b>  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| ExpressCard/34                            | One slot (ExpressCard/34)   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Multicard Reader                          | None  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Ports                                     | Two USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), ethernet (RJ-45)  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| PCIe Mini Card                            | Two PCI Express Mini Card slots   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Intel 6200 <sup>28</sup>                  | 11a/b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| WWAN upg                                  | Wireless WAN upgradable   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Modem                                     | None  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bluetooth™                                | Bluetooth 2.1 wireless, LED indicator   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Ethernet                                  | Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Intel AMT                                 | Intel Active Management Technology (iAMT)   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Audio support                             | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Security                                  | Power-on password, hard disk password, supervisor password, security keyhole  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Security chip                             | Trusted Platform Module, TCG 1.2-compliant  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Fingerprint reader                        | <i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Limited warranty <sup>12</sup>            | <b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available   |  |  |  |  |  |  |  |  |  |  |  |  |  |

See footnotes for important warranty information

US model announced September 28, 2010; previous models on March 2 or May 4, 2010

© Lenovo  
(SN2-7) October 2010

ThinkPlus™, 22 3-year LOR<sup>24</sup> 9x5 NBD  
45K6021  
ThinkPlus 4-year LOR 9x5 NBD  
45K6022  
ThinkPlus 5-year LOR 9x5 NBD  
45K6024  
ThinkPlus 4-year P&L P/U Depot  
45K6023  
ThinkPlus 5-year P&L P/U Depot  
45K6025  
Post-warranty annual maintenance agreements at  
**lenovo.com/thinkplus/warranty**

# ThinkPad® T410s 2904 (Switchable) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Card slot | Intel vPro | Preload | Avail date |
|------------|-----------|------------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------------------|------------|-----------|------------|---------|------------|
| 2904-G2U   | i5-520M   | 2.40       | 2.93            | 4GB    | 14.1" WXGA+         | 2.0M   | 128G SSD                      | Intel 6200 <sup>28</sup> | WWAN upg            | Finger              | Blue       | 3-in-1    | vPro       | Pro 64  | Mar 10     |
| 2904-GEU   | i5-520M   | 2.40       | 2.93            | 2GB    | 14.1" WXGA+         | 2.0M   | 250G 5400                     | Intel 6200               | WWAN upg            |                     | Blue       | 3-in-1    | vPro       | Pro 64  | May 10     |
| 2904-GFU   | i5-540M   | 2.53       | 3.06            | 2GB    | 14.1" WXGA+         | 2.0M   | 128G SSD                      | Intel 6200               | WWAN upg            |                     | Blue       | 3-in-1    | vPro       | Pro 64  | May 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These models have a depot repair service 3-year limited warranty
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|                                     |   |   |
|-------------------------------------|---|---|
| Positioning Processor               | <i>Premiere performance and ultraportability; two spindles</i><br><b>Intel® Core™ i5 processor i5-520M or i5-540M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache  | <b>Preloaded operating system</b> <sup>20</sup><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Password Manager</li><li>• Fingerprint Software (fingerprint models)</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Microsoft Research AutoCollage Touch</li><li>• Roxio® Creator® Business Edition (DVD±RW)</li><li>• Roxio MyDVD® (DVD±RW)</li><li>• Corel® WinDVD® (DVD±RW)</li></ul> |
| Memory                              | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |   |
| SATA DVD±RW Ultrabay Slim SATA disk | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><i>Some:</i> <b>128GB</b> <sup>8</sup> Solid State Drive (SSD) / SATA 3.0Gb/s, 1.8" wide, 5mm high<br><i>Some:</i> <b>250GB</b> (5400 rpm) / SATA 3.0Gb/s, 1.8" wide, 9.5mm high, Active Protection System™<br><i>All:</i> removable, upgradable, supports 2nd disk, Shock Mounted Hard Drive  |   |
| Widescreen display                  | <b>14.1"</b> (358mm) <b>WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 300 nits, 16:10 aspect ratio, 300:1 contrast ratio  |   |
| Camera                              | Camera on top of screen, 2.0-megapixel, fixed focus   |   |
| Switchable graphics                 | Dynamic switching between discrete and integrated graphics (user selectable), <b>Intel HD Graphics</b> in processor, and <b>NVIDIA® Quadro® NVS3100M</b> , PCI Express® x16, <b>512MB</b> memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2048x1536 (VGA) @75Hz(integrated) or 85Hz(discrete); 1920x1200@60Hz (single-link DVI-D via cable 45J7915); 2560x1600 (DP) @60Hz |   |
| Keyboard                            | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys  |   |
| TrackPoint®                         | TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass  |   |
| Touchpad                            | UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch  |   |
| ThinkLight™                         | Illuminates the keyboard to improve visibility in low-light conditions  |   |
| Dimensions <sup>3</sup>             | <b>14.1W"</b> (WxDxH): 13.3" x 9.5" x 0.83–1.02"; 337 x 241.5mm x 21.1–25.9mm   |   |
| Weight <sup>2</sup>                 | <b>6-cell:</b> starting at 3.94 lb (1.79kg)   |   |
| Case material                       | <i>Display cover:</i> Carbon-fiber reinforced plastic (top), glass-fiber reinforced plastic (side walls); <i>Base:</i> Magnesium alloy  | Supports ThinkVantage® technologies   |
| Battery - type                      | Lithium Ion <b>6-cell</b> , supports unique 2nd battery in Ultrabay Slim  | 90-watt AC adapter  |
| Battery - life <sup>10</sup>        | <b>6-cell:</b> up to 4.8 hr; <b>6-cell plus Ultrabay battery:</b> up to 7.9 hr  | ThinkPad Roll Cage (one-piece magnesium frame)  |
| Chipset                             | <b>Mobile Intel QS57 Express Chipset</b>  | EPEAT™ Gold rating  |
| ExpressCard/34                      | None  | ENERGY STAR® 5.0-compliant  |
| Multicard Reader                    | 3-in-1 reader (MMC, SD, SDHC)   | RoHS-compliant  |
| Ports                               | Two USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), ethernet (RJ-45)  | International Warranty Service <sup>17</sup>  |
| PCIe Mini Card                      | Two PCI Express Mini Card slots   | 24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |
| Intel 6200 <sup>28</sup>            | 11a/b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2   |   |
| WWAN upg                            | Wireless WAN upgradable   | ThinkPlus™ <sup>22</sup> 3-year LOR <sup>24</sup> 9x5 NBD 45K6021   |
| Modem                               | None  | ThinkPlus 4-year LOR 9x5 NBD 45K6022  |
| Bluetooth™                          | Bluetooth 2.1 wireless, LED indicator   | ThinkPlus 5-year LOR 9x5 NBD 45K6024  |
| Ethernet                            | Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1   | ThinkPlus 4-year P&L P/U Depot 45K6023  |
| Intel AMT                           | Intel Active Management Technology (iAMT)   | ThinkPlus 5-year P&L P/U Depot 45K6025  |
| Audio support                       | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack  | Post-warranty annual maintenance agreements at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a>   |
| Security                            | Power-on password, hard disk password, supervisor password, security keyhole  |   |
| Security chip                       | Trusted Platform Module, TCG 1.2-compliant  |   |
| Fingerprint reader                  | <i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |   |
| Limited warranty <sup>12</sup>      | <b>3-years/1-yr battery - depot repair service / service upgrades</b> <sup>22</sup> available   |   |

See footnotes for important warranty information

US models announced May 4, 2010; previous model on March 30, 2010

© Lenovo  
(SN2-8) May 2010

# ThinkPad® T410s 2904 (Optimus) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Card slot | Intel vPro | Preload | Avail date |
|------------|-----------|------------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------------------|------------|-----------|------------|---------|------------|
| 2904-HDU   | i5-560M   | 2.66       | 3.20            | 4GB    | 14.1" WXGA+         | 2.0M   | 128G SSD                      | Intel 6200 <sup>28</sup> | WWAN upg            | Finger              | Blue       | 3-in-1    | vPro       | Pro 64  | Sep 10     |

- **This small and medium business (SMB) model is part of the US TopSeller™ Program**
- **This model has a depot repair service 3-year limited warranty**
- **This system is Microsoft® Office 2010 Product Key Ready (O10PKR)**

|                                     |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|-------------------------------------|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Positioning Processor               | <i>Premiere performance and ultraportability; two spindles</i><br><b>Intel® Core™ i5 processor i5-560M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64   |  |  |  |  |
| Memory                              | <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available  |  |  |  |  |  |  |  |  |  | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW) |  |  |  |  |
| SATA DVD±RW Ultrabay Slim SATA disk | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><b>128GB<sup>8</sup></b> Solid State Drive (SSD) / SATA 3.0Gb/s, 1.8" wide, 5mm high removable, upgradable, supports 2nd disk, Shock Mounted Hard Drive  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Widescreen display                  | <b>14.1"</b> (358mm) <b>WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 300 nits, 16:10 aspect ratio, 300:1 contrast ratio  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Camera                              | Camera on top of screen, 2.0-megapixel, fixed focus   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Optimus graphics <sup>37</sup>      | NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, <b>Intel HD Graphics</b> in processor, and <b>NVIDIA Quadro® NVS3100M</b> , PCI Express® x16, <b>512MB</b> memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2048x1536 (VGA) @ 75Hz; 1920x1200 @ 60Hz (single-link DVI-D via cable 45J7915); 2560x1600 (DP) @ 60Hz |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Keyboard                            | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| TrackPoint®                         | TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Touchpad                            | UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| ThinkLight™                         | Illuminates the keyboard to improve visibility in low-light conditions  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Dimensions <sup>3</sup>             | <b>14.1W"</b> (WxDxH): 13.3" x 9.5" x 0.83–1.02"; 337 x 241.5mm x 21.1–25.9mm   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Weight <sup>2</sup>                 | <b>6-cell:</b> starting at 3.94 lb (1.79kg)   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Case material                       | <i>Display cover:</i> Carbon-fiber reinforced plastic (top), glass-fiber reinforced plastic (side walls); <i>Base:</i> Magnesium alloy  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Battery - type                      | Lithium Ion <b>6-cell</b> , supports unique 2nd battery in Ultrabay Slim  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Battery - life <sup>10</sup>        | <b>6-cell:</b> up to 4.7 hr; <b>6-cell plus Ultrabay battery:</b> up to 7.8 hr  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Chipset                             | <b>Mobile Intel QS57 Express Chipset</b>  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| ExpressCard/34                      | None  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Multicard Reader                    | 3-in-1 reader (MMC, SD, SDHC)   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Ports                               | Two USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), ethernet (RJ-45)  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| PCIe Mini Card                      | Two PCI Express Mini Card slots   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Intel 6200 <sup>28</sup>            | 11a/b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| WWAN upg                            | Wireless WAN upgradable   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Modem                               | None  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bluetooth™                          | Bluetooth 2.1 wireless, LED indicator   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Ethernet                            | Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Intel AMT                           | Intel Active Management Technology (iAMT)   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Audio support                       | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Security                            | Power-on password, hard disk password, supervisor password, security keyhole  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Security chip                       | Trusted Platform Module, TCG 1.2-compliant  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Fingerprint reader                  | UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Limited warranty <sup>12</sup>      | <b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

See footnotes for important warranty information  
US model announced September 28, 2010

© Lenovo  
(SN2-12) December 2010

| Type-model | Processor | GHz  | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Card slot | Intel vPro | Preload | Avail date |
|------------|-----------|------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------------------|------------|-----------|------------|---------|------------|
| 2901-ARU   | i3-370M   | 2.40 | 2GB    | 14.1" WXGA+         | 2.0M   | 250G 5400                     | 11b/g/n                  | WWAN upg            | Finger              | Blue       | Express   | No         | Pro 64  | Aug 10     |
| 2901-ASU   | i3-370M   | 2.40 | 2GB    | 14.1" WXGA+         | 2.0M   | 128G SSD                      | Intel 6200 <sup>28</sup> | WWAN upg            | Finger              | Blue       | Express   | No         | Pro 64  | Aug 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These system are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |  |
|--|--|--|--|
| Positioning Processor                  | Premiere performance and ultraportability; two spindles<br><b>Intel® Core™ i3 processor i3-370M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache   |  | <b>Preloaded operating system</b> <sup>20</sup><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Client Security Solution™</li><li>• Fingerprint Software</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Presentation Director</li><li>• ThinkVantage Productivity Center</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Roxio® Creator® Business Edition (DVD±RW)</li><li>• Roxio MyDVD® (DVD±RW)</li><li>• Corel® WinDVD® (DVD±RW)</li></ul>  |
| Memory                                 | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |  |  |
| SATA DVD±RW Ultrabay Slim<br>SATA disk | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><i>Some:</i> <b>128GB</b> <sup>8</sup> Solid State Drive (SSD) / SATA 3.0Gb/s, 1.8" wide, 5mm high<br><i>Some:</i> <b>250GB</b> (5400 rpm) / SATA 3.0Gb/s, 1.8" wide, 9.5mm high, Active Protection System™<br><i>All:</i> removable, upgradable, supports 2nd disk, Shock Mounted Hard Drive |  |  |
| Widescreen display                     | <b>14.1"</b> (358mm) <b>WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 300 nits, 16:10 aspect ratio, 300:1 contrast ratio   |  |  |
| Camera                                 | Camera on top of screen, 2.0-megapixel, fixed focus  |  |  |
| Integrated graphics                    | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)   |  | Supports ThinkVantage® technologies  |
| Keyboard                               | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys   |  |  |
| TrackPoint®                            | TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass   |  | 65-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378<br><br>ThinkPlus™, <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 5-year LOR 9x5 NBD 45K5975<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>ThinkPlus 5-year P&L P/U Depot 45K5976<br><br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b> |
| Touchpad                               | UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch   |  |  |
| ThinkLight™                            | Illuminates the keyboard to improve visibility in low-light conditions   |  |  |
| Dimensions <sup>3</sup>                | <b>14.1W"</b> (WxDxH): 13.3" x 9.5" x 0.83–1.02"; 337 x 241.5mm x 21.1–25.9mm  |  |  |
| Weight <sup>2</sup>                    | <i>6-cell:</i> starting at 3.94 lb (1.79kg)  |  |  |
| Case material                          | <i>Display cover:</i> Carbon-fiber reinforced plastic (top), glass-fiber reinforced plastic (side walls); <i>Base:</i> Magnesium alloy   |  |  |
| Battery - type                         | Lithium Ion <b>6-cell</b> , supports unique 2nd battery in Ultrabay Slim   |  |  |
| Battery - life <sup>10</sup>           | <i>6-cell:</i> up to 4.8 hr; <i>6-cell plus Ultrabay battery:</i> up to 7.9 hr   |  |  |
| Chipset                                | <b>Mobile Intel QS57 Express Chipset</b>   |  |  |
| ExpressCard/34                         | One slot (ExpressCard/34)  |  |  |
| Multicard Reader                       | None   |  |  |
| Ports                                  | Two USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), ethernet (RJ-45)   |  |  |
| PCIe Mini Card                         | Two PCI Express Mini Card slots  |  |  |
| 11b/g/n                                | <i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card   |  |  |
| Intel 6200 <sup>28</sup>               | <i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2   |  |  |
| WWAN upg                               | Wireless WAN upgradable  |  |  |
| Modem                                  | None   |  |  |
| Bluetooth™                             | Bluetooth 2.1 wireless, LED indicator  |  |  |
| Ethernet                               | Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1  |  |  |
| Intel AMT                              | None   |  |  |
| Audio support                          | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack   |  |  |
| Security                               | Power-on password, hard disk password, supervisor password, security keyhole   |  |  |
| Security chip                          | Trusted Platform Module, TCG 1.2-compliant   |  |  |
| Fingerprint reader                     | UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |  |  |
| Limited warranty <sup>12</sup>         | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  |  |

See footnotes for important warranty information  
 US models announced August 3, 2010

© Lenovo  
 (SN2i-3) August 2010

# ThinkPad® T410si 2904 (TopSeller) - Windows 7 (August 2010)

Personal Systems Reference (PSREF)

| Type-model | Processor | GHz  | Memory | Wide-screen display | Camera | Disk SATA GB <sup>a</sup> rpm | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Card slot | Intel vPro | Preload | Avail date |
|------------|-----------|------|--------|---------------------|--------|-------------------------------|-----------------------|---------------------|---------------------|------------|-----------|------------|---------|------------|
| 2904-H6U   | i3-370M   | 2.40 | 2GB    | 14.1" WXGA+         | 2.0M   | 250G 5400                     | 11b/g/n               | WWAN upg            | Finger              | Blue       | Express   | No         | Pro 64  | Aug 10     |
| 2904-H7U   | i3-370M   | 2.40 | 2GB    | 14.1" WXGA+         | 2.0M   | 160G SSD                      | Intel 1000            | WWAN upg            | Finger              | Blue       | Express   | No         | Pro 64  | Aug 10     |

- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a depot repair service 3-year limited warranty**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

|   |   |  |  |  |  |  |  |  |  |  |   |  |  |  |
|---|---|--|--|--|--|--|--|--|--|--|---|--|--|--|
| Positioning Processor                                     | <i>Premiere performance and ultraportability; two spindles</i><br><b>Intel® Core™ i3 processor i3-370M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache  |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64  |  |  |  |
| Memory  | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |  |  |  |  |  |  |  |  | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Windows Live™ Toolbar<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |  |  |  |
| SATA DVD±RW Ultrabay Slim SATA disk                       | DVD burner, SATA 1.5Gb/s, 9.5mm Ultrabay slim, removable<br>One modular bay for interchangeable devices (right side), 9.5mm high, bottom access<br><i>Some:</i> <b>160GB<sup>8</sup></b> Solid State Drive (SSD) / SATA 3.0Gb/s, 1.8" wide, 5mm high<br><i>Some:</i> <b>250GB</b> (5400 rpm) / SATA 3.0Gb/s, 1.8" wide, 9.5mm high, Active Protection System™<br><i>All:</i> removable, upgradable, supports 2nd disk, Shock Mounted Hard Drive |  |  |  |  |  |  |  |  |  | • Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW)   |  |  |  |
| Widescreen display Camera                                 | <b>14.1"</b> (358mm) <b>WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 300 nits, 16:10 aspect ratio, 300:1 contrast ratio, Camera on top of screen, 2.0-megapixel, fixed focus   |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies   |  |  |  |
| Integrated graphics                                       | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)  |  |  |  |  |  |  |  |  |  | 65-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |  |  |  |
| Keyboard TrackPoint® Touchpad ThinkLight™                 | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions  |  |  |  |  |  |  |  |  |  | ThinkPlus™.22 3-year LOR <sup>24</sup> 9x5 NBD 45K6021  |  |  |  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case material | <b>14.1W"</b> (WxDxH): 13.3" x 9.5" x 0.83–1.02"; 337 x 241.5mm x 21.1–25.9mm<br><i>6-cell:</i> starting at 3.94 lb (1.79kg)<br><i>Display cover:</i> Carbon-fiber reinforced plastic (top), glass-fiber reinforced plastic (side walls); <i>Base:</i> Magnesium alloy<br>Lithium Ion <b>6-cell</b> , supports unique 2nd battery in Ultrabay Slim<br><i>6-cell:</i> up to 4.8 hr; <i>6-cell plus Ultrabay battery:</i> up to 7.9 hr            |  |  |  |  |  |  |  |  |  | ThinkPlus 4-year LOR 9x5 NBD 45K6022  |  |  |  |
| Battery - type Battery - life <sup>10</sup>               | <b>Mobile Intel QS57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>Two USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), ethernet (RJ-45)   |  |  |  |  |  |  |  |  |  | ThinkPlus 5-year LOR 9x5 NBD 45K6024  |  |  |  |
| Chipset ExpressCard/34 Multicard Reader Ports             | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br><i>Some:</i> 11b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br>Wireless WAN upgradable  |  |  |  |  |  |  |  |  |  | ThinkPlus 4-year P&L P/U Depot 45K6023  |  |  |  |
| PCIe Mini Card 11b/g/n Intel 1000 WWAN upg                | None<br>Bluetooth 2.1 wireless, LED indicator<br>Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>None<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack  |  |  |  |  |  |  |  |  |  | ThinkPlus 5-year P&L P/U Depot 45K6025  |  |  |  |
| Modem Bluetooth™ Ethernet Intel AMT Audio support         | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br><i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |  |  |  |  |  |  |  |  |  | Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>   |  |  |  |
| Security Security chip Fingerprint reader                 | <b>Limited warranty<sup>12</sup> 3-years/1-yr battery - depot repair service / service upgrades<sup>22</sup> available</b>  |  |  |  |  |  |  |  |  |  |   |  |  |  |

See footnotes for important warranty information  
US models announced August 3, 2010

© Lenovo  
(SN2i-4) August 2010

**Memory**

|  |         |              |
|--|---------|--------------|
| 1GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3706 | ann 06/23/09 |
| 1GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4385 | ann 06/23/09 |
| 2GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3707 | ann 06/23/09 |
| 2GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4386 | ann 06/23/09 |
| 4GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3708 | ann 06/23/09 |

**Ultrabay Slim 9.5mm**

|   |         |              |
|---|---------|--------------|
| Serial ATA Hard Drive Bay Adapter III         | 43N3412 | ann 06/23/09 |
| DVD-ROM Ultrabay Slim Drive II SATA 1.5G/s    | 43N3292 | ann 08/03/10 |
| DVD Burner Ultrabay Slim Drive II SATA 1.5G/s | 43N3229 | ann 06/23/09 |
| Ultrabay Slim Blu-ray Burner II (SATA)        | 43N3230 | ann 06/23/09 |

**Storage and removable storage**

|   |         |              |
|---|---------|--------------|
| 1.8" 250GB Disk SATA 3.0Gb/s (5400 rpm)   | 43N3418 | ann 06/23/09 |
| 500GB Disk SATA 3.0Gb/s (7200 rpm) <sup>51</sup>  | 43N3423 | ann 01/07/10 |
| <sup>51</sup> Can be used with <i>Serial ATA Hard Drive Bay Adapter III</i> 43N3412 in the Ultrabay |         |              |

|   |         |              |
|---|---------|--------------|
| 128GB SSD SATA 3.0Gb/s 1.8" (2.5" cover) <sup>49</sup>  | 43N3406 | ann 08/26/08 |
| 256GB FDE SSD SATA 3Gb/s 1.8" (2.5" cover) <sup>49</sup>  | 43N3417 | ann 06/23/09 |
| <sup>49</sup> Can be used as the main HDD or with <i>Serial ATA Hard Drive Bay Adapter III</i> 43N3412 in Ultrabay via the removable adaptive cover provided with the drive |         |              |

|   |         |              |
|---|---------|--------------|
| USB 2.0 Portable 320GB Hard Disk        | 45K1689 | ann 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk        | 45K1690 | ann 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk | 43R2018 | ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk | 43R2019 | ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive   | 57Y4400 | ann 01/07/10 |
| USB 2.0 Portable DVD Burner             | 43N3264 | ann 01/05/10 |

**Wireless WAN (Mini PCI Express)**

|   |         |              |
|---|---------|--------------|
| ThinkPad Gobi™ 2000 Broadband Option      | 78Y1399 | ann 01/07/10 |
| ThinkPad AT&T® Gobi 2000 Broadband Option | 78Y1398 | ann 01/07/10 |

**ThinkPad Expansion**

|  |         |              |
|--|---------|--------------|
| Lenovo® Essential Notebook Stand             | 45J9292 | ann 05/12/09 |
| USB Port Replicator with Digital Video       | 45K1610 | ann 07/28/09 |
| ThinkPad Port Replicator Series 3            | 433610W | ann 06/23/09 |
| ThinkPad Mini Dock Series 3                  | 433710U | ann 06/23/09 |
| ThinkPad Mini Dock Plus Series 3             | 433810U | ann 06/23/09 |
| ThinkPad Mini Dock Plus Series 3 - Mobile WS | 433820U | ann 01/07/10 |

**Keyboard**

|   |         |              |
|---|---------|--------------|
| TrackPoint Cap Collection   | 73P2698 | ann 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann 03/23/04 |
| Ultralim Wireless Keyboard and Mouse <sup>52</sup>                            | 57Y4700 | ann 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |              |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann 08/18/09 |
| Lenovo® USB Fingerprint Keyboard  | 73P4730 | ann 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann 03/24/09 |

**Mouse**

|  |         |              |
|--|---------|--------------|
| Lenovo Optical Mouse (USB)               | 06P4069 | ann 05/21/03 |
| Lenovo Laser Mouse (USB)                 | 41U3074 | ann 01/23/07 |
| ThinkPad USB Laser Mouse                 | 57Y4635 | ann 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical) | 31P7405 | ann 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)     | 31P7410 | ann 06/04/02 |
| ThinkPad Bluetooth Laser Mouse           | 41U5008 | ann 01/22/08 |

**Multimedia**

|                            |         |              |
|----------------------------|---------|--------------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann 01/07/10 |
|----------------------------|---------|--------------|

**Modem**

|                      |         |              |
|----------------------|---------|--------------|
| USB 2.0 Lenovo Modem | 43R1814 | ann 02/26/08 |
|----------------------|---------|--------------|

**Security**

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Kensington® MicroSaver® Cable Lock  | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock     | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock          | 57Y4303 | ann 08/24/10 |
| USB Gemplus GemPC Smart Card Reader | 41N3040 | ann 02/21/06 |

**Batteries**

|   |         |              |
|---|---------|--------------|
| ThinkPad Battery 59+ (6-cell)                   | 51J0497 | ann 06/23/09 |
| ThinkPad Battery 42 (3-cell, bay) <sup>43</sup> | 57Y4536 | ann 08/25/09 |
| <sup>43</sup> Used in Ultrabay Slim bay.        |         |              |
| ThinkPad External Battery Charger               | 40Y7625 | ann 09/20/05 |

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|  |         |              |
|--|---------|--------------|
| ThinkPad 65W AC Adapter <sup>45</sup>                              | 40Y7696 | ann 01/05/06 |
| <sup>45</sup> Only compatible with the integrated graphics models. |         |              |
| ThinkPad 90W AC Adapter  | 40Y7659 | ann 09/20/05 |
| Lenovo Power Hub   | 57Y4600 | ann 09/07/10 |
| 90W Ultralim AC/DC Combo Adapter                                   | 41R4493 | ann 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

|   |         |              |
|---|---------|--------------|
| <i>Charging tips for 90W Ultralim AC/DC Combo Adapter</i> 41R4493 |         |              |
| • iPod and iPhone Charge Tip (L10a)                               | 41R4481 | ann 12/18/07 |
| • Generic Micro USB charge tip (L18)                              | 41R4490 | ann 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)

**Carrying Cases**

|                                       |         |              |
|---------------------------------------|---------|--------------|
| <i>Up to 14" widescreen models:</i>   |         |              |
| ThinkPad 14W Case Sleeve              | 57Y4294 | ann 03/16/10 |
| <i>Up to 15.4" widescreen models:</i> |         |              |
| ThinkPad 15W Case Sleeve              | 51J0477 | ann 08/18/09 |
| Lenovo Business Messenger Case        | 51J0475 | ann 08/18/09 |
| Lenovo Messenger Max                  | 41U5253 | ann 05/01/07 |
| Lenovo Performance Backpack           | 41U5254 | ann 05/01/07 |
| ThinkPad Business Topload Case        | 43R2476 | ann 05/13/08 |
| ThinkPad Business Backpack            | 43R2482 | ann 05/13/08 |
| ThinkPad Deluxe Expander Case         | 43R2478 | ann 05/13/08 |
| ThinkPad Executive Leather Case       | 43R2480 | ann 05/13/08 |

|                                       |         |                     |
|---------------------------------------|---------|---------------------|
| <i>Up to 15.6" widescreen models:</i> |         |                     |
| Wenger Backpack for Lenovo            | 57Y4271 | <i>ann 01/07/10</i> |
| Wenger Slim Case for Lenovo           | 57Y4272 | <i>ann 01/07/10</i> |
| Wenger Deluxe Slim Case for Lenovo    | 57Y4273 | <i>ann 01/07/10</i> |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)

**Monitors**

|                                     |         |              |
|-------------------------------------|---------|--------------|
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann 06/10/10 |

[www.lenovo.com/support/thinkpad/optimus-monitors](http://www.lenovo.com/support/thinkpad/optimus-monitors)

**Monitor Accessories<sup>46</sup>**

|  |         |              |
|--|---------|--------------|
| Lenovo USB-to-DVI Monitor Adapter      | 45K5296 | ann 05/12/09 |
| DisplayPort to Single-link DVI-D Cable | 45J7915 | ann 08/05/08 |
| ThinkVision USB Soundbar               | 40Y7616 | ann 08/23/05 |
| ThinkVision Soundbar                   | 45K1263 | ann 09/16/08 |
| Kensington MicroSaver Cable Lock       | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock        | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock             | 57Y4303 | ann 08/24/10 |
| Lenovo Easy Reach Monitor Stand        | 55Y9258 | ann 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)  
 Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

ThinkPad®



Lenovo® ThinkPad T510



Lenovo ThinkPad T510



ThinkPad Mini Dock Plus Series 3  
433810U



ThinkPad Battery 27++ (9-cell, slice)  
57Y4545



ThinkPad triple external monitor configuration  
using NVIDIA's Optimus technology



Lenovo ThinkPad T510

# ThinkPad® T510 4313 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | SATA optical | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Bat-tery Intel vPro | Preload | Avail date    |
|------------|-----------|------------|-----------------|--------|---------------------|--------|-------------------------------|--------------|-----------------------|---------------------|---------------------|------------|---------------------|---------|---------------|
| 4313-28U   | i5-520M   | 2.40       | 2.93            | 2GB    | 15.6" HD            | 2.0M   | 250G 5400                     | DVD±RW       | 11b/g/n               | None                | None                | None       | 6                   | No      | Pro 32 Jan 10 |
| 4313-CTU   | i5-560M   | 2.66       | 3.20            | 2GB    | 15.6" HD            | 2.0M   | 320G 7200                     | DVD±RW       | 11b/g/n               | None                | None                | None       | 6                   | No      | Pro 64 Sep 10 |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Positioning Processor   | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i5 processor i5-520M or i5-560M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache  |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Some: Genuine Windows® 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64  |  |  |  |  |
| Memory  | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |  |  |  |  |  |  |  |  | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW)   |  |  |  |  |
| SATA DVD±RW Ultrabay Enhanced SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm Ultrabay Enhanced, removable<br>One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access<br><b>250GB<sup>8</sup></b> (5400 rpm) or <b>320GB</b> (7200 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports second disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™  |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies  |  |  |  |  |
| Widescreen display Camera   | <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus   |  |  |  |  |  |  |  |  |  | 65-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |  |  |  |  |
| Integrated graphics   | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)  |  |  |  |  |  |  |  |  |  | ThinkPlus™, 22 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 5-year LOR 9x5 NBD 45K5975<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>ThinkPlus 5-year P&L P/U Depot 45K5976<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b> |  |  |  |  |
| Keyboard TrackPoint® Touchpad ThinkLight™   | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions  |  |  |  |  |  |  |  |  |  | Limited warranty <sup>12</sup> <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available   |  |  |  |  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case material Battery - type Battery - life <sup>10</sup> | <b>15.6W"</b> (WxDxH): 14.68" x 9.65" x 1.26-1.41"; 372.8mm x 245.1mm x 32-35.8mm<br><i>6-cell:</i> starting at 5.66 lb (2.57kg); <i>9-cell:</i> starting at 6.01 lb (2.72kg)<br><i>Display cover:</i> Glass-fiber reinforced plastic; <i>Base:</i> Carbon-fiber reinforced plastic<br>Lithium Ion <b>6-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom<br><i>6-cell:</i> up to 6.2 hr; <i>9-cell:</i> up to 10.4 hr; <i>9-cell plus Slice battery:</i> up to 20.8 hr |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports   | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Four USB 2.0 (one powered), external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| PCIe Mini Card 11b/g/n WWAN upg Modem Bluetooth™ Ethernet Intel AMT Audio support                     | Two PCI Express Mini Card slots<br>11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br>None<br>56K V.92 <sup>6</sup> modem<br>None<br>Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack                             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Security Security chip Fingerprint reader   | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>None  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

See footnotes for important warranty information

US model announced September 28, 2010; previous model on January 7, 2010

© Lenovo  
(KN1-1) October 2010

# ThinkPad® T510 4313 (TopSeller) - Windows 7 (January 2011)

Personal Systems Reference (PSREF)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory (MHz) | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | SATA optical | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Bat-tery Intel cells vPro | Preload      | Avail date |
|------------|-----------|------------|-----------------|--------------|---------------------|--------|-------------------------------|--------------|-----------------------|---------------------|---------------------------|--------------|------------|
| 4313-J6U   | i5-480M   | 2.66       | 2.93            | 2GBx1 1066   | 15.6" HD            | 2.0M   | 320G 7200                     | DVD±RW       | Intel 1000            | WWAN upg            | 6                         | No Pro 64    | Jan 11     |
| 4313-J8U   | i5-480M   | 2.66       | 2.93            | 4GBx1 1333   | 15.6" HD+           | 2.0M   | 320G 7200                     | DVD±RW       | Intel 1000            | WWAN upg            | 6                         | No Home P 64 | Jan 11     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |  |  |
|---|--|--|
| Positioning Processor   | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i5 processor i5-480M</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache  | <b>Preloaded operating system<sup>20</sup></b><br>- <i>Some:</i> Genuine Windows® 7 Home Premium 64<br>- <i>Some:</i> Genuine Windows 7 Professional 64  |
| Memory  | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz or PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW) |
| SATA DVD±RW Ultrabay Enhanced SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm Ultrabay Enhanced, removable<br>One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access<br><b>320GB<sup>8</sup></b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports second disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™   | Supports ThinkVantage® technologies  |
| Widescreen display  | <i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br><i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio  | 65-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup><br>via 800-426-7378   |
| Camera  | Camera on top of screen, 2.0-megapixel, fixed focus  |  |
| Integrated graphics   | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)   |  |
| Keyboard TrackPoint® Touchpad ThinkLight™   | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions  |  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case material Battery - type Battery - life <sup>10</sup> | <b>15.6W"</b> (WxDxH): 14.68" x 9.65" x 1.26-1.41"; 372.8mm x 245.1mm x 32-35.8mm<br><b>6-cell:</b> starting at 5.66 lb (2.57kg); <b>9-cell:</b> starting at 6.01 lb (2.72kg)<br><b>Display cover:</b> Glass-fiber reinforced plastic; <b>Base:</b> Carbon-fiber reinforced plastic<br>Lithium Ion <b>6-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom<br><b>6-cell:</b> up to 6.2 hr; <b>9-cell:</b> up to 10.4 hr; <b>9-cell plus Slice battery:</b> up to 20.8 hr            |  |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports   | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Four USB 2.0, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)   | ThinkPlus™, 22 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 5-year LOR 9x5 NBD 45K5975<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>ThinkPlus 5-year P&L P/U Depot 45K5976                |
| PCIe Mini Card Intel 1000 WWAN upg Modem Bluetooth™ Ethernet Intel AMT Audio support                  | Two PCI Express Mini Card slots<br>11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br>Wireless WAN upgradable<br>56K V.92 <sup>6</sup> modem<br>None<br>Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack |  |
| Security Security chip Fingerprint reader   | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>None   | Post-warranty annual maintenance agreements at<br><b>lenovo.com/thinkplus/warranty</b>   |
| Limited warranty <sup>12</sup>  | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  |

See footnotes for important warranty information  
 US models announced January 11, 2011

© Lenovo  
 (KN1-16) January 2011

# ThinkPad® T510 4314 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory (MHz) | Wide-screen display | Disk SATA GB <sup>a</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Bat-tery cells | Intel vPro | Preload | Avail date |
|------------|-----------|------------|-----------------|--------------|---------------------|-------------------------------|--------------------------|---------------------|---------------------|------------|----------------|------------|---------|------------|
| 4314-36U   | i5-520M   | 2.40       | 2.93            | 2GBx1 1066   | 15.6" HD            | 320G 7200                     | WiMAX                    | WWAN upg            | Finger              | Blue       | 6              | vPro       | Pro 32  | Jan 10     |
| 4314-2JU   | i5-520M   | 2.40       | 2.93            | 2GBx1 1066   | 15.6" HD            | 250G 5400                     | 11b/g/n                  | WWAN upg            |                     | Blue       | 6              |            | Pro 32  | Jan 10     |
| 4314-9BU   | i5-520M   | 2.40       | 2.93            | 2GBx1 1066   | 15.6" HD            | 160G 7200                     | Intel 6200 <sup>28</sup> | WWAN upg            |                     | Blue       | 9              | vPro       | Pro 64  | May 10     |
| 4314-C5U   | i5-540M   | 2.53       | 3.06            | 2GBx1 1066   | 15.6" HD            | 160G SSD                      | Intel 6200               | WWAN upg            | Finger              | Blue       | 9              | vPro       | Pro 64  | Jul 10     |
| 4314-DDU   | i5-560M   | 2.66       | 3.20            | 2GBx1 1066   | 15.6" HD            | 320G 7200                     | Intel 6200               | WWAN upg            |                     | Blue       | 6              | vPro       | Pro 64  | Sep 10     |
| 4314-DPU   | i7-620M   | 2.66       | 3.33            | 4GBx1 1333   | 15.6" HD+           | 500G 7200                     | Intel 1000               | WWAN upg            |                     | Blue       | 6              |            | Pro 64  | Jan 11     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These models have a depot repair service 3-year limited warranty
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |   |  |   |  |
|---|---|--|---|--|
| Positioning Processor   | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i5 processor i5-520M, i5-540M, or i5-560M with dual-core, or Intel Core i7 processor i7-620M with dual-core,</b><br>DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology;<br><i>i5-520M/i5-540M/i5-560M: 3MB cache; i7-620M: 4MB cache</i>   |  | <b>Preloaded operating system<sup>20</sup></b><br>- <i>Some:</i> Genuine Windows® 7 Professional 32<br>- <i>Some:</i> Genuine Windows 7 Professional 64   |  |
| Memory  | <b>2GB or 4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz or PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  |  | <b>Preloaded applications<sup>14</sup></b> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Password Manager</li><li>• Fingerprint Software (fingerprint models)</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Windows Live™ Toolbar</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Microsoft Research AutoCollage Touch</li><li>• Roxio® Creator® Business Edition (DVD±RW)</li><li>• Roxio MyDVD® (DVD±RW)</li><li>• Corel® WinDVD® (DVD±RW)</li></ul> |  |
| SATA DVD±RW Ultrabay Enhanced SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm Ultrabay Enhanced, removable<br>One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access<br><i>Some: 160GB<sup>8</sup> Solid State Drive (SSD) / SATA 3.0Gb/s, 1.8" wide, 8mm high</i><br><i>Some: 160GB (7200 rpm), 250GB (5400 rpm), 320GB (7200 rpm), or 500GB (7200 rpm) /</i><br><i>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, Active Protection System™</i><br><i>All: removable, upgradable, supports 2nd disk, Shock Mounted Hard Drive</i>   |  |   |  |
| Widescreen display  | <i>Some: 15.6" (396mm) HD (1366x768) color, anti-glare, LED backlight,</i><br>220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br><i>Some: 15.6" (396mm) HD+ (1600x900) color, anti-glare, LED backlight,</i><br>220 nits, 16:9 aspect ratio, 500:1 contrast ratio   |  |   |  |
| Camera  | Camera on top of screen, 2.0-megapixel, fixed focus   |  |   |  |
| Integrated graphics   | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution: 2560x1600 (DisplayPort)@60Hz; 2048x1536 (VGA)@75Hz; 1920x1200@60Hz (single-link DVI-D via cable 45J7915)</i>   |  |   |  |
| Keyboard TrackPoint® Touchpad ThinkLight™   | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions   |  |   |  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case material Battery - type Battery - life <sup>10</sup> | <i>15.6W" (WxDxH): 14.68" x 9.65" x 1.26-1.41"; 372.8mm x 245.1mm x 32-35.8mm</i><br><i>6-cell: starting at 5.66 lb (2.57kg); 9-cell: starting at 6.01 lb (2.72kg)</i><br><i>Display cover:</i> Glass-fiber reinforced plastic; <i>Base:</i> Carbon-fiber reinforced plastic<br>Lithium Ion <b>6-cell</b> or <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery<br><i>6-cell: up to 6.2 hr; 9-cell: up to 10.4 hr; 9-cell plus Slice battery: up to 20.8 hr</i>   |  |   |  |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports   | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Four USB 2.0 (one powered), external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)  |  | Supports ThinkVantage® technologies   |  |
| PCIe Mini Card 11b/g/n Intel 1000 Intel 6200 <sup>28</sup> WiMAX WWAN upg Modem Bluetooth™ Ethernet   | Two PCI Express Mini Card slots<br><i>Some: 11b/g/n wireless<sup>4</sup>, ThinkPad 11b/g/n, PCIe Half Mini Card</i><br><i>Some: 11b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2</i><br><i>Some: 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2</i><br><i>Some: 11a/b/g/n and WiMAX wireless, PCIe Half Mini Card, Intel Centrino Advanced-N + WiMAX 6250, 2x2 AGN + 1x2 WiMAX</i><br>Wireless WAN upgradable<br>56K V.92 <sup>6</sup> modem<br>Bluetooth 2.1 wireless, LED indicator<br><i>Non-vPro model:</i> Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br><i>vPro model:</i> Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1 |  | 65-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup><br>via 800-426-7378  |  |
| Intel AMT Audio support   | Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack   |  | ThinkPlus™.22 3-year LOR <sup>24</sup> 9x5 NBD 45K6021<br>ThinkPlus 4-year LOR 9x5 NBD 45K6022<br>ThinkPlus 5-year LOR 9x5 NBD 45K6024<br>ThinkPlus 4-year P&L P/U Depot 45K6023<br>ThinkPlus 5-year P&L P/U Depot 45K6025  |  |
| Security Security chip Fingerprint reader   | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br><i>Some: UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip</i>   |  | Post-warranty annual maintenance agreements at<br><b>lenovo.com/thinkplus/warranty</b>  |  |
| Limited warranty <sup>12</sup>  | <b>3-years/1-yr - battery depot repair service / service upgrades<sup>22</sup> available</b>  |  |   |  |

See footnotes for important warranty information

US model announced January 11, 2011; previous models on January 7, May 4, July 6, or September 28, 2010

© Lenovo (KN1-3) January 2011

# ThinkPad® T510 4314 (Optimus) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model  | Processor   | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Finger print reader | Blue-tooth   | Bat-tery cells | Intel vPro | Preload | Avail date |
|---|---|------------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------------------|--|----------------|------------|---------|------------|
| 4314-DEU  | i5-560M   | 2.66       | 3.20            | 2GB    | 15.6" HD+           | 2.0M   | 320G 7200                     | Intel 6200 <sup>28</sup> | WWAN upg            | None                | Blue   | 9              | vPro       | Pro 64  | Sep 10     |
| <ul style="list-style-type: none"> <li>• <b>This small and medium business (SMB) model is part of the US TopSeller™ Program</b></li> <li>• <b>This model has a depot repair service 3-year limited warranty</b></li> <li>• <b>This system is Microsoft® Office 2010 Product Key Ready (O10PKR)</b></li> </ul> |   |            |                 |        |                     |        |                               |                          |                     |                     |  |                |            |         |            |
| Positioning Processor   | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i5 processor i5-560M</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   |            |                 |        |                     |        |                               |                          |                     |                     | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64   |                |            |         |            |
| Memory  | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets; <i>Non-italics:</i> standard memory in one socket; one socket available   |            |                 |        |                     |        |                               |                          |                     |                     | <b>Preloaded applications<sup>14</sup></b> (only some listed) <ul style="list-style-type: none"> <li>• Rescue and Recovery™</li> <li>• Access Connections™</li> <li>• Password Manager</li> <li>• ThinkVantage System Update</li> <li>• ThinkVantage Power Manager</li> <li>• ThinkVantage Toolbox</li> <li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li> <li>• Adobe® Reader®</li> <li>• Adobe Flash® Player</li> <li>• Windows Live™ Toolbar</li> <li>• Skype™ for Windows</li> <li>• Microsoft Office 2010 preloaded; purchase product key to activate</li> <li>• Microsoft Research AutoCollage Touch</li> <li>• Roxio® Creator® Business Edition (DVD±RW)</li> <li>• Roxio MyDVD® (DVD±RW)</li> <li>• Corel® WinDVD® (DVD±RW)</li> </ul> |                |            |         |            |
| SATA DVD±RW Ultrabay Enhanced SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm Ultrabay Enhanced, removable One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access <b>320GB<sup>8</sup></b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports second disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™  |            |                 |        |                     |        |                               |                          |                     |                     |  |                |            |         |            |
| Widescreen display Camera   | <b>15.6"</b> (396mm) <b>HD+</b> ( <b>1600x900</b> ) <b>color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  |            |                 |        |                     |        |                               |                          |                     |                     |  |                |            |         |            |
| Optimus graphics <sup>37</sup>  | NVIDIA® Optimus™ technology, auto-switch between discrete and integrated graphics, <b>Intel HD Graphics</b> in processor, and <b>NVIDIA Quadro® NVS3100M</b> , PCI Express® x16, <b>512MB</b> memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display; <i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)  |            |                 |        |                     |        |                               |                          |                     |                     |  |                |            |         |            |
| Keyboard TrackPoint® Touchpad ThinkLight™   | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch Illuminates the keyboard to improve visibility in low-light conditions   |            |                 |        |                     |        |                               |                          |                     |                     |  |                |            |         |            |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case material Battery - type Battery - life <sup>10</sup>   | <b>15.6W"</b> (WxDxH): 14.68" x 9.65" x 1.26-1.41"; 372.8mm x 245.1mm x 32-35.8mm<br><i>6-cell:</i> starting at 5.66 lb (2.57kg); <i>9-cell:</i> starting at 6.01 lb (2.72kg)<br><i>Display cover:</i> Glass-fiber reinforced plastic; <i>Base:</i> Carbon-fiber reinforced plastic<br>Lithium Ion <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom<br><i>6-cell:</i> up to 6.1 hr; <i>9-cell:</i> up to 10.3 hr; <i>9-cell plus Slice battery:</i> up to 20.7 hr   |            |                 |        |                     |        |                               |                          |                     |                     | Supports ThinkVantage® technologies  |                |            |         |            |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports   | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)   |            |                 |        |                     |        |                               |                          |                     |                     | 90-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup><br>via 800-426-7378   |                |            |         |            |
| PCIe Mini Card Intel 6200 <sup>28</sup> WWAN upg Modem Bluetooth™ Ethernet Intel AMT Audio support  | Two PCI Express Mini Card slots<br>11a/b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino Advanced-N 6200, 2x2 Wireless WAN upgradable<br>56K V.92 <sup>6</sup> modem<br>Bluetooth 2.1 wireless, LED indicator<br>Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack |            |                 |        |                     |        |                               |                          |                     |                     | ThinkPlus™, 22 3-year LOR <sup>24</sup> 9x5 NBD 45K6021<br>ThinkPlus 4-year LOR 9x5 NBD 45K6022<br>ThinkPlus 5-year LOR 9x5 NBD 45K6024<br>ThinkPlus 4-year P&L P/U Depot 45K6023<br>ThinkPlus 5-year P&L P/U Depot 45K6025<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>   |                |            |         |            |
| Security Security chip Fingerprnt reader  | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>None  |            |                 |        |                     |        |                               |                          |                     |                     |  |                |            |         |            |
| <b>Limited warranty<sup>12</sup> 3-years/1-yr - battery depot repair service / service upgrades<sup>22</sup> available</b>  |   |            |                 |        |                     |        |                               |                          |                     |                     |  |                |            |         |            |

See footnotes for important warranty information  
 US model announced September 28, 2010

© Lenovo  
 (KN1-14) December 2010

# ThinkPad® T510 4313 (Discrete) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | SATA optical | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Bat-tery Intel vPro | Preload | Avail date    |
|------------|-----------|------------|-----------------|--------|---------------------|--------|-------------------------------|--------------|-----------------------|---------------------|---------------------|------------|---------------------|---------|---------------|
| 4313-29U   | i5-520M   | 2.40       | 2.93            | 2GB    | 15.6" HD            | 2.0M   | 320G 7200                     | DVD±RW       | 11b/g/n               | None                | None                | Blue       | 9                   | No      | Pro 32 Feb 10 |

- **This small and medium business (SMB) model is part of the US TopSeller™ Program**
- **This system is Microsoft® Office 2010 Product Key Ready (O10PKR)**

|  |  |   |
|--|--|---|
| Positioning Processor  | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i5 processor i5-520M</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 32<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Adobe® Reader®</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Roxio® Creator® Business Edition (DVD±RW)</li><li>• Roxio MyDVD® (DVD±RW)</li><li>• Corel® WinDVD® (DVD±RW)</li></ul><br>Supports ThinkVantage® technologies |
| Memory   | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |   |
| SATA DVD±RW Ultrabay Enhanced SATA disk  | DVD burner, SATA 1.5Gb/s, 12.7mm Ultrabay Enhanced, removable<br>One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access<br><b>320GB<sup>8</sup></b> (7200 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports second disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™  |   |
| Widescreen display Camera  | <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  |   |
| Discrete graphics  | <b>NVIDIA® Quadro® NVS3100M</b> , PCI Express® x16, <b>512MB</b> memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @85Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)   |   |
| Keyboard TrackPoint® Touchpad ThinkLight™  | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch Illuminates the keyboard to improve visibility in low-light conditions   | 90-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case material Battery - type Battery - life <sup>10</sup>          | <b>15.6W"</b> (WxDxH): 14.68" x 9.65" x 1.26-1.41"; 372.8mm x 245.1mm x 32-35.8mm<br><i>6-cell:</i> starting at 5.66 lb (2.57kg); <i>9-cell:</i> starting at 6.01 lb (2.72kg)<br><i>Display cover:</i> Glass-fiber reinforced plastic; <i>Base:</i> Carbon-fiber reinforced plastic<br>Lithium Ion <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom<br><i>6-cell:</i> up to 4.7 hr; <i>9-cell:</i> up to 7.8 hr; <i>9-cell plus Slice battery:</i> up to 15.6 hr       |   |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports  | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)  | ThinkPlus™, <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 5-year LOR 9x5 NBD 45K5975<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>ThinkPlus 5-year P&L P/U Depot 45K5976<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>   |
| PCIe Mini Card 11b/g/n WWAN upg Modem Bluetooth™ Ethernet Intel AMT Audio support                              | Two PCI Express Mini Card slots<br>11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br>None<br>56K V.92 <sup>6</sup> modem<br>Bluetooth 2.1 wireless, LED indicator<br>Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack |   |
| Security Security chip Fingerprint reader  | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>None   |   |
| Limited warranty <sup>12</sup> <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available |  |   |

See footnotes for important warranty information  
US model announced January 7, 2010

© Lenovo  
(KN1-4) January 2010

# ThinkPad® T510 4314 (Discrete) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model   | Processor  | Base (GHz) | Max turbo (GHz) | Memory | Wide-screen display | Camera | Disk SATA GB <sup>3</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Finger print reader | Blue-tooth   | Battery Intel vPro | Preload | Avail date |
|--|--|------------|-----------------|--------|---------------------|--------|-------------------------------|--------------------------|---------------------|---------------------|--|--------------------|---------|------------|
| 4314-2MU   | i5-520M  | 2.40       | 2.93            | 2GB    | 15.6" HD            | 2.0M   | 250G 5400                     | Intel 1000               | WWAN upg            |                     |  | 9                  | Pro 32  | Feb 10     |
| 4314-2PU   | i5-540M  | 2.53       | 3.06            | 4GB    | 15.6" HD+           | 2.0M   | 500G 7200                     | Intel 6200 <sup>28</sup> | WWAN upg            | Finger              | Blue   | 9 vPro             | Pro 32  | Feb 10     |
| 4314-7QU   | i5-520M  | 2.40       | 2.93            | 4GB    | 15.6" HD+           | 2.0M   | 320G 7200                     | Intel 6200               | WWAN upg            | Finger              | Blue   | 9 vPro             | Pro 64  | Mar 10     |
| 4314-7RU   | i5-540M  | 2.53       | 3.06            | 4GB    | 15.6" HD+           | 2.0M   | 128G SSD                      | Intel 6200               | WWAN upg            | Finger              | Blue   | 9 vPro             | Pro 64  | Mar 10     |
| 4314-9CU   | i5-520M  | 2.40       | 2.93            | 2GB    | 15.6" HD            | 2.0M   | 160G 7200                     | Intel 6200               | WWAN upg            |                     | Blue   | 9 vPro             | Pro 64  | May 10     |
| 4314-9DU   | i5-540M  | 2.53       | 3.06            | 2GB    | 15.6" HD+           | 2.0M   | 160G 7200                     | Intel 6200               | WWAN upg            |                     | Blue   | 9 vPro             | Pro 64  | May 10     |
| 4314-C4U   | i5-540M  | 2.53       | 3.06            | 2GB    | 15.6" HD            | 2.0M   | 160G SSD                      | Intel 6200               | WWAN upg            | Finger              | Blue   | 9 vPro             | Pro 64  | Jul 10     |
| <div>• These small and medium business (SMB) models are part of the US TopSeller™ Program</div> <div>• These models have a depot repair service 3-year limited warranty</div> <div>• These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)</div> |  |            |                 |        |                     |        |                               |                          |                     |                     |  |                    |         |            |
| Positioning Processor  | Premiere performance; two spindles<br><b>Intel® Core™ i5 processor i5-520M or i5-540M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache  |            |                 |        |                     |        |                               |                          |                     |                     | <b>Preloaded operating system<sup>20</sup></b><br>- Some: Genuine Windows® 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64  |                    |         |            |
| Memory   | <b>2GB or 4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |            |                 |        |                     |        |                               |                          |                     |                     | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Windows Live™ Toolbar<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW) |                    |         |            |
| SATA DVD±RW Ultrabay Enhanced SATA disk  | DVD burner, SATA 1.5Gb/s, 12.7mm Ultrabay Enhanced, removable<br>One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access<br><i>Some:</i> <b>128GB<sup>8</sup></b> or <b>160GB</b> Solid State Drive (SSD) / SATA 3.0Gb/s, 1.8" wide, 8mm high<br><i>Some:</i> <b>160GB</b> (7200 rpm), <b>250GB</b> (5400 rpm), <b>320GB</b> (7200 rpm), or <b>500GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, Active Protection System™ removable, upgradable, supports 2nd disk, Shock Mounted Hard Drive<br><i>All:</i>   |            |                 |        |                     |        |                               |                          |                     |                     |  |                    |         |            |
| Widescreen display   | <i>Some:</i> <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br><i>Some:</i> <b>15.6"</b> (396mm) <b>HD+ (1600x900) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio  |            |                 |        |                     |        |                               |                          |                     |                     |  |                    |         |            |
| Camera   | Camera on top of screen, 2.0-megapixel, fixed focus  |            |                 |        |                     |        |                               |                          |                     |                     |  |                    |         |            |
| Discrete graphics  | <b>NVIDIA® Quadro® NVS3100M</b> , PCI Express® x16, <b>512MB</b> memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @85Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)   |            |                 |        |                     |        |                               |                          |                     |                     |  |                    |         |            |
| Keyboard TrackPoint® Touchpad ThinkLight™  | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions  |            |                 |        |                     |        |                               |                          |                     |                     |  |                    |         |            |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case material Battery - type Battery - life <sup>10</sup>  | <b>15.6W"</b> (WxDxH): 14.68" x 9.65" x 1.26-1.41"; 372.8mm x 245.1mm x 32-35.8mm<br><b>6-cell:</b> starting at 5.66 lb (2.57kg); <b>9-cell:</b> starting at 6.01 lb (2.72kg)<br><i>Display cover:</i> Glass-fiber reinforced plastic; <i>Base:</i> Carbon-fiber reinforced plastic<br>Lithium Ion <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom<br><b>6-cell:</b> up to 4.7 hr; <b>9-cell:</b> up to 7.8 hr; <b>9-cell plus Slice battery:</b> up to 15.6 hr   |            |                 |        |                     |        |                               |                          |                     |                     |  |                    |         |            |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports  | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)  |            |                 |        |                     |        |                               |                          |                     |                     | Supports ThinkVantage® technologies  |                    |         |            |
| PCIe Mini Card Intel 1000 Intel 6200 <sup>28</sup> WWAN upg Modem Bluetooth™ Ethernet  | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br><i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino Advanced-N 6200, 2x2<br>Wireless WAN upgradable<br>56K V.92 <sup>6</sup> modem<br><i>Some:</i> Bluetooth 2.1 wireless, LED indicator<br><i>Non-vPro model:</i> Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br><i>vPro model:</i> Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack<br>Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br><i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip |            |                 |        |                     |        |                               |                          |                     |                     | 90-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |                    |         |            |
| Intel AMT Audio support Security Security chip Fingerprint reader  |  |            |                 |        |                     |        |                               |                          |                     |                     | ThinkPlus™.22 3-year LOR <sup>24</sup> 9x5 NBD 45K6021<br>ThinkPlus 4-year LOR 9x5 NBD 45K6022<br>ThinkPlus 5-year LOR 9x5 NBD 45K6024<br>ThinkPlus 4-year P&L P/U Depot 45K6023<br>ThinkPlus 5-year P&L P/U Depot 45K6025<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>  |                    |         |            |
| Limited warranty <sup>12</sup>   | 3-years/1-yr - battery depot repair service / service upgrades <sup>22</sup> available   |            |                 |        |                     |        |                               |                          |                     |                     |  |                    |         |            |

See footnotes for important warranty information

US model announced July 6, 2010; previous models on January 7, March 2, or May 4, 2010

© Lenovo (KN1-6) July 2010

# ThinkPad® T510i 4313 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model | Processor | GHz  | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | SATA optical | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Finger print reader | Blue-tooth | Bat-tery cells | Intel vPro | Preload | Avail date |
|------------|-----------|------|--------|---------------------|--------|-------------------------------|--------------|-----------------------|---------------------|---------------------|------------|----------------|------------|---------|------------|
| 4313-C2U   | i3-370M   | 2.40 | 2GB    | 15.6" HD            | 2.0M   | 250G 5400                     | DVD±RW       | Intel 1000            | None                | Finger              | Blue       | 6              | No         | Pro 64  | Jul 10     |
| 4313-C3U   | i3-370M   | 2.40 | 2GB    | 15.6" HD            | 2.0M   | 320G 7200                     | DVD±RW       | Intel 1000            | None                | Finger              | Blue       | 6              | No         | Pro 64  | Jul 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |  |   |
|---|--|---|
| Positioning Processor   | <i>Premiere performance; two spindles</i><br><b>Intel® Core™ i3 processor i3-370M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache   | <b>Preloaded operating system</b> <sup>20</sup><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• Fingerprint Software<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW) |
| Memory  | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |   |
| SATA DVD±RW Ultrabay Enhanced SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm Ultrabay Enhanced, removable<br>One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access<br><b>250GB</b> <sup>8</sup> (5400 rpm) or <b>320GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports second disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™   |   |
| Widescreen display Camera   | <b>15.6"</b> (396mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  |   |
| Integrated graphics   | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @75Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)   | Supports ThinkVantage® technologies   |
| Keyboard TrackPoint® Touchpad ThinkLight™   | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions  | 65-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case material Battery - type Battery - life <sup>10</sup> | <b>15.6W"</b> (WxDxH): 14.68" x 9.65" x 1.26-1.41"; 372.8mm x 245.1mm x 32-35.8mm<br><i>6-cell:</i> starting at 5.66 lb (2.57kg); <i>9-cell:</i> starting at 6.01 lb (2.72kg)<br><i>Display cover:</i> Glass-fiber reinforced plastic; <i>Base:</i> Carbon-fiber reinforced plastic<br>Lithium Ion <b>6-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom<br><i>6-cell:</i> up to 6.2 hr; <i>9-cell:</i> up to 10.4 hr; <i>9-cell plus Slice battery:</i> up to 20.8 hr                          |   |
| Chipset ExpressCard/34 Smart Card read Multicard reader Ports   | <b>Mobile Intel QM57 Express Chipset</b><br>One slot (ExpressCard/34)<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>Four USB 2.0, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)   | ThinkPlus™. <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 5-year LOR 9x5 NBD 45K5975<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>ThinkPlus 5-year P&L P/U Depot 45K5976  |
| PCIe Mini Card Intel 1000 WWAN upg Modem Bluetooth™ Ethernet Intel AMT Audio support                  | Two PCI Express Mini Card slots<br>11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br>None<br>56K V.92 <sup>6</sup> modem<br>Bluetooth 2.1 wireless, LED indicator<br>Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack |   |
| Security Security chip Fingerprint reader   | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   | Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>   |
| Limited warranty <sup>12</sup>  | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |   |

See footnotes for important warranty information  
US models announced July 6, 2010

© Lenovo  
(KN1i-3) July 2010

**ThinkPad®**



Lenovo® ThinkPad W510



Lenovo ThinkPad W510



ThinkPad Mini Dock Plus Series 3 - Mobile WorkStation  
433820U



ThinkPad 135W AC Adapter  
55Y9317



Lenovo ThinkPad W510



Lenovo ThinkPad W510

# ThinkPad® W510 4319 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory (MHz) | Wide-screen display | Multi-Touch Screen | Disk SATA GB <sup>3</sup> rpm | RAID | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Carrier            | Color calib | Intel vPro Preload | Avail date |
|------------|-----------|------------|-----------------|--------------|---------------------|--------------------|-------------------------------|------|--------------------------|---------------------|--------------------|-------------|--------------------|------------|
| 4319-2NU   | i7-720QM  | 1.60       | 2.80            | 2GBx1 1066   | 15.6" HD+           |                    | 320G 7200                     | None | Intel 6300 <sup>28</sup> | WWAN upg            |                    |             | vPro Pro 32        | Jan 10     |
| 4319-2PU   | i7-720QM  | 1.60       | 2.80            | 2GBx2 1066   | 15.6" FHD           |                    | 320G 7200                     | None | Intel 6300               | WWAN upg            |                    |             | vPro Pro 64        | Jan 10     |
| 4319-2QU   | i7-720QM  | 1.60       | 2.80            | 2GBx2 1066   | 15.6" FHD           |                    | 320G 7200                     | None | Intel 6300               | Gobi 2000           |                    |             | vPro Pro 64        | Jan 10     |
| 4319-2RU   | i7-820QM  | 1.73       | 3.06            | 2GBx2 1066   | 15.6" FHD           | Multi              | 320G 7200                     | None | Intel 6300               | WWAN upg            | X-Rite             |             | vPro Pro 64        | Jan 10     |
| 4319-4BU   | i7-720QM  | 1.60       | 2.80            | 2GBx2 1066   | 15.6" FHD           |                    | 320G 7200                     | None | Intel 6300               | Gobi 2000           | AT&T <sup>23</sup> |             | vPro Pro 64        | Feb 10     |
| 4319-4MU   | i7-720QM  | 1.60       | 2.80            | 2GBx2 1066   | 15.6" HD+           |                    | 320G 7200                     | None | Intel 6300               | Gobi 2000           | AT&T               |             | vPro Pro 64        | Mar 10     |
| 4319-64U   | i7-720QM  | 1.60       | 2.80            | 2GBx1 1066   | 15.6" HD+           |                    | 320G 7200                     | None | Intel 6300               | WWAN upg            |                    |             | vPro Pro 64        | Sep 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- Power-packed engineering with Open GL graphics and ISV certifications
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Positioning Processor                     | Mobile workstation; two spindles<br><b>Intel® Core™ i7 processor i7-720QM or i7-820QM with quad-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1333MHz), Intel Turbo Boost, Hyper-Threading technology;<br><i>i7-720QM</i> : 6MB cache; <i>i7-820QM</i> : 8MB cache   |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Some: Genuine Windows® 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64  |  |  |  |
| Memory                                    | <b>2GB or 4GB</b> std / 16GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, four 204-pin SO-DIMM sockets  |  |  |  |  |  |  |  |  |  | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Windows Live™ Toolbar<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW)<br>• huey™PRO Monitor Color Correction by Pantone®/X-Rite® (color calibration models) |  |  |  |
| SATA DVD±RW Ultrabay Enhanced SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm Ultrabay Enhanced, removable<br>One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access<br><b>320GB<sup>8</sup></b> (7200 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports second disk, Shock Mounted Hard Drive, Active Protection System™   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Widescreen display                        | <i>Some:</i> <b>15.6"</b> (396mm) <b>HD+</b> ( <b>1600x900</b> ) <b>color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut<br><i>Some:</i> <b>15.6"</b> (396mm) <b>FHD (1920x1080) color</b> , anti-glare, <b>LED backlight</b> , 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut<br><i>Some:</i> <b>15.6"</b> (396mm) <b>FHD (1920x1080) color</b> , anti-glare, <b>LED backlight</b> , 242 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut, <b>MultiTouch</b> (touchscreen supports two-finger touch) |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Color calibration Camera                  | <i>Some:</i> huey™PRO Colorimeter by X-Rite® color calibration sensor in palm rest<br>Camera on top of screen, 2.0-megapixel, fixed focus  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Discrete graphics                         | <b>NVIDIA® Quadro® FX880M</b> , PCI Express® x16, <b>1GB</b> memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @85Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Keyboard TrackPoint® Touchpad ThinkLight™ | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Dimensions (WxDxH) <sup>3</sup>           | <i>HD+</i> : 14.68" x 9.65" x 1.26-1.41"; 372.8mm x 245.1mm x 32-35.8mm<br><i>FHD</i> : 14.68" x 9.65" x 1.29-1.44"; 372.8mm x 245.1mm x 32.8-36.6mm<br><i>FHD MultiTouch</i> : 14.68" x 9.65" x 1.35-1.57"; 372.8mm x 245.1mm x 34.3-39.8mm<br><i>6-cell</i> : starting at 5.66 lb (2.57kg); <i>9-cell</i> : starting at 6.01 lb (2.72kg)   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Weight <sup>2</sup>                       | <i>Display cover</i> : Glass-fiber reinforced plastic; <i>Base</i> : Carbon-fiber reinforced plastic   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Case material                             | Lithium Ion <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery at bottom   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Battery - type                            | <i>6-cell</i> : up to 3.0 hr; <i>9-cell</i> : up to 5.1 hr; <i>9-cell plus slice battery</i> : up to 10.5 hr   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Battery - life <sup>10</sup>              |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Chipset                                   | <b>Mobile Intel QM57 Express Chipset</b>   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| ExpressCard/34                            | One slot (ExpressCard/34)  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Smart Card Read                           | None   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Multicard Reader                          | 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Ports                                     | Two USB 3.0, one Powered USB 2.0, one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| PCIe Mini Card                            | Two PCI Express Mini Card slots<br>11a/b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Ultimate-N 6300, 3x3<br><i>Some:</i> Wireless WAN upgradable<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Intel 6300 <sup>28</sup>                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| WWAN upg                                  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Gobi™ 2000                                |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Carrier                                   | <i>Some:</i> AT&T®, contract required with service provider  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Modem                                     | 56K V.92 <sup>6</sup> modem  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Bluetooth™                                | Bluetooth 2.1 wireless, LED indicator  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Ethernet                                  | Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Intel AMT                                 | Intel Active Management Technology (iAMT)  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Audio support                             | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Security                                  | Power-on password, hard disk password, supervisor password, security keyhole   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Security chip                             | Trusted Platform Module, TCG 1.2-compliant   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Fingerprint reader                        | UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Limited warranty <sup>12</sup>            | <b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available  |  |  |  |  |  |  |  |  |  |  |  |  |  |

See footnotes for important warranty information

US model announced September 28, 2010; previous models on January 7, February 2, or March 2, 2010

US model withdrawn effective February 2010

© Lenovo  
(KN1W-1) October 2010

Supports ThinkVantage® technologies

135-watt AC adapter  
ThinkPad Roll Cage (one-piece magnesium frame)  
EPEAT™ Gold rating  
ENERGY STAR® 5.0-compliant  
RoHS-compliant  
International Warranty Service<sup>17</sup>  
24 hour x 7 day<sup>18</sup> toll-free support during the warranty period<sup>12</sup> via 800-426-7378

ThinkPlus™. 22 3-year LOR<sup>24</sup> 9x5 NBD 41C9176  
ThinkPlus 4-year LOR 9x5 NBD 41C9177  
ThinkPlus 5-year LOR 9x5 NBD 41C9179  
ThinkPlus 4-year P&L P/U Depot 41C9178  
ThinkPlus 5-year P&L P/U Depot 41C9180  
Post-warranty annual maintenance agreements at [lenovo.com/thinkplus/warranty](http://lenovo.com/thinkplus/warranty)

| Type-model | Processor | Base (GHz) | Max turbo (GHz) | Memory (MHz) | Wide-screen display | Disk SATA GB <sup>3</sup> rpm | RAID      | PCIe Mini Card 802.11 | PCIe Mini Card WWAN      | Color calib | Bat-tery cells | Intel vPro | Preload | Avail date |
|------------|-----------|------------|-----------------|--------------|---------------------|-------------------------------|-----------|-----------------------|--------------------------|-------------|----------------|------------|---------|------------|
| 4319-5RU   | i5-520M   | 2.40       | 2.93            | 2GBx1        | 1066                | 15.6" HD+                     | 320G 7200 | None                  | Intel 6300 <sup>28</sup> | WWAN upg    | None           | 9          | Pro 64  | Jul 10     |
| 4319-5SU   | i7-620M   | 2.66       | 3.33            | 2GBx2        | 1066                | 15.6" FHD                     | 320G 7200 | None                  | Intel 6300               | WWAN upg    | None           | 9          | Pro 64  | Jul 10     |
| 4319-5XU   | i5-560M   | 2.66       | 3.20            | 4GBx1        | 1333                | 15.6" HD+                     | 320G 7200 | None                  | Intel 6200 <sup>28</sup> | WWAN upg    | None           | 6          | vPro    | Sep 10     |
| 4319-65U   | i5-560M   | 2.66       | 3.20            | 2GBx1        | 1066                | 15.6" HD+                     | 320G 7200 | None                  | Intel 6300               | WWAN upg    | None           | 9          | vPro    | Sep 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- Power-packed engineering with Open GL graphics and ISV certifications
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |  |  |  |  |  |  |  |  |  |  |   |  |  |  |
|---|--|--|--|--|--|--|--|--|--|--|---|--|--|--|
| Positioning Processor                   | <i>Mobile workstation; two spindles</i><br><b>Intel® Core™ i5 processor i5-520M or i5-560M with dual-core, or Intel Core i7 processor i7-620M with dual-core,</b> DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology;<br><i>i5-520M/i5-560M: 3MB cache; i7-620M: 4MB cache</i>   |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed)   |  |  |  |
| Memory                                  | <b>2GB or 4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz or PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets   |  |  |  |  |  |  |  |  |  | • Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Windows Live™ Toolbar<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW)   |  |  |  |
| SATA DVD±RW Ultrabay Enhanced SATA disk | DVD burner, SATA 1.5Gb/s, 12.7mm Ultrabay Enhanced, removable<br>One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high, bottom access<br><b>320GB<sup>8</sup></b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports second disk, Shock Mounted Hard Drive, Active Protection System™  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Widescreen display                      | <i>Some: 15.6" (396mm) HD+ (1600x900) color, anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio, 60% Gamut</i><br><i>Some: 15.6" (396mm) FHD (1920x1080) color, anti-glare, LED backlight, 270 nits, 16:9 aspect ratio, 500:1 contrast ratio, 95% Gamut</i>  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Color calibration                       | None   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Camera                                  | Camera on top of screen, 2.0-megapixel, fixed focus  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Discrete graphics                       | <b>NVIDIA® Quadro® FX880M</b> , PCI Express® x16, <b>1GB</b> memory, external analog monitor support via VGA DB-15 connector and digital monitor support via DisplayPort (supports single-link DVI-D via cable 45J7915); supports dual independent display;<br><i>Maximum external resolution: 2560x1600 (DisplayPort) @60Hz; 2048x1536 (VGA) @85Hz; 1920x1200 @60Hz (single-link DVI-D via cable 45J7915)</i> |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Keyboard                                | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| TrackPoint®                             | TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Touchpad                                | UltraNav™, wide touchpad below keybrd, Tap Zones, scrolling regions label, multi-touch   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| ThinkLight™                             | Illuminates the keyboard to improve visibility in low-light conditions   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Dimensions (WxDxH) <sup>3</sup>         | <i>HD+:</i> 14.68" x 9.65" x 1.26-1.41"; 372.8mm x 245.1mm x 32-35.8mm<br><i>FHD:</i> 14.68" x 9.65" x 1.29-1.44"; 372.8mm x 245.1mm x 32.8-36.6mm   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Weight <sup>2</sup>                     | <i>6-cell:</i> starting at 5.66 lb (2.57kg); <i>9-cell:</i> starting at 6.01 lb (2.72kg)   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Case material                           | Display cover: Glass-fiber reinforced plastic; Base: Carbon-fiber reinforced plastic   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Battery - type                          | Lithium Ion <b>6-cell</b> or <b>9-cell</b> , supports optional Slice battery (57Y4545) as 2nd battery  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Battery - life <sup>10</sup>            | <i>6-cell:</i> up to 3.0 hr; <i>9-cell:</i> up to 5.1 hr; <i>9-cell plus slice battery:</i> up to 10.5 hr  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Chipset                                 | <b>Mobile Intel QM57 Express Chipset</b>   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| ExpressCard/34                          | One slot (ExpressCard/34)  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Smart Card Read                         | None   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Multicard Reader                        | 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Ports                                   | Two USB 3.0, one Powered USB 2.0, one USB 2.0/eSATA combo port, external monitor (VGA DB-15, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| PCIe Mini Card                          | Two PCI Express Mini Card slots  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Intel 6200 <sup>28</sup>                | <i>Some:</i> 11a/b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Advanced-N 6200, 2x2   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Intel 6300 <sup>28</sup>                | <i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino Ultimate-N 6300, 3x3  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| WWAN upg                                | Wireless WAN upgradable  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Modem                                   | 56K V.92 <sup>6</sup> modem  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Bluetooth™                              | Bluetooth 2.1 wireless, LED indicator  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Ethernet                                | <i>Non-vPro model:</i> Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1<br><i>vPro model:</i> Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Intel AMT                               |  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Audio support                           | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / speaker volume up, down and mute buttons / dual array microphone, mic mute button, combo audio/mic jack   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Security                                | Power-on password, hard disk password, supervisor password, security keyhole   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Security chip                           | Trusted Platform Module, TCG 1.2-compliant   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Fingerprint reader                      | UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Limited warranty <sup>12</sup>          | <b>3-years/1-yr battery</b> - depot repair service / service upgrades <sup>22</sup> available  |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies<br><br>135-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378<br><br>ThinkPlus™.22 3-year LOR <sup>24</sup> 9x5 NBD 41C9176<br>ThinkPlus 4-year LOR 9x5 NBD 41C9177<br>ThinkPlus 5-year LOR 9x5 NBD 41C9179<br>ThinkPlus 4-year P&L P/U Depot 41C9178<br>ThinkPlus 5-year P&L P/U Depot 41C9180<br>Post-warranty annual maintenance agreements at<br><b>lenovo.com/thinkplus/warranty</b> |  |  |  |

See footnotes for important warranty information

US models announced September 28, 2010; previous models on July 13, 2010

© Lenovo  
(KN1W-5) October 2010

**Memory**

|  |         |              |
|--|---------|--------------|
| 1GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3706 | ann 06/23/09 |
| 1GB PC3-8500 DDR3 L-H SODIMM (25Pack)  | 57Y4385 | ann 06/23/09 |
| 2GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3707 | ann 06/23/09 |
| 2GB PC3-8500 DDR3 L-H SODIMM (25Pack)  | 57Y4386 | ann 06/23/09 |
| 4GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3708 | ann 06/23/09 |
| 1GB PC3-10600 DDR3 L-H SODIMM          | 55Y3709 | ann 03/02/10 |
| 1GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 57Y4415 | ann 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM          | 55Y3710 | ann 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 57Y4416 | ann 03/02/10 |
| 4GB PC3-10600 DDR3 L-H SODIMM          | 55Y3711 | ann 03/02/10 |

**Ultrabay Slim 9.5mm**

|   |         |              |
|---|---------|--------------|
| Serial ATA Hard Drive Bay Adapter III <sup>48</sup> | 43N3412 | ann 06/23/09 |
|---|---------|--------------|

**Ultrabay Enhanced 12.7mm**

|  |         |              |
|--|---------|--------------|
| DVD Burner Ultrabay Enhanced II SATA     | 43N3294 | ann 01/07/10 |
| Blu-ray Reader / DVD Burner Ultrabay Enh | 43N3295 | ann 01/07/10 |

**Storage and removable storage**

|  |         |              |
|--|---------|--------------|
| 160GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 41N5737 | ann 10/16/07 |
| 250GB Disk SATA 3.0Gb/s (5400 rpm) <sup>41</sup>     | 43R8152 | ann 01/15/08 |
| 250GB Disk FDE SATA 3.0Gb/s (7200 rpm) <sup>41</sup> | 43N3410 | ann 01/20/09 |
| 320GB Disk SATA 3.0Gb/s (5400 rpm) <sup>41</sup>     | 43N3403 | ann 08/05/08 |
| 320GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 43N3411 | ann 01/20/09 |
| 500GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 43N3423 | ann 01/07/10 |

<sup>41</sup> Can be used as the main HDD or with Serial ATA Hard Drive Bay Adapter III 43N3412 in the Ultrabay

|  |         |              |
|--|---------|--------------|
| 128GB SSD SATA 3.0Gb/s 1.8" (2.5" cover)     | 43N3406 | ann 08/26/08 |
| 256GB FDE SSD SATA 3Gb/s 1.8"(2.5" cover)    | 43N3417 | ann 06/23/09 |
| ThinkPad 160GB Intel X25-M SSD <sup>41</sup> | 43N3435 | ann 06/22/10 |

|   |         |              |
|---|---------|--------------|
| USB 2.0 Portable 320GB Hard Disk        | 45K1689 | ann 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk        | 45K1690 | ann 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk | 43R2018 | ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk | 43R2019 | ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive   | 57Y4400 | ann 01/07/10 |
| USB 2.0 Portable DVD Burner             | 43N3264 | ann 01/05/10 |

**Wireless WAN (Mini PCI Express)**

Only WWAN upgradable models:

|   |         |              |
|---|---------|--------------|
| ThinkPad Gobi™ 2000 Broadband Option      | 78Y1399 | ann 01/07/10 |
| ThinkPad AT&T® Gobi 2000 Broadband Option | 78Y1398 | ann 01/07/10 |

**ThinkPad Expansion**

T510:

|                                   |         |              |
|-----------------------------------|---------|--------------|
| ThinkPad Port Replicator Series 3 | 433610W | ann 06/23/09 |
| ThinkPad Mini Dock Series 3       | 433710U | ann 06/23/09 |
| ThinkPad Mini Dock Plus Series 3  | 433810U | ann 06/23/09 |

All:

|  |         |              |
|--|---------|--------------|
| Lenovo® Essential Notebook Stand             | 45J9292 | ann 05/12/09 |
| USB Port Replicator with Digital Video       | 45K1610 | ann 07/28/09 |
| ThinkPad Mini Dock Plus Series 3 - Mobile WS | 433820U | ann 01/07/10 |

**Keyboard**

|   |         |              |
|---|---------|--------------|
| TrackPoint Cap Collection   | 73P2698 | ann 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann 03/23/04 |
| Ultralim Wireless Keyboard and Mouse <sup>52</sup>                            | 57Y4700 | ann 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |              |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann 08/18/09 |
| Lenovo® USB Fingerprint Keyboard  | 73P4730 | ann 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann 03/24/09 |

**Mouse**

|  |         |              |
|--|---------|--------------|
| Lenovo Optical Mouse (USB)               | 06P4069 | ann 05/21/03 |
| Lenovo Laser Mouse (USB)                 | 41U3074 | ann 01/23/07 |
| ThinkPad USB Laser Mouse                 | 57Y4635 | ann 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical) | 31P7405 | ann 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)     | 31P7410 | ann 06/04/02 |
| ThinkPad Bluetooth Laser Mouse           | 41U5008 | ann 01/22/08 |

**Multimedia**

|                            |         |              |
|----------------------------|---------|--------------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann 01/07/10 |
|----------------------------|---------|--------------|

**Security**

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Kensington® MicroSaver® Cable Lock  | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock     | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock          | 57Y4303 | ann 08/24/10 |
| USB Gemplus GemPC Smart Card Reader | 41N3040 | ann 02/21/06 |

**Batteries**

|   |         |              |
|---|---------|--------------|
| ThinkPad Battery 55+ (6-cell)   | 57Y4185 | ann 03/30/10 |
| ThinkPad Battery 55++ (9-cell)  | 57Y4186 | ann 03/30/10 |
| ThinkPad Battery 27++ (9-cell, slice) <sup>43</sup>   | 57Y4545 | ann 01/07/10 |
| <sup>43</sup> To be used along with system battery for all-day computing; attaches under ThinkPad using docking connector (not supported when using Series 3 Port Replicator or Docks). |         |              |
| ThinkPad External Battery Charger   | 40Y7625 | ann 09/20/05 |

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

T510:

|  |         |              |
|--|---------|--------------|
| ThinkPad 65W AC Adapter <sup>45</sup>                              | 40Y7696 | ann 01/05/06 |
| <sup>45</sup> Only compatible with the integrated graphics models. |         |              |
| ThinkPad 90W AC Adapter  | 40Y7659 | ann 09/20/05 |
| Lenovo Power Hub   | 57Y4600 | ann 09/07/10 |
| 90W Ultralim AC/DC Combo Adapter                                   | 41R4493 | ann 09/22/09 |

Charging tips for 90W Ultralim AC/DC Combo Adapter 41R4493

|                                      |         |              |
|--------------------------------------|---------|--------------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)

W510:

|                          |         |              |
|--------------------------|---------|--------------|
| ThinkPad 135W AC Adapter | 55Y9317 | ann 01/07/10 |
|--------------------------|---------|--------------|

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

**Carrying Cases**

Up to 15.6" widescreen models:

|                                |         |              |
|--------------------------------|---------|--------------|
| ThinkPad 15W Case Sleeve       | 51J0477 | ann 08/18/09 |
| Lenovo Business Messenger Case | 51J0475 | ann 08/18/09 |
| Lenovo Messenger Max           | 41U5253 | ann 05/01/07 |
| Lenovo Performance Backpack    | 41U5254 | ann 05/01/07 |
| ThinkPad Business Backpack     | 43R2482 | ann 05/13/08 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)

**Monitors**

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann 06/10/10 |

[www.lenovo.com/support/thinkpad/optimus-monitors](http://www.lenovo.com/support/thinkpad/optimus-monitors)

**Monitor Accessories<sup>46</sup>**

|   |         |              |
|---|---------|--------------|
| Lenovo USB-to-DVI Monitor Adapter       | 45K5296 | ann 05/12/09 |
| Lenovo DisplayPort to VGA Monitor Cable | 57Y4393 | ann 08/04/09 |
| DisplayPort to Single-link DVI-D Cable  | 45J7915 | ann 08/05/08 |
| ThinkVision USB Soundbar                | 40Y7616 | ann 08/23/05 |
| ThinkVision Soundbar                    | 45K1263 | ann 09/16/08 |
| Kensington MicroSaver Cable Lock        | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock         | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock              | 57Y4303 | ann 08/24/10 |
| Lenovo Easy Reach Monitor Stand         | 55Y9258 | ann 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)  
 Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)



Lenovo® ThinkPad W701



Lenovo ThinkPad W701 with  
ThinkPad W700 Mini Dock 2.0  
57Y4345



ThinkPad W700 Mini Dock 2.0  
57Y4345



ThinkPad Battery 37++ (9-cell)  
45J7914



Lenovo ThinkPad W701



Lenovo ThinkPad W701

# ThinkPad® W701 2500 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model   | Processor   | Memory (MHz) | Widescreen display | Discrete graphics | Disk(s) SATA GB <sup>8</sup> rpm | RAID | SATA optical | PCIe Mini Card 802.11    | Card slot | Color calib/ Adapter Intel vPro   | Power (watt) | Preload | Avail date    |
|--|---|--------------|--------------------|-------------------|----------------------------------|------|--------------|--------------------------|-----------|---|--------------|---------|---------------|
| 2500-3AU   | i7-720QM  | 2GBx1 1066   | 17" WXGA+          | FX2800M           | 1x320G 7200                      | No   | DVD±RW       | Intel 6300 <sup>28</sup> | Exp 54    |   | 230W         | vPro    | Pro 64 Mar 10 |
| 2500-3BU   | i7-820QM  | 2GBx2 1066   | 17" WUXGA          | FX2800M           | 1x320G 7200                      | No   | DVD±RW       | Intel 6300               | Smart     | Yes   | 230W         | vPro    | Pro 64 Mar 10 |
| <ul style="list-style-type: none"><li>• These small and medium business (SMB) models are part of the US TopSeller™ Program</li><li>• These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)</li></ul> |   |              |                    |                   |                                  |      |              |                          |           |   |              |         |               |
| Positioning Processor  | Mobile workstation; three spindles<br><b>Intel® Core™ i7 processor i7-720QM or i7-820QM</b> with <b>quad-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1333MHz), Intel Turbo Boost, Hyper-Threading technology;<br><i>i7-720QM: 1.60GHz, 6MB cache; i7-820QM: 1.73GHz, 8MB cache</i>  |              |                    |                   |                                  |      |              |                          |           | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Password Manager</li><li>• ThinkVantage Power Manager</li><li>• Fingerprint Software</li><li>• ThinkVantage Toolbox</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® WinDVD® (DVD±RW)</li></ul>  |              |         |               |
| Memory   | <b>2GB</b> or <b>4GB</b> std / 16GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, four 204-pin SO-DIMM sockets  |              |                    |                   |                                  |      |              |                          |           | ISV software certifications   |              |         |               |
| SATA DVD±RW Ultrabay Enhanced SATA disk(s)   | DVD burner, SATA 1.5Gb/s, 12.7mm Ultrabay Enhanced, removable<br>One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high<br>One disk, <b>320GB<sup>8</sup></b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, supports 3rd disk, ThinkPad Shock Mounted Hard Drive, Active Protection System™  |              |                    |                   |                                  |      |              |                          |           | Supports ThinkVantage® technologies   |              |         |               |
| Widescreen display   | <i>Some:</i> <b>17.0"</b> (433.0mm) <b>WXGA+ (1440x900) color</b> , anti-glare, <b>LED backlight</b> , 200 nits, 16:10 aspect ratio, 300:1 contrast ratio, 45% color gamut<br><i>Some:</i> <b>17.0"</b> (433.0mm) <b>WUXGA (1920x1200) color</b> , anti-glare, <b>RGB LED backlight</b> , 280 nits, 16:10 aspect ratio, 600:1 contrast ratio, 100% color gamut  |              |                    |                   |                                  |      |              |                          |           | <b>ThinkPad W700 Mini Dock 2.0</b><br>Provides desktop expansion and cable mgmt for W700 and W701 Series<br>Features: <ul style="list-style-type: none"><li>• Security key lock</li><li>• Security cable lock slot</li><li>• External monitor ports<ul style="list-style-type: none"><li>– Analog VGA DB-15</li><li>– Dual-link DVI-D</li><li>– DisplayPort</li></ul></li><li>• Four USB 2.0 ports</li><li>• eSATA port</li><li>• Gigabit ethernet port</li><li>• Microphone in and headphone out</li><li>• S/PDIF (RCA coaxial digital out)</li><li>• Requires 170 or 230 watt AC adpctr</li></ul> |              |         |               |
| Color calibration Camera   | <i>Some:</i> huey™PRO Colorimeter by X-Rite® color calibration sensor in palm rest<br>Camera on top of screen, 2.0-megapixel, fixed focus   |              |                    |                   |                                  |      |              |                          |           | 230-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |              |         |               |
| Discrete graphics  | <b>NVIDIA® Quadro® FX2800M</b> , PCI Express® x16, <b>1GB</b> memory supports dual independent display;<br><i>Maximum external resolution:</i><br>2560x1600 (DisplayPort or dual-link DVI-D) @60Hz; 2048x1536 (VGA) @85Hz   |              |                    |                   |                                  |      |              |                          |           | ThinkPlus™. 22 3-year LOR <sup>24</sup> 9x5 NBD 41C9176   |              |         |               |
| Keyboard TrackPoint® Touch pad Numeric keypad Digitizer ThinkLight™  | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touch pad below keyboard, Tap Zones, scrolling regions label<br>10-key numeric keypad on right side of keyboard<br><i>Some:</i> Wacom® digitizer (128x80mm) on palm rest, digitizer pen, pen holder in right side<br>Two LEDs illuminate the keyboard to improve visibility in low-light conditions   |              |                    |                   |                                  |      |              |                          |           | ThinkPlus 4-year LOR 9x5 NBD 41C9177  |              |         |               |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case material  | <i>9-cell 17W" (WxDxH):</i> 16.1" x 12.2" x 1.60-1.63"; 410mm x 310mm x 40.6-41.4mm<br><i>9-cell:</i> starting at 8.97 lb (4.07kg)<br><i>Top:</i> magnesium alloy;<br><i>Bottom:</i> Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic   |              |                    |                   |                                  |      |              |                          |           | ThinkPlus 5-year LOR 9x5 NBD 41C9179  |              |         |               |
| Battery - type Battery - life <sup>10</sup>  | Lithium Ion <b>9-cell</b><br><i>9-cell:</i> up to 2.0 hr  |              |                    |                   |                                  |      |              |                          |           | ThinkPlus 4-year P&L P/U Depot 41C9178  |              |         |               |
| Chipset ExpressCard/34 ExpressCard/54 Compact Flash Smart Card Read Multicard Reader Ports   | <b>Mobile Intel QM57 Express Chipset</b><br>One ExpressCard/34<br><i>Some:</i> [/54] One ExpressCard/34 or ExpressCard/54<br>None<br><i>Some:</i> Smart Card Reader<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>One USB 3.0, Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor <sup>11</sup> (VGA DB-15, dual-link DVI-D, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)   |              |                    |                   |                                  |      |              |                          |           | ThinkPlus 5-year P&L P/U Depot 41C9180  |              |         |               |
| PCIe Mini Card Intel 6300 <sup>28</sup> Modem Bluetooth™ Ethernet Intel AMT Audio support  | One PCI Express Half Mini Card slot<br>11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Ultimate-N 6300, 3x3 56K V.92 <sup>6</sup> modem<br>Bluetooth 2.1 wireless, LED indicator<br>Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / volume up, down, mute buttons / digital microphone, microphone input jack, headphone jack<br>Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant |              |                    |                   |                                  |      |              |                          |           | Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>   |              |         |               |
| Security Security chip Fingerprint reader  | UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip  |              |                    |                   |                                  |      |              |                          |           |   |              |         |               |
| Limited warranty <sup>12</sup>   | <b>3-year</b> - depot repair service / service upgrades <sup>22</sup> available   |              |                    |                   |                                  |      |              |                          |           |   |              |         |               |

See footnotes for important warranty information  
 US models announced February 23, 2010

© Lenovo  
 (NIC3-1) February 2010



Lenovo® ThinkPad W701ds



Lenovo ThinkPad W701ds



Lenovo ThinkPad W701ds



ThinkPad 17W Business Topload Case  
43R9117



ThinkPad 230W AC Adapter  
55Y9333

# ThinkPad® W701ds 2500 (TopSeller) - Windows 7

Personal Systems Reference (PSREF)

| Type-model   | Processor  | Memory (MHz) | Primary display | Secondary display | Camera | Discrete graphics | Disk(s) SATA GB <sup>8</sup> rpm | Color RAID  | Power calib/ Adapter (watt) | Intel vPro | Preload | Avail date |
|--|--|--------------|-----------------|-------------------|--------|-------------------|----------------------------------|---|-----------------------------|------------|---------|------------|
| 2500-2XU   | i7-820QM   | 4GBx2 1333   | 17" WUXGA       | 10.6" WXGA        |        | FX3800M           | 128G SSD + 320G 5400             | None  | Yes                         | 230W vPro  | Pro 64  | Mar 10     |
| 2500-3CU   | i7-820QM   | 2GBx2 1066   | 17" WUXGA       | 10.6" WXGA        | 2.0M   | FX3800M           | 500G 7200                        | None  | Yes                         | 230W vPro  | Pro 64  | Mar 10     |
| <ul style="list-style-type: none"><li>• <b>ds = dual screen</b></li><li>• <b>17" widescreen ThinkPad workstation with two RAID-capable disks</b></li><li>• <b>Select models include integrated color calibration and digitizer on palm rest</b></li><li>• <b>These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)</b></li></ul> |  |              |                 |                   |        |                   |                                  |   |                             |            |         |            |
| Positioning Processor  | Mobile workstation; three spindles<br><b>Intel® Core™ i7 processor i7-820QM</b> with <b>quad-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1333MHz), Intel Turbo Boost, Hyper-Threading technology; 1.73GHz, 8MB cache   |              |                 |                   |        |                   |                                  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64  |                             |            |         |            |
| Memory   | <b>4GB</b> or <b>8GB</b> std / 16GB max <sup>7</sup> / PC3-8500 1066MHz or PC3-10600 1333MHz <b>DDR3</b> , non-parity, dual-channel capable, four 204-pin SO-DIMM sockets  |              |                 |                   |        |                   |                                  | <b>Preloaded applications<sup>14</sup></b> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Password Manager</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage System Update</li><li>• Fingerprint Software</li><li>• ThinkVantage Toolbox</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® WinDVD® (DVD±RW)</li><li>• Corel Burn.Now™ Lenovo Edition (DVD±RW)</li></ul>   |                             |            |         |            |
| SATA DVD±RW Ultrabay Enhanced SATA disk  | DVD burner, SATA 1.5Gb/s, 12.7mm Ultrabay Enhanced, removable<br>One bay for removable devices, Ultrabay Slim-compatible, 12.7mm high<br><i>Some:</i> One disk, <b>500GB<sup>8</sup></b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, Active Protection System™ (APS)<br><i>Some:</i> Two disks, <b>128GB</b> Solid State Drive (SSD) / SATA 3.0Gb/s, 1.8" wide, 8mm high and <b>320GB</b> (5400 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, APS<br><i>All:</i> removable, upgradable, supports three disks max, Shock Mounted Hard Drive |              |                 |                   |        |                   |                                  | ISV software certifications   |                             |            |         |            |
| Displays   | <i>Primary:</i> <b>17.0"</b> (433.0mm) <b>WUXGA (1920x1200) color</b> , anti-glare, <b>RGB LED backlight</b> , 280 nits, 16:10 aspect ratio, 600:1 contrast ratio, 100% color gamut;<br><i>Secondary:</i> <b>10.6"</b> (268.7mm) <b>WXGA (768x1280) color</b> , portrait, anti-glare, LED backlight, 230 nits, 9:15 aspect ratio, 190:1 contrast ratio, 45% color gamut, slides out of right side of top cover, 30° tilt, 40% of primary screen size<br><i>Some:</i> camera on top of screen, 2.0-megapixel, fixed focus                       |              |                 |                   |        |                   |                                  | Supports ThinkVantage® technologies   |                             |            |         |            |
| Color calibration Camera   | huey™PRO Colorimeter by X-Rite® color calibration sensor in palm rest<br><i>Some:</i> camera on top of screen, 2.0-megapixel, fixed focus  |              |                 |                   |        |                   |                                  | <b>ThinkPad W700 Mini Dock 2.0</b><br>Provides desktop expansion and cable mgmt for W700 and W701 Series<br><b>Features:</b> <ul style="list-style-type: none"><li>• Security key lock</li><li>• Security cable lock slot</li><li>• External monitor ports<ul style="list-style-type: none"><li>– Analog VGA DB-15</li><li>– Dual-link DVI-D</li><li>– DisplayPort</li></ul></li><li>• Four USB 2.0 ports</li><li>• eSATA port</li><li>• Gigabit ethernet port</li><li>• Microphone in and headphone out</li><li>• S/PDIF (RCA coaxial digital out)</li><li>• Requires 170 or 230 watt AC adptr</li></ul> |                             |            |         |            |
| Discrete graphics  | <b>NVIDIA® Quadro® FX3800M</b> , PCI Express® x16, <b>1GB</b> memory, supports dual independent display;<br><i>Maximum external resolution:</i><br>2560x1600 (DisplayPort or dual-link DVI-D)@60Hz; 2048x1536 (VGA)@85Hz   |              |                 |                   |        |                   |                                  | 230-watt AC adapter<br>ThinkPad Roll Cage (one-piece magnesium frame)<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup><br>via 800-426-7378   |                             |            |         |            |
| Keyboard TrackPoint® Touch pad Numeric keypad Digitizer ThinkLight™  | 89-key, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touch pad below keyboard, Tap Zones, scrolling regions label<br>10-key numeric keypad on right side of keyboard<br>Wacom® digitizer (128x80mm) on palm rest, digitizer pen, pen holder in right side<br>Two LEDs illuminate the keyboard to improve visibility in low-light conditions   |              |                 |                   |        |                   |                                  | <b>ThinkPlus™. 22</b> 3-year LOR 9x5 NBD 41C9176<br>ThinkPlus 4-year LOR 9x5 NBD 41C9177<br>ThinkPlus 5-year LOR 9x5 NBD 41C9179<br>ThinkPlus 4-year P&L P/U Depot 41C9178<br>ThinkPlus 5-year P&L P/U Depot 41C9180<br>Post-warranty annual maintenance agreements at<br><b>lenovo.com/thinkplus/warranty</b>  |                             |            |         |            |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case material  | <i>9-cell 17W" (WxDxH):</i> 16.1" x 12.2" x 2.1"; 410mm x 310mm x 52.2mm<br><i>9-cell:</i> starting at 11.43 lb (5.23kg)<br><i>Top:</i> magnesium alloy;<br><i>Bottom:</i> Polycarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic  |              |                 |                   |        |                   |                                  |   |                             |            |         |            |
| Battery - type Battery - life <sup>10</sup>  | Lithium Ion <b>9-cell</b><br><i>9-cell:</i> up to 2.0 hr   |              |                 |                   |        |                   |                                  |   |                             |            |         |            |
| Chipset ExpressCard/34 ExpressCard/54 Compact Flash Smart Card read Multicard reader Ports   | <b>Mobile Intel QM57 Express Chipset</b><br>One ExpressCard/34<br>None<br>[CF] One Type I slot<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>One USB 3.0, Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor <sup>11</sup> (VGA DB-15, dual-link DVI-D, DisplayPort), modem (RJ-11), ethernet (RJ-45), IEEE 1394 FireWire 400 (4-pin connector; 1394a-2000 standard)   |              |                 |                   |        |                   |                                  |   |                             |            |         |            |
| PCIe Mini Card Intel 6300 <sup>28</sup> Modem Bluetooth™ Ethernet Intel AMT Audio support  | One PCI Express Half Mini Card slot<br>11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Ultimate-N 6300, 3x3<br>56K V.92 <sup>6</sup> modem<br>Bluetooth 2.1 wireless, LED indicator<br>Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / volume up, down, mute buttons / digital microphone, microphone input jack, headphone jack   |              |                 |                   |        |                   |                                  |   |                             |            |         |            |
| Security Security chip Fingerprint reader  | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |              |                 |                   |        |                   |                                  |   |                             |            |         |            |
| Limited warranty <sup>12</sup>   | <b>3-year</b> - depot repair service / service upgrades <sup>22</sup> available  |              |                 |                   |        |                   |                                  |   |                             |            |         |            |

See footnotes for important warranty information  
 US models announced February 23, 2010

© Lenovo  
 (NIC3D-1) April 2010

**Memory**

|  |                      |
|--|----------------------|
| 1GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3706 ann 06/23/09 |
| 1GB PC3-8500 DDR3 L-H SODIMM (25Pack)  | 57Y4385 ann 06/23/09 |
| 2GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3707 ann 06/23/09 |
| 2GB PC3-8500 DDR3 L-H SODIMM (25Pack)  | 57Y4386 ann 06/23/09 |
| 4GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3708 ann 06/23/09 |
| 1GB PC3-10600 DDR3 L-H SODIMM          | 55Y3709 ann 03/02/10 |
| 1GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 57Y4415 ann 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM          | 55Y3710 ann 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 57Y4416 ann 03/02/10 |
| 4GB PC3-10600 DDR3 L-H SODIMM          | 55Y3711 ann 03/02/10 |

**Ultrabay Slim 9.5mm**

|   |                      |
|---|----------------------|
| Serial ATA Hard Drive Bay Adapter III <sup>48</sup>                       | 43N3412 ann 06/23/09 |
| <sup>48</sup> Slim 9.5mm device in 12.7mm bay shows gap above the device. |                      |

**Ultrabay Enhanced 12.7mm**

|  |                      |
|--|----------------------|
| Blu-ray Reader / DVD Burner Ultrabay Enh | 43N3295 ann 01/07/10 |
|--|----------------------|

**Storage and removable storage**

|  |                      |
|--|----------------------|
| 160GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 41N5737 ann 10/16/07 |
| 250GB Disk SATA 3.0Gb/s (5400 rpm) <sup>41</sup>     | 43R8152 ann 01/15/08 |
| 250GB Disk FDE SATA 3.0Gb/s (7200 rpm) <sup>41</sup> | 43N3410 ann 01/20/09 |
| 320GB Disk SATA 3.0Gb/s (5400 rpm) <sup>41</sup>     | 43N3403 ann 08/05/08 |
| 320GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 43N3411 ann 01/20/09 |
| 500GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 43N3423 ann 01/07/10 |

<sup>41</sup> Can be used as the main HDD or with Serial ATA Hard Drive Bay Adapter III 43N3412 in the Ultrabay

|  |                      |
|--|----------------------|
| 128GB SSD SATA 3.0Gb/s 1.8" (2.5" cover)     | 43N3406 ann 08/26/08 |
| 256GB FDE SSD SATA 3Gb/s 1.8" (2.5" cover)   | 43N3417 ann 06/23/09 |
| ThinkPad 160GB Intel X25-M SSD <sup>41</sup> | 43N3435 ann 06/22/10 |

|   |                      |
|---|----------------------|
| USB 2.0 Portable 320GB Hard Disk        | 45K1689 ann 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk        | 45K1690 ann 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk | 43R2018 ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk | 43R2019 ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive   | 57Y4400 ann 01/07/10 |
| USB 2.0 Portable DVD Burner             | 43N3264 ann 01/05/10 |

**ThinkPad Expansion**

|  |                      |
|--|----------------------|
| Lenovo® Essential Notebook Stand       | 45J9292 ann 05/12/09 |
| USB Port Replicator with Digital Video | 45K1610 ann 07/28/09 |
| ThinkPad W700 Mini Dock 2.0            | 57Y4345 ann 09/29/09 |

More information at [www.lenovo.com/support/W700minidock](http://www.lenovo.com/support/W700minidock)

**Keyboard**

|   |                      |
|---|----------------------|
| TrackPoint Cap Collection   | 73P2698 ann 12/16/03 |
| USB Numeric Keypad  | 33L3225 ann 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 ann 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 ann 03/23/04 |
| Ultralim Wireless Keyboard and Mouse <sup>52</sup>                            | 57Y4700 ann 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |                      |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 ann 08/18/09 |
| Lenovo® USB Fingerprint Keyboard  | 73P4730 ann 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 ann 03/24/09 |

**Mouse**

|  |                      |
|--|----------------------|
| Lenovo Optical Mouse (USB)               | 06P4069 ann 05/21/03 |
| Lenovo Laser Mouse (USB)                 | 41U3074 ann 01/23/07 |
| ThinkPad USB Laser Mouse                 | 57Y4635 ann 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical) | 31P7405 ann 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)     | 31P7410 ann 06/04/02 |
| ThinkPad Bluetooth Laser Mouse           | 41U5008 ann 01/22/08 |

**Security**

|  |                      |
|--|----------------------|
| Kensington® MicroSaver® Cable Lock   | 73P2582 ann 12/29/03 |
| Kensington Twin Head Cable Lock  | 45K1620 ann 09/30/08 |
| Lenovo Security Cable Lock   | 57Y4303 ann 08/24/10 |
| USB Gemplus GemPC Smart Card Reader  | 41N3040 ann 02/21/06 |
| ExpressCard Gemplus Smart Card Reader <sup>57</sup>                          | 41N3043 ann 06/27/06 |
| <sup>57</sup> Only compatible with the models having 54mm Express card slot. |                      |

**Multimedia**

|                            |                      |
|----------------------------|----------------------|
| ThinkPad In-Ear Headphones | 57Y4488 ann 01/07/10 |
|----------------------------|----------------------|

**Batteries**

|                                |                      |
|--------------------------------|----------------------|
| ThinkPad Battery 37++ (9-cell) | 45J7914 ann 08/12/08 |
| ThinkPad 230W AC Adapter       | 55Y9333 ann 02/23/10 |

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

**Carrying Cases**

Up to 17.0" widescreen models:

|                                    |                      |
|------------------------------------|----------------------|
| ThinkPad 17W Business Topload Case | 43R9117 ann 08/12/08 |
|------------------------------------|----------------------|

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)

**Monitors**

|                                     |                      |
|-------------------------------------|----------------------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 ann 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 ann 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 ann 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 ann 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 ann 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 ann 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 ann 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 ann 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 ann 09/17/08 |

**Monitor Accessories<sup>46</sup>**

|   |                      |
|---|----------------------|
| Lenovo USB-to-DVI Monitor Adapter       | 45K5296 ann 05/12/09 |
| Lenovo DisplayPort to VGA Monitor Cable | 57Y4393 ann 08/04/09 |
| DisplayPort to Single-link DVI-D Cable  | 45J7915 ann 08/05/08 |
| ThinkVision USB Soundbar                | 40Y7616 ann 08/23/05 |
| ThinkVision Soundbar                    | 45K1263 ann 09/16/08 |
| Kensington MicroSaver Cable Lock        | 73P2582 ann 12/29/03 |
| Kensington Twin Head Cable Lock         | 45K1620 ann 09/30/08 |
| Lenovo Security Cable Lock              | 57Y4303 ann 08/24/10 |
| Lenovo Easy Reach Monitor Stand         | 55Y9258 ann 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)

Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

ThinkPad®



Lenovo® ThinkPad X100e



Lenovo ThinkPad X100e



Lenovo ThinkPad X100e



Lenovo ThinkPad X100e with 3-cell battery



Lenovo ThinkPad X100e



Lenovo ThinkPad X100e family

# ThinkPad® X100e (3508) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Proc-<br>essor | GHz  | Memory | Wide-<br>screen<br>display | CCFL<br>or<br>LED | Camera | Integrated<br>graphics | Disk<br>SATA<br>GB <sup>8</sup> rpm | PCIe<br>Mini Card<br>802.11 | PCIe<br>Mini Card<br>WWAN | Carrier            | Top<br>color | Blue-<br>tooth | Preload   | Avail<br>date |
|------------|----------------|------|--------|----------------------------|-------------------|--------|------------------------|-------------------------------------|-----------------------------|---------------------------|--------------------|--------------|----------------|-----------|---------------|
| 3508-28U   | MV-40          | 1.60 | 1GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 160GB 5400                          | 11b/g/n                     | WWAN upg                  |                    | black        |                | Home P 32 | Jan 10        |
| 3508-29U   | MV-40          | 1.60 | 2GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 250GB 5400                          | 11b/g/n                     | WWAN upg                  |                    | black        |                | Pro 32    | Jan 10        |
| 3508-2AU   | MV-40          | 1.60 | 2GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 250GB 5400                          | 11b/g/n                     | Gobi 2000                 | AT&T <sup>23</sup> | black        |                | Pro 32    | Jan 10        |
| 3508-9BU   | L335           | 1.60 | 1GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 160GB 5400                          | 11b/g/n                     | WWAN upg                  |                    | black        |                | Home P 32 | Mar 10        |
| 3508-9CU   | L335           | 1.60 | 2GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 250GB 5400                          | 11b/g/n                     | WWAN upg                  |                    | black        |                | Pro 32    | Mar 10        |
| 3508-9DU   | L335           | 1.60 | 2GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 250GB 5400                          | 11b/g/n                     | WWAN upg                  |                    | red          |                | Pro 32    | Mar 10        |
| 3508-9EU   | L335           | 1.60 | 2GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 250GB 5400                          | 11b/g/n                     | Gobi 2000                 |                    | black        | Blue           | Pro 32    | Mar 10        |
| 3508-9TU   | L335           | 1.60 | 1GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 160GB 5400                          | 11b/g/n                     | Gobi 2000                 | AT&T               | black        |                | Home P 32 | Apr 10        |
| 3508-A9U   | MV-40          | 1.60 | 2GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 250GB 5400                          | 11b/g/n                     | WWAN upg                  |                    | black        | Blue           | Home P 32 | Jul 10        |
| 3508-AAU   | L335           | 1.60 | 2GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 250GB 5400                          | 11b/g/n                     | Gobi 2000                 | selectable         | black        |                | Pro 32    | Jul 10        |
| 3508-AHU   | L335           | 1.60 | 2GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 160GB 5400                          | 11a/b/g/n                   | WWAN upg                  |                    | black        | Blue           | Home P 32 | Jul 10        |
| 3508-AKU   | L335           | 1.60 | 2GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 250GB 5400                          | 11b/g/n                     | WWAN upg                  |                    | black        |                | Home P 32 | Sep 10        |
| 3508-ALU   | MV-40          | 1.60 | 1GB    | 11.6" HD                   | LED               | 0.3M   | HD 3200                | 160GB 5400                          | 11b/g/n                     | Gobi 2000                 | selectable         | black        | Blue           | Home P 32 | Sep 10        |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |  |  |
|---|--|--|
| Positioning Processor   | Entry ultraportable for excellent usability and reliability; one spindle<br><b>AMD® Athlon™ Neo Processor for Ultrathin Notebooks MV-40</b> with single-core, virtualization technology, integrated DDR2 memory controller, and 512KB L2 cache or <b>AMD Athlon Neo X2 Processor for Ultrathin Notebooks L335</b> with <b>dual-core</b> , virtualization technology, integrated DDR2 memory controller, and 512KB L2 cache | <b>Preloaded operating system</b> <sup>20</sup><br>- <i>Some:</i> Genuine Windows® 7 Home Premium 32<br>- <i>Some:</i> Genuine Windows 7 Professional 32<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage System Update<br>• ThinkVantage Power Manager<br>• ThinkVantage Toolbox<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Windows Live™ Toolbar<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |
| Memory  | <b>1GB</b> or <b>2GB</b> std / 4GB max <sup>7</sup> / PC2-5300 667MHz <b>DDR2</b> , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |
| SATA DVD±RW<br>SATA disk                                      | None (use optional USB-based optical drive)<br><b>160GB</b> <sup>8</sup> (5400 rpm) or <b>250GB</b> (5400 rpm) /<br>SATA 3.0Gb/s, 9.5mm high, Active Protection System™, upgradable  |  |
| Widescreen display  | <b>11.6"</b> (295mm) <b>HD (1366x768) TFT color</b> , anti-glare, <b>LED backlight</b> , 200 nits, 16:9 aspect ratio, 300:1 contrast ratio   |  |
| Camera  | Camera on top of screen, 0.3-megapixel, fixed focus, low light sensitive   |  |
| Integrated graphics   | <b>ATI™ Radeon™ HD 3200 graphics</b> , in M780G, external analog monitor support via VGA DB-15 connector;<br><i>Maximum external resolution:</i> 2048x1536@60Hz  |  |
| Keyboard<br>TrackPoint®<br>Touch pad<br>ThinkLight™           | Full-size, 6-row, spill-resistant, multimedia Fn keys<br>TrackPoint pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass<br>Two-button touch pad, supports multi-touch function<br>None  |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case        | <i>6-cell:</i> 11.1" x 8.2" x 0.6-1.2"; 282mm x 209mm x 16-30mm<br><i>6-cell:</i> from 3.3 lb (1.5kg)<br><i>Color:</i> black or red;<br><i>Material:</i> PolyCarbonate/Acrylonitrile-Butadiene-Styrene (PC/ABS) plastic  |  |
| Battery - type<br>Battery - life <sup>10</sup>                | Lithium Ion <b>6-cell</b><br><i>6-cell:</i> up to 5 hr   |  |
| Chipset   | <b>AMD M780G Chipset, SB710 south bridge</b>   | Supports ThinkVantage® technologies  |
| Multicard reader<br>ExpressCard/54<br>Ports                   | 4-in-1 reader (MultiMediaCard, Memory Stick, Mem Stick Pro, Secure Digital)<br>None<br>Three USB 2.0 (one powered), external monitor (VGA DB-15), ethernet (RJ-45)   | 65-watt AC Adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>ROHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |
| PCIe Mini Card<br>11b/g/n<br>11a/b/g/n                        | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card, Realtek® chipset, 1x2<br><i>Some:</i> 11a/b/g/n wireless, ThinkPad 11a/b/g/n, PCIe Half Mini Card, Broadcom® chipset, 2x2   | ThinkPlus™.22 1-year LOR <sup>24</sup> 9x5 NBD<br>45K5968  |
| WWAN upg<br>Gobi™ 2000  | <i>Some:</i> Wireless WAN upgradable<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS  | ThinkPlus 2-year LOR 9x5 NBD<br>45K5969  |
| Carrier   | <i>Some:</i> AT&T®, contract required with service provider<br><i>Some:</i> User selectable at first boot, AT&T, Verizon®, or Sprint®, contract required with service provider   | ThinkPlus 3-year LOR 9x5 NBD<br>45K5970  |
| Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support | None<br><i>Some:</i> Bluetooth 2.1 wireless<br>Realtek RT8111DL Gigabit Network Connection, PHY, PCIe x1<br>None<br>High Definition (HD) Audio, Conexant CX20582-11Z codec / stereo speakers, 1.5 watt x 2 / combo audio/mic jack  | ThinkPlus 4-year LOR 9x5 NBD<br>45K5973  |
| Security<br>Security chip<br>Fingerprint reader               | Power-on password, hard disk password, supervisor password, security keyhole<br>None<br>None   | ThinkPlus 2-year P&L P/U Depot<br>45K5971  |
| Limited warranty <sup>12</sup>                                | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  | ThinkPlus 3-year P&L P/U Depot<br>45K5972  |
|   |  | ThinkPlus 4-year P&L P/U Depot<br>45K5974<br>Post-warranty annual maintenance agreements at<br><b>lenovo.com/thinkplus/warranty</b>  |

See footnotes for important warranty information

US models announced September 21, 2010;  
previous models on January 5, March 30, April 6, July 6, or July 27, 2010

© Lenovo  
(MNK1-2) October 2010

**Memory**

|                                    |         |     |          |
|------------------------------------|---------|-----|----------|
| 1GB PC2-5300 DDR2 SODIMM           | 40Y7734 | ann | 01/05/06 |
| 1GB PC2-5300 DDR2 SODIMM (25-Pack) | 51J0502 | ann | 03/17/09 |
| 2GB PC2-5300 DDR2 SODIMM           | 40Y7735 | ann | 11/28/06 |
| 2GB PC2-5300 DDR2 SODIMM (25-Pack) | 51J0548 | ann | 03/17/09 |

**Storage and removable storage**

|   |         |     |          |
|---|---------|-----|----------|
| USB 2.0 Portable 320GB Hard Disk                    | 45K1689 | ann | 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk                    | 45K1690 | ann | 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk             | 43R2018 | ann | 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk             | 43R2019 | ann | 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive <sup>53</sup> | 57Y4400 | ann | 01/07/10 |
| USB 2.0 Portable DVD Burner                         | 43N3264 | ann | 01/05/10 |

<sup>53</sup> USB-only attach.**Wireless WAN (Mini PCI Express)**

Only WWAN upgradable models:

|  |         |     |          |
|--|---------|-----|----------|
| ThinkPad AT&T® Gobi 2000 Broadband Opt | 78Y1398 | ann | 01/07/10 |
| ThinkPad Gobi 2000 Broadband Option    | 78Y1399 | ann | 01/07/10 |

**ThinkPad Expansion**

|                                  |         |     |          |
|----------------------------------|---------|-----|----------|
| Lenovo® Essential Notebook Stand | 45J9292 | ann | 05/12/09 |
|----------------------------------|---------|-----|----------|

<sup>56</sup> USB Port Replicator with Digital Video 45K1610 is not supported by ThinkPad X100e due to the system's CPU capabilities.**Keyboard**

|   |         |     |          |
|---|---------|-----|----------|
| TrackPoint Cap Collection                           | 73P2698 | ann | 12/16/03 |
| USB Numeric Keypad                                  | 33L3225 | ann | 05/01/00 |
| Preferred Pro USB Keyboard                          | 73P5220 | ann | 06/21/05 |
| Enhanced Performance USB Keyboard                   | 73P2620 | ann | 03/23/04 |
| Ultraslim Wireless Keyboard and Mouse <sup>52</sup> | 57Y4700 | ann | 09/15/09 |

<sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver.

|  |         |     |          |
|--|---------|-----|----------|
| ThinkPad USB Keyboard with TrackPoint  | 55Y9003 | ann | 08/18/09 |
| Preferred Pro USB Fingerprint Keyboard | 73P4730 | ann | 02/22/05 |
| Lenovo USB Smartcard Keyboard          | 51J0155 | ann | 03/24/09 |

**Mouse**

|   |         |     |          |
|---|---------|-----|----------|
| Lenovo Optical Mouse (USB)                            | 06P4069 | ann | 05/21/03 |
| Lenovo Laser Mouse (USB)                              | 41U3074 | ann | 01/23/07 |
| ThinkPad USB Laser Mouse                              | 57Y4635 | ann | 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical)              | 31P7405 | ann | 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)                  | 31P7410 | ann | 06/04/02 |
| ThinkPad Bluetooth Laser Mouse                        | 41U5008 | ann | 01/22/08 |
| Lenovo Wireless Laser Mouse - Black <sup>52</sup>     | 45K1696 | ann | 11/25/08 |
| Lenovo Wireless Laser Mouse - Red/Black <sup>52</sup> | 51J0198 | ann | 11/25/08 |

**Security**

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Kensington® MicroSaver® Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock     | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock          | 57Y4303 | ann | 08/24/10 |
| USB Gemplus GemPC Smart Card Reader | 41N3040 | ann | 02/21/06 |

**Multimedia**

|                            |         |     |          |
|----------------------------|---------|-----|----------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann | 01/07/10 |
|----------------------------|---------|-----|----------|

**Modem**

|                      |         |     |          |
|----------------------|---------|-----|----------|
| USB 2.0 Lenovo Modem | 43R1814 | ann | 02/26/08 |
|----------------------|---------|-----|----------|

**Batteries**

|   |         |     |          |
|---|---------|-----|----------|
| ThinkPad Battery 17+ (6-cell)                   | 57Y4559 | ann | 01/05/10 |
| ThinkPad External Battery Charger <sup>44</sup> | 40Y7625 | ann | 09/20/05 |

<sup>44</sup> Requires the ThinkPad 90W AC Adapter

40Y7659 or the adapter provided with the system.

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|                                   |         |     |          |
|-----------------------------------|---------|-----|----------|
| ThinkPad 65W AC Adapter           | 40Y7696 |     |          |
| ThinkPad 90W AC Adapter           | 40Y7659 | ann | 09/20/05 |
| Lenovo Power Hub                  | 57Y4600 | ann | 09/07/10 |
| 90W Ultraslim AC/DC Combo Adapter | 41R4493 | ann | 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

Charging tips for 90W Ultraslim AC/DC Combo Adapter 41R4493

|                                      |         |     |          |
|--------------------------------------|---------|-----|----------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann | 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann | 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)**Carrying Cases**

|                          |         |     |          |
|--------------------------|---------|-----|----------|
| ThinkPad 11W Case Sleeve | 57Y4286 | ann | 01/05/10 |
| ThinkPad 11W Sling Case  | 57Y4287 | ann | 01/05/10 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)**Monitors**

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann | 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann | 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann | 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann | 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann | 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann | 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann | 06/10/10 |

**Monitor Accessories<sup>46</sup>**

|                                  |         |     |          |
|----------------------------------|---------|-----|----------|
| ThinkVision USB Soundbar         | 40Y7616 | ann | 08/23/05 |
| ThinkVision Soundbar             | 45K1263 | ann | 09/16/08 |
| Kensington MicroSaver Cable Lock | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock  | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock       | 57Y4303 | ann | 08/24/10 |
| Lenovo Easy Reach Monitor Stand  | 55Y9258 | ann | 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

# ThinkPad®



Lenovo® ThinkPad X201  
(TrackPoint model)



Lenovo ThinkPad X201 with  
ThinkPad Battery 47++ (9-cell)  
43R9255



Lenovo ThinkPad X201  
(UltraNav model)



Lenovo ThinkPad X201  
(UltraNav model)



ThinkPad X200 UltraBase  
43R8781



ThinkPad 65W AC Adapter  
40Y7696

# ThinkPad® X201 (3249) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Proc-<br>essor | Max<br>Base turbo<br>(GHz)(GHz) | Memory | Wide-<br>screen<br>display | Camera         | Disk<br>SATA<br>GB <sup>5</sup> rpm | Optical<br>in<br>UltraBase | ThinkPad<br>X200<br>UltraBase | PCle<br>Mini Card<br>802.11 | PCle<br>Mini Card<br>WWAN | Carrier     | Intel<br>vPro | Preload | Avail<br>date |
|------------|----------------|---------------------------------|--------|----------------------------|----------------|-------------------------------------|----------------------------|-------------------------------|-----------------------------|---------------------------|-------------|---------------|---------|---------------|
| 3249-2EU   | i5-540M        | 2.53 3.06                       | 2GB    | 12.1" WXGA                 | 250G 5400      |                                     |                            | Intel 6200 <sup>28</sup>      | WWAN upg                    | vPro Pro 32               | Mar 10      |               |         |               |
| 3249-2FU   | i5-540M        | 2.53 3.06                       | 2GB    | 12.1" WXGA                 | 2.0M 320G 7200 | DVD±RW                              | UltraBase                  | Intel 6200                    | WWAN upg                    | vPro Pro 32               | Mar 10      |               |         |               |
| 3249-2GU   | i5-540M        | 2.53 3.06                       | 4GB    | 12.1" WXGA                 | 2.0M 320G 7200 | DVD±RW                              | UltraBase                  | Intel 6200                    | Gobi 2000                   | Verizon <sup>16</sup>     | vPro Pro 32 | Mar 10        |         |               |
| 3249-2HU   | i5-520M        | 2.40 2.93                       | 4GB    | 12.1" WXGA                 | 2.0M 320G 7200 | DVD±RW                              | UltraBase                  | Intel 6200                    | WWAN upg                    | vPro Pro 32               | Mar 10      |               |         |               |
| 3249-2TU   | i5-540M        | 2.53 3.06                       | 4GB    | 12.1" WXGA                 | 2.0M 320G 7200 | DVD±RW                              | UltraBase                  | WiMAX                         | WWAN upg                    | vPro Pro 64               | Mar 10      |               |         |               |
| 3249-2UJ   | i5-540M        | 2.53 3.06                       | 4GB    | 12.1" WXGA                 | 2.0M 320G 7200 | DVD±RW                              | UltraBase                  | Intel 6200                    | Gobi 2000                   | AT&T <sup>23</sup>        | vPro Pro 64 | Mar 10        |         |               |
| 3249-2VU   | i5-540M        | 2.53 3.06                       | 4GB    | 12.1" WXGA                 | 2.0M 320G 7200 | DVD±RW                              | UltraBase                  | Intel 6200                    | WWAN upg                    | vPro Pro 64               | Mar 10      |               |         |               |
| 3249-C2U   | i5-520M        | 2.40 2.93                       | 2GB    | 12.1" WXGA                 | 2.0M 160G 7200 |                                     |                            | Intel 6200                    | WWAN upg                    | vPro Pro 64               | Apr 10      |               |         |               |
| 3249-C3U   | i5-520M        | 2.40 2.93                       | 2GB    | 12.1" WXGA                 | 2.0M 320G 7200 |                                     |                            | Intel 6200                    | WWAN upg                    | vPro Pro 64               | Apr 10      |               |         |               |
| 3249-EPU   | i5-560M        | 2.66 3.20                       | 2GB    | 12.1" WXGA                 | 2.0M 320G 7200 | DVD±RW                              | UltraBase                  | Intel 6200                    | WWAN upg                    | vPro Pro 64               | Sep 10      |               |         |               |
| 3249-ERU   | i5-560M        | 2.66 3.20                       | 2GB    | 12.1" WXGA                 | 160G 7200      |                                     |                            | Intel 6200                    | WWAN upg                    | vPro Pro 64               | Sep 10      |               |         |               |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |   |
|--|--|--|---|
| Positioning Processor  | An ultraportable for the executive on the move; one spindle<br><b>Intel® Core™ i5 processor i5-520M, i5-540M, or i5-560M</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   | <b>Preloaded operating system<sup>20</sup></b><br>- <i>Some:</i> Genuine Windows® 7 Professional 32<br>- <i>Some:</i> Genuine Windows 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Access Connections™</li><li>• Password Manager</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage System Update</li><li>• Fingerprint Software (fingerprint models)</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li></ul>   |   |
| Memory   | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in 1 socket; 1 socket available   |  |   |
| SATA DVD±RW Ultrabay Slim SATA disk                                  | <i>Some:</i> DVD burner, SATA 1.5Gb/s, removable from <i>X200 UltraBase</i> Supports Ultrabay Slim devices in optional or standard <i>X200 UltraBase</i> (43R8781) <b>160GB<sup>8</sup></b> (7200 rpm), <b>250GB</b> (5400 rpm), or <b>320GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Shock Mounted Hard Drive, Active Protection System™, supports second disk in opt or std <i>X200 UltraBase</i>          |  |   |
| Widescreen display Camera  | <b>12.1"</b> (308mm) <b>WXGA (1280x800) TFT color</b> , anti-glare, <b>LED backlight</b> , 200 nits, 16:10 aspect ratio, 250:1 contrast ratio<br><i>Some:</i> camera on top of screen, 2.0-megapixel, fixed focus  |  |   |
| Integrated graphics  | <b>Intel HD Graphics</b> in processor, external monitor support via analog VGA DB-15 connector / DisplayPort via UltraBase; supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DP) @60Hz; 2048x1536(VGA) @75Hz   |  |   |
| Keyboard TrackPoint® Touchpad ThinkLight™                            | Full-size, 89-key, ThinkVantage button, spill-resistant, mm Fn keys TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling regions, multi-touch Illuminates the keyboard to improve visibility in low-light conditions   | <b>Supports ThinkVantage® technologies</b><br><br><b>ThinkPad X200 UltraBase™</b> <ul style="list-style-type: none"><li>• Provides desktop expansion and cable management for X200 and X201 Series</li><li>• Easily connects to the bottom of the X200 or X201 Series for traveling</li><li>• Converts ThinkPad to a two-spindle system with optional Ultrabay Slim accessories in right side:<ul style="list-style-type: none"><li>– DVD-ROM Ultrabay Slim Drive II SATA 1.5G/s 43N3292</li><li>– Serial ATA Hard Drive Bay Adapter III 43N3412</li></ul></li><li>• Disks supported (some):<ul style="list-style-type: none"><li>• 250GB FDE 7200 rpm 43N3410</li><li>• 320GB Disk 7200 rpm 43N3411</li></ul></li></ul><br>Other features: <ul style="list-style-type: none"><li>• Power button (front)</li><li>• Stereo speakers (2 watt)</li><li>• Security key lock, security keyhole, and optional security screw</li><li>• Analog DB-15 monitor port</li><li>• DisplayPort (supports single-link DVI-D via cable 45J7915)</li><li>• Four USB 2.0 ports</li><li>• Gigabit ethernet port</li><li>• Microphone in and headphone out</li><li>• Second battery charger</li><li>• Requires 65 or 90 watt AC adapter</li><li>• 1.6 lb; 730g</li></ul> |   |
| Dimensions <sup>3</sup>  | <i>without UltraBase; 4/6-cell:</i> 11.6" x 8.3" x 0.8-1.4"; 295mm x 210mm x 20.7-35.3mm<br><i>without UltraBase; 9-cell:</i> 11.6" x 9.2" x 0.8-1.4"; 295mm x 233.8mm x 20.7-35.3mm<br><i>4-cell:</i> from 2.89 lb (1.31kg); <i>6-cell:</i> from 3.18 lb (1.44kg); <i>9-cell:</i> from 3.52 lb (1.60kg)<br><i>Color:</i> black; <i>Material:</i> magnesium alloy  |  |   |
| Weight <sup>2</sup> Case Battery - type Battery - life <sup>10</sup> | Lithium Ion <b>6-cell</b><br><i>4-cell:</i> up to 3.4 hr; <i>6-cell:</i> up to 6.7 hr; <i>9-cell:</i> up to 11.3 hr  |  |   |
| Chipset  | <b>Mobile Intel QM57 Express Chipset</b>   |  |   |
| Media slice Multicard reader ExpressCard/54 Ports                    | <i>Some:</i> <b>ThinkPad X200 UltraBase media slice</b> (see right side)<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>One slot (ExpressCard/34, ExpressCard/54)<br>Three USB 2.0 (one powered), external monitor (VGA DB-15), modem (RJ-11), ethernet (RJ-45)  |  |   |
| PCIe Mini Card Intel 6200 <sup>28</sup> WiMAX WWAN upg Gobi™ 2000    | Two PCI Express Mini Card slots<br><i>Some:</i> 11a/b/g/n wireless, PCIe Mini Card, Intel Centrino® Advanced-N 6200, 2x2<br><i>Some:</i> 11a/b/g/n and WiMAX wireless, PCIe Half Mini Card, Intel Centrino Advanced-N + WiMAX 6250, 2x2 AGN + 1x2 WiMAX<br><i>Some:</i> Wireless WAN upgradable<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider      |  |   |
| Carrier Modem Bluetooth™ Ethernet Intel AMT Audio support            | <i>Some:</i> AT&T® or Verizon®, contract required with service provider<br>56K V.92 <sup>6</sup> modem<br>Bluetooth 2.1 wireless, LED indicator<br>Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speaker, 1 watt x 2 / volume up, down, mute buttons / digital microphone, microphone input jack, headphone jack |  |   |
| Security Security chip Fingerprint reader                            | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>UPEK Fingerprint reader on palm rest, swipe sensor, LED indicator, Power On Authentication, supports the security chip   |  |   |
| Limited warranty <sup>12</sup>                                       | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  | 65-watt AC Adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>ROHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378 |

See footnotes for important warranty information

US models announced September 28, 2010; previous models on February 23, March 2, or April 20, 2010

© Lenovo  
(MOC3-1) December 2010

# ThinkPad® X201 (3249) - TopSeller (Windows 7) - January 2011

Personal Systems Reference (PSREF)

| Type-model | Proc-<br>essor | Base<br>(GHz) | Max<br>turbo<br>(GHz) | Memory | Wide-<br>screen<br>display | Camera | Disk<br>SATA<br>GB <sup>5</sup> rpm | Optical<br>in<br>UltraBase | ThinkPad<br>X200<br>UltraBase | PCIe<br>Mini Card<br>802.11 | PCIe<br>Mini Card<br>WWAN | Intel<br>vPro | Preload | Avail<br>date |
|------------|----------------|---------------|-----------------------|--------|----------------------------|--------|-------------------------------------|----------------------------|-------------------------------|-----------------------------|---------------------------|---------------|---------|---------------|
| 3249-1FU   | i5-480M        | 2.66          | 2.93                  | 2GB    | 12.1" WXGA                 | 2.0M   | 160G 7200                           | Optional                   | Optional                      | Intel 1000                  | WWAN upg                  | No            | Pro 64  | Jan 11        |

- **This small and medium business (SMB) model is part of the US TopSeller™ Program**
- **This system is Microsoft® Office 2010 Product Key Ready (O10PKR)**

|  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Positioning Processor  | An ultraportable for the executive on the move; one spindle<br><b>Intel® Core™ i5 processor i5-480M</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache   |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64   |  |  |  |
| Memory   | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in 1 socket; 1 socket available  |  |  |  |  |  |  |  |  |  | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update   |  |  |  |
| SATA DVD±RW Ultrabay Slim SATA disk  | Option for <i>ThinkPad X200 UltraBase</i><br>Supports Ultrabay Slim devices in optional or standard <i>X200 UltraBase</i> (43R8781)<br><b>160GB<sup>8</sup></b> (7200 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Shock Mounted Hard Drive, Active Protection System™, supports second disk in opt or std <i>X200 UltraBase</i>   |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies  |  |  |  |
| Widescreen display Camera  | <b>12.1"</b> (308mm) <b>WXGA (1280x800) TFT color</b> , anti-glare, <b>LED backlight</b> , 200 nits, 16:10 aspect ratio, 250:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  |  |  |  |  |  |  |  |  |  | <b>ThinkPad X200 UltraBase™</b><br>• Provides desktop expansion and cable management for X200 and X201 Series<br>• Easily connects to the bottom of the X200 or X201 Series for traveling<br>• Converts ThinkPad to a two-spindle system with optional Ultrabay Slim accessories in right side:<br>– DVD-ROM Ultrabay Slim Drive II<br>SATA 1.5G/s 43N3292<br>– Serial ATA Hard Drive<br>Bay Adapter III 43N3412<br>Disks supported (some):<br>• 250GB FDE 7200 rpm 43N3410<br>• 320GB Disk 7200 rpm 43N3411 |  |  |  |
| Integrated graphics  | <b>Intel HD Graphics</b> in processor, external monitor support via analog VGA DB-15 connector / DisplayPort via UltraBase; supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DP)@60Hz; 2048x1536(VGA)@75Hz  |  |  |  |  |  |  |  |  |  | Other features:<br>• Power button (front)<br>• Stereo speakers (2 watt)<br>• Security key lock, security keyhole, and optional security screw<br>• Analog DB-15 monitor port<br>• DisplayPort (supports single-link DVI-D via cable 45J7915)<br>• Four USB 2.0 ports<br>• Gigabit ethernet port<br>• Microphone in and headphone out<br>• Second battery charger<br>• Requires 65 or 90 watt AC adapter<br>• 1.6 lb; 730g  |  |  |  |
| Keyboard TrackPoint® Touchpad ThinkLight™  | Full-size, 89-key, ThinkVantage button, spill-resistant, mm Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling regions, multi-touch<br>Illuminates the keyboard to improve visibility in low-light conditions  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Dimensions <sup>3</sup>  | <i>without UltraBase;</i> 4/6-cell: 11.6" x 8.3" x 0.8-1.4"; 295mm x 210mm x 20.7-35.3mm<br><i>without UltraBase;</i> 9-cell: 11.6" x 9.2" x 0.8-1.4"; 295mm x 233.8mm x 20.7-35.3mm<br>4-cell: from 2.89 lb (1.31kg); 6-cell: from 3.18 lb (1.44kg); 9-cell: from 3.52 lb (1.60kg)   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Weight <sup>2</sup> Case Battery - type Battery - life <sup>10</sup>                 | <i>Color:</i> black; <i>Material:</i> magnesium alloy<br>Lithium Ion <b>6-cell</b><br>4-cell: up to 3.4 hr; 6-cell: up to 6.7 hr; 9-cell: up to 11.3 hr   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Chipset  | <b>Mobile Intel QM57 Express Chipset</b>  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Media slice Multicard reader ExpressCard/54 Ports                                    | <i>Option:</i> <b>ThinkPad X200 UltraBase media slice</b> (see right side)<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)<br>One slot (ExpressCard/34, ExpressCard/54)<br>Three USB 2.0 (one powered), external monitor (VGA DB-15), modem (RJ-11), ethernet (RJ-45)   |  |  |  |  |  |  |  |  |  |  |  |  |  |
| PCIe Mini Card Intel 1000 WWAN upg Modem Bluetooth™ Ethernet Intel AMT Audio support | Two PCI Express Mini Card slots<br>11b/g/n wireless <sup>4</sup> , PCIe Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br>Wireless WAN upgradable<br>56K V.92 <sup>5</sup> modem<br>None<br>Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1<br>None<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speaker, 1 watt x 2 / volume up, down, mute buttons / digital microphone, microphone input jack, headphone jack |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Security Security chip Fingerprint reader  | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>None  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Limited warranty <sup>12</sup>   | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available   |  |  |  |  |  |  |  |  |  | 65-watt AC Adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>ROHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup><br>via 800-426-7378   |  |  |  |

See footnotes for important warranty information  
US model announced January 11, 2011

© Lenovo  
(MOC3-7) January 2011

## ThinkPad® X201i (3249) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

|   | Type-model | Processor | GHz  | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> | rpm  | Optical in UltraBase | ThinkPad X200 UltraBase | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Intel vPro | Preload | Avail date |
|---|------------|-----------|------|--------|---------------------|--------|---------------------------|------|----------------------|-------------------------|-----------------------|---------------------|------------|---------|------------|
| ☞ | 3249-J2U   | i3-330M   | 2.13 | 2GB    | 12.1" WXGA          | None   | 250G                      | 5400 | Optional             | Optional                | Intel 1000            | WWAN upg            | No         | Pro 32  | Mar 10     |
| ☞ | 3249-MCU   | i3-330M   | 2.13 | 2GB    | 12.1" WXGA          | None   | 160G                      | 7200 | Optional             | Optional                | Intel 1000            | WWAN upg            | No         | Pro 64  | Apr 10     |
|   | 3249-MDU   | i3-370M   | 2.40 | 2GB    | 12.1" WXGA          | None   | 160G                      | 7200 | Optional             | Optional                | Intel 1000            | WWAN upg            | No         | Pro 64  | Jul 10     |
| ☞ | 3249-1HU   | i3-390M   | 2.66 | 2GB    | 12.1" WXGA          | None   | 160G                      | 7200 | Optional             | Optional                | Intel 1000            | WWAN upg            | No         | Pro 64  | Jan 11     |

- ***These small and medium business (SMB) models are part of the US TopSeller™ Program***
- ***These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)***

|                                     |   |  |
|-------------------------------------|---|--|
| Positioning Processor               | <i>An ultraportable for the executive on the move; one spindle</i><br><b>Intel® Core™ i3 processor i3-330M, i3-370M, or i3-390M</b> with <b>dual-core</b> , DMI (Direct Media Interface); integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache  | <b>Preloaded operating system<sup>20</sup></b><br>- <i>Some:</i> Genuine Windows® 7 Professional 32<br>- <i>Some:</i> Genuine Windows 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br><br>Supports ThinkVantage® technologies<br><br><b>ThinkPad X200 UltraBase™</b><br>• Provides desktop expansion and cable management for X200 and X201 Series<br>• Easily connects to the bottom of the X200 or X201 Series for traveling<br>• Converts ThinkPad to a two-spindle system with optional Ultrabay Slim accessories in right side:<br>– DVD-ROM Ultrabay Slim Drive II SATA 1.5G/s 43N3292<br>– Serial ATA Hard Drive Bay Adapter III 43N3412<br>Disks supported (some):<br>• 250GB FDE 7200 rpm 43N3410<br>• 320GB Disk 7200 rpm 43N3411<br><br>Other features:<br>• Power button (front)<br>• Stereo speakers (2 watt)<br>• Security key lock, security keyhole, and optional security screw<br>• Analog DB-15 monitor port<br>• DisplayPort (supports single-link DVI-D via cable 45J7915)<br>• Four USB 2.0 ports<br>• Gigabit ethernet port<br>• Microphone in and headphone out<br>• Second battery charger<br>• Requires 65 or 90 watt AC adapter<br>• 1.6 lb; 730g<br><br>65-watt AC Adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>ROHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378 |
| Memory                              | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in 1 socket; 1 socket available  |  |
| SATA DVD±RW Ultrabay Slim SATA disk | Option for <i>ThinkPad X200 UltraBase</i><br>Supports Ultrabay Slim devices in optional or standard <i>X200 UltraBase</i> (43R8781)<br><b>160GB<sup>8</sup></b> (7200 rpm) or <b>250GB</b> (5400 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Shock Mounted Hard Drive, Active Protection System™, supports second disk in opt or std <i>X200 UltraBase</i> |  |
| Widescreen display                  | <b>12.1"</b> (308mm) <b>WXGA (1280x800) TFT color</b> , anti-glare, <b>LED backlight</b> , 200 nits, 16:10 aspect ratio, 250:1 contrast ratio   |  |
| Camera                              | None  |  |
| Integrated graphics                 | <b>Intel HD Graphics</b> in processor, external monitor support via analog VGA DB-15 connector / DisplayPort via UltraBase; supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DP) @60Hz; 2048x1536(VGA) @75Hz  |  |
| Keyboard                            | Full-size, 89-key, ThinkVantage button, spill-resistant, mm Fn keys   |  |
| TrackPoint®                         | TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass  |  |
| Touchpad                            | UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling regions, multi-touch  |  |
| ThinkLight™                         | Illuminates the keyboard to improve visibility in low-light conditions  |  |
| Dimensions <sup>3</sup>             | <i>without UltraBase; 4/6-cell:</i> 11.6" x 8.3" x 0.8-1.4"; 295mm x 210mm x 20.7-35.3mm<br><i>without UltraBase; 9-cell:</i> 11.6" x 9.2" x 0.8-1.4"; 295mm x 233.8mm x 20.7-35.3mm<br><i>4-cell:</i> from 2.89 lb (1.31kg); <i>6-cell:</i> from 3.18 lb (1.44kg); <i>9-cell:</i> from 3.52 lb (1.60kg)  |  |
| Weight <sup>2</sup>                 | <i>Color:</i> black; <i>Material:</i> magnesium alloy   |  |
| Case                                | Lithium Ion <b>6-cell</b>   |  |
| Battery - type                      | <i>4-cell:</i> up to 3.4 hr; <i>6-cell:</i> up to 6.7 hr; <i>9-cell:</i> up to 11.3 hr  |  |
| Battery - life <sup>10</sup>        |   |  |
| Chipset                             | <b>Mobile Intel QM57 Express Chipset</b>  |  |
| Media slice                         | <i>Option: ThinkPad X200 UltraBase media slice</i> (see right side)   |  |
| Multicard reader                    | 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)  |  |
| ExpressCard/54                      | One slot (ExpressCard/34, ExpressCard/54)   |  |
| Ports                               | Three USB 2.0 (one powered), external monitor (VGA DB-15), modem (RJ-11), ethernet (RJ-45)  |  |
| PCIe Mini Card                      | Two PCI Express Mini Card slots   |  |
| Intel 1000                          | 11b/g/n wireless <sup>4</sup> , PCIe Mini Card, Intel Centrino® Wireless-N 1000, 1x2  |  |
| WWAN upg                            | Wireless WAN upgradable   |  |
| Modem                               | 56K V.92 <sup>6</sup> modem   |  |
| Bluetooth™                          | None  |  |
| Ethernet                            | Intel 82577LC Gigabit Network Connection (Hanksville), PHY, PCIe x1   |  |
| Intel AMT                           | None  |  |
| Audio support                       | High Definition (HD) Audio, Conexant 20585 codec / stereo speaker, 1 watt x 2 / volume up, down, mute buttons / digital microphone, microphone input jack, headphone jack   |  |
| Security                            | Power-on password, hard disk password, supervisor password, security keyhole  |  |
| Security chip                       | Trusted Platform Module, TCG 1.2-compliant  |  |
| Fingerprint reader                  | None  |  |
| Limited warranty <sup>12</sup>      | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available   |  |

See footnotes for important warranty information

 US model announced January 11, 2011; previous models on February 23, April 20, or July 6, 2010

✂ US models withdrawn effective July 31, 2010

© Lenovo  
(MOC3j-1) January 2011

**Memory**

|  |         |              |
|--|---------|--------------|
| 1GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3706 | ann 06/23/09 |
| 1GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4385 | ann 06/23/09 |
| 2GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3707 | ann 06/23/09 |
| 2GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4386 | ann 06/23/09 |
| 4GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3708 | ann 06/23/09 |

**Ultrabay Slim 9.5mm**

|  |         |              |
|--|---------|--------------|
| <i>Most Ultrabay Slim accessories supported in ThinkPad X200 UltraBase</i> |         |              |
| Serial ATA Hard Drive Bay Adapter III                                      | 43N3412 | ann 06/23/09 |
| DVD-ROM Ultrabay Slim Drive II SATA 1.5G/s                                 | 43N3292 | ann 08/03/10 |
| DVD Burner Ultrabay Slim Drive II SATA 1.5G/s                              | 43N3229 | ann 06/23/09 |
| Ultrabay Slim Blu-ray Burner II (SATA)                                     | 43N3230 | ann 06/23/09 |

**Storage and removable storage**

|  |         |              |
|--|---------|--------------|
| 160GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 41N5737 | ann 10/16/07 |
| 250GB Disk SATA 3.0Gb/s (5400 rpm) <sup>41</sup>     | 43R8152 | ann 01/15/08 |
| 250GB Disk FDE SATA 3.0Gb/s (7200 rpm) <sup>41</sup> | 43N3410 | ann 01/20/09 |
| 320GB Disk SATA 3.0Gb/s (5400 rpm) <sup>41</sup>     | 43N3403 | ann 08/05/08 |
| 320GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 43N3411 | ann 01/20/09 |
| 500GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 43N3423 | ann 01/07/10 |

<sup>41</sup> Can be used as the main HDD or with *Serial ATA Hard Drive Bay Adapter III* 43N3412 in X200 UltraBase (43R8781)

|  |         |              |
|--|---------|--------------|
| 128GB SSD SATA 3.0Gb/s 1.8" (2.5" cover)     | 43N3406 | ann 08/26/08 |
| 256GB FDE SSD SATA 3Gb/s 1.8" (2.5" cover)   | 43N3417 | ann 06/23/09 |
| ThinkPad 160GB Intel X25-M SSD <sup>41</sup> | 43N3435 | ann 06/22/10 |

|   |         |              |
|---|---------|--------------|
| USB 2.0 Portable 320GB Hard Disk                    | 45K1689 | ann 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk                    | 45K1690 | ann 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk             | 43R2018 | ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk             | 43R2019 | ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive <sup>53</sup> | 57Y4400 | ann 01/07/10 |

<sup>53</sup> USB-only attach.

**Wireless WAN (Mini PCI Express)**

*Only X201 WWAN upgradable models:*

|   |         |              |
|---|---------|--------------|
| ThinkPad Gobi™ 2000 Broadband Option      | 78Y1399 | ann 01/07/10 |
| ThinkPad AT&T® Gobi 2000 Broadband Option | 78Y1398 | ann 01/07/10 |

**ThinkPad Expansion**

|  |         |              |
|--|---------|--------------|
| Lenovo® Essential Notebook Stand       | 45J9292 | ann 05/12/09 |
| USB Port Replicator with Digital Video | 45K1610 | ann 07/28/09 |
| ThinkPad X200 UltraBase                | 43R8781 | ann 08/05/08 |

**Keyboard**

|   |         |              |
|---|---------|--------------|
| TrackPoint Cap Collection   | 73P2698 | ann 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann 03/23/04 |
| Ultralim Wireless Keyboard and Mouse <sup>52</sup>                            | 57Y4700 | ann 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |              |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann 08/18/09 |
| Lenovo® USB Fingerprint Keyboard  | 73P4730 | ann 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann 03/24/09 |

**Mouse**

|  |         |              |
|--|---------|--------------|
| Lenovo Optical Mouse (USB)               | 06P4069 | ann 05/21/03 |
| Lenovo Laser Mouse (USB)                 | 41U3074 | ann 01/23/07 |
| ThinkPad USB Laser Mouse                 | 57Y4635 | ann 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical) | 31P7405 | ann 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)     | 31P7410 | ann 06/04/02 |
| ThinkPad Bluetooth Laser Mouse           | 41U5008 | ann 01/22/08 |

**Security**

|  |         |              |
|--|---------|--------------|
| Kensington® MicroSaver® Cable Lock         | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock            | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock                 | 57Y4303 | ann 08/24/10 |
| X200s (WXGA+), X201s 12W Privacy Filter    | 43R2470 | ann 08/05/08 |
| X200/X200s (WXGA), X201 12W Privacy Filter | 55Y9264 | ann 04/07/09 |
| USB Gemplus GemPC Smart Card Reader        | 41N3040 | ann 02/21/06 |
| ExpressCard Gemplus Smart Card Reader      | 41N3043 | ann 06/27/06 |

**Multimedia**

|                            |         |              |
|----------------------------|---------|--------------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann 01/07/10 |
|----------------------------|---------|--------------|

**Batteries**

|                                   |         |              |
|-----------------------------------|---------|--------------|
| ThinkPad Battery 47 (4-cell)      | 43R9253 | ann 08/05/08 |
| ThinkPad Battery 47+ (6-cell)     | 43R9254 | ann 08/05/08 |
| ThinkPad Battery 47++ (9-cell)    | 43R9255 | ann 08/05/08 |
| ThinkPad External Battery Charger | 40Y7625 | ann 09/20/05 |

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|                                  |         |              |
|----------------------------------|---------|--------------|
| ThinkPad 65W AC Adapter          | 40Y7696 | ann 01/05/06 |
| ThinkPad 90W AC Adapter          | 40Y7659 | ann 09/20/05 |
| Lenovo Power Hub                 | 57Y4600 | ann 09/07/10 |
| 90W Ultralim AC/DC Combo Adapter | 41R4493 | ann 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

*Charging tips for 90W Ultralim AC/DC Combo Adapter 41R4493*

|                                      |         |              |
|--------------------------------------|---------|--------------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)

**Carrying Cases**

|                                     |         |              |
|-------------------------------------|---------|--------------|
| <i>Up to 12" widescreen models:</i> |         |              |
| ThinkPad 12W Case Sleeve            | 51J0476 | ann 08/18/09 |

|                                       |         |              |
|---------------------------------------|---------|--------------|
| <i>Up to 13.3" widescreen models:</i> |         |              |
| ThinkPad Ultraportable Case           | 41U5062 | ann 05/13/08 |

|                                       |         |              |
|---------------------------------------|---------|--------------|
| <i>Up to 15.4" widescreen models:</i> |         |              |
| Lenovo Messenger Max                  | 41U5253 | ann 05/01/07 |
| Lenovo Performance Backpack           | 41U5254 | ann 05/01/07 |
| ThinkPad Business Topload Case        | 43R2476 | ann 05/13/08 |
| ThinkPad Business Backpack            | 43R2482 | ann 05/13/08 |
| ThinkPad Deluxe Expander Case         | 43R2478 | ann 05/13/08 |
| ThinkPad Executive Leather Case       | 43R2480 | ann 05/13/08 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)

Lenovo luxury cases at [www.lenovoluxurycases.com](http://www.lenovoluxurycases.com)

**Monitors**

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann 09/17/08 |

**Monitor Accessories<sup>46</sup>**

|   |         |              |
|---|---------|--------------|
| Lenovo USB-to-DVI Monitor Adapter                     | 45K5296 | ann 05/12/09 |
| Lenovo DisplayPort to VGA Monitor Cable <sup>50</sup> | 57Y4393 | ann 08/04/09 |
| DisplayPort to Single-link DVI-D Cable <sup>50</sup>  | 45J7915 | ann 08/05/08 |

<sup>50</sup> Can only be used via ThinkPad X200 UltraBase (43R8781)

|                                  |         |              |
|----------------------------------|---------|--------------|
| ThinkVision USB Soundbar         | 40Y7616 | ann 08/23/05 |
| ThinkVision Soundbar             | 45K1263 | ann 09/16/08 |
| Kensington MicroSaver Cable Lock | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock  | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock       | 57Y4303 | ann 08/24/10 |
| Lenovo Easy Reach Monitor Stand  | 55Y9258 | ann 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)

Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

ThinkPad®



Lenovo® ThinkPad X201 Tablet



Lenovo ThinkPad X201 Tablet



Lenovo ThinkPad X201 Tablet



Lenovo ThinkPad X201 Tablet



Lenovo ThinkPad X201 Tablet with  
ThinkPad X200 Tablet Sleeve  
43R9115



Lenovo ThinkPad X201 Tablet with  
ThinkPad X200 Tablet Sleeve  
43R9115

# ThinkPad® X201 Tablet (2985) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model  | Proc-<br>essor  | Max<br>Base turbo<br>(GHz)(GHz) | Memory | Widescreen<br>display | Camera<br>(Mega-<br>pixel) | Disk<br>SATA<br>GB <sup>3</sup> rpm | Optical<br>in<br>UltraBase | ThinkPad<br>X200<br>UltraBase | PCIe<br>Mini Card<br>802.11 | PCIe<br>Mini Card<br>WWAN | Carrier   | Bat-<br>tery<br>Intel<br>vPro | Preload | Avail<br>date |        |
|---|---|---------------------------------|--------|-----------------------|----------------------------|-------------------------------------|----------------------------|-------------------------------|-----------------------------|---------------------------|---|-------------------------------|---------|---------------|--------|
| 2985-C2U  | i7-640LM  | 2.13                            | 2.93   | 2GB                   | 12.1" WXGA                 | Entry                               | 250G 5400                  |                               | Intel 6200 <sup>28</sup>    | upg                       | 4   | vPro                          | Pro 32  | Mar 10        |        |
| 2985-C3U  | i7-640LM  | 2.13                            | 2.93   | 2GB                   | 12.1" WXGA                 | Entry                               | 2.0 320G 7200              | DVD±RW                        | UltraB                      | Intel 6200                |   | 8                             | vPro    | Pro 32        | Mar 10 |
| 2985-C4U  | i7-640LM  | 2.13                            | 2.93   | 4GB                   | 12.1" WXGA                 | Entry                               | 2.0 320G 7200              | DVD±RW                        | UltraB                      | Intel 6200                | Gobi Verizon <sup>16</sup>  | 8                             | vPro    | Pro 32        | Mar 10 |
| ✂ 2985-C5U  | i7-640LM  | 2.13                            | 2.93   | 4GB                   | 12.1" WXGA                 | Outdoor                             | 2.0 320G 7200              |                               | Intel 6200                  | upg                       |   | 8                             | vPro    | Pro 32        | Mar 10 |
| 2985-C6U  | i7-640LM  | 2.13                            | 2.93   | 2GB                   | 12.1" WXGA                 | Multi                               | 2.0 250G 5400              |                               | Intel 6200                  | upg                       |   | 8                             | vPro    | Pro 32        | Mar 10 |
| 2985-C7U  | i7-640LM  | 2.13                            | 2.93   | 4GB                   | 12.1" WXGA                 | Multi                               | 2.0 320G 7200              | DVD±RW                        | UltraB                      | Intel 6200                |   | 8                             | vPro    | Pro 32        | Mar 10 |
| ☞ 2985-EWU  | i7-640LM  | 2.13                            | 2.93   | 4GB                   | 12.1" WXGA                 | Entry                               | 2.0 320G 7200              | DVD±RW                        | UltraB                      | Intel 6200                | Gobi Verizon  | 8                             | vPro    | Pro 64        | Mar 10 |
| ☞ 2985-EXU  | i7-640LM  | 2.13                            | 2.93   | 4GB                   | 12.1" WXGA                 | Entry                               | 2.0 320G 7200              | DVD±RW                        | UltraB                      | Intel 6200                | Gobi AT&T <sup>23</sup>   | 8                             | vPro    | Pro 64        | Mar 10 |
| ☞ 2985-EYU  | i7-640LM  | 2.13                            | 2.93   | 4GB                   | 12.1" WXGA                 | Multi                               | 2.0 320G 7200              | DVD±RW                        | UltraB                      | Intel 6200                | upg   | 8                             | vPro    | Pro 64        | Mar 10 |
| • These small and medium business (SMB) models are part of the US TopSeller™ Program<br>• These systems are Microsoft® Office 2010 Product Key Ready (O10PKR) |   |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Positioning Processor   | Convertible tablet ultraportable; one spindle<br>Intel® Core™ i7 processor i7-640LM with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 4MB cache   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | Preloaded operating system <sup>20</sup><br>- Some: Genuine Windows® 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64   |                               |         |               |        |
| Memory  | 2GB or 4GB std / 8GB max <sup>7</sup> / PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in 1 socket; 1 socket available  |                                 |        |                       |                            |                                     |                            |                               |                             |                           | Preloaded applications <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• Fingerprint Software<br>• ThinkVantage Toolbox<br>• Lenovo SimpleTap (Multi-Touch models)<br>• Adobe® Reader®<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Corel® WinDVD® (DVD±RW)<br>• Corel Burn.Now™ Lenovo Edition (DVD±RW)<br>• Corel DVD MovieFactory® Lenovo Edition (DVD±RW) |                               |         |               |        |
| SATA DVD±RW Ultrabay Slim SATA disk   | Some: DVD burner, SATA 1.5Gb/s, removable from X200 UltraBase<br>Supports Ultrabay Slim devices in optional or standard X200 UltraBase (43R8781)<br>250GB <sup>8</sup> (5400 rpm) or 320GB (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Shock Mounted Hard Drive, Active Protection System™, supports second disk in opt or std X200 UltraBase  |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Widescreen display  | Entry: 12.1" (308mm) WXGA (1280x800) TFT color, anti-glare, LED backlight, 200 nits, 16:10 aspect ratio, 500:1 contrast ratio, PVA or IPS, frameless<br>Outdoor: 12.1" (308mm) WXGA (1280x800) TFT color, anti-glare, LED backlight, 400 nits, 16:10 aspect ratio, 500:1 contrast ratio, 1.2% reflectivity, multiple anti-reflectivity layers, PVA or IPS<br>MultiTouch: 12.1" (308mm) WXGA (1280x800) TFT color, anti-glare, LED backlight, 300 nits, 16:10 aspect ratio, 500:1 contrast ratio, PVA or IPS, enhanced MultiTouch (touchscreen support pen & two-finger touch)<br>All: WideView (170° viewing), anti-reflective and anti-glare protective coatings, write on screen with standard digitizer pen, pen holder in side base (right), rotatable dual swivel hinge for tablet mode (portrait or landscape) or picture frame mode (keyboard faces away from user), buttons on display bottom (power with slide-lock, reset, rotation, menu, all button lock) |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Camera  | Some: camera on top of screen, 2.0-megapixel, fixed focus   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | Supports ThinkVantage® technologies   |                               |         |               |        |
| Integrated graphics   | Intel HD Graphics in processor, external monitor support via analog VGA DB-15 connector / DisplayPort via UltraBase; supports dual independent display;<br>Maximum external resolution: 2560x1600 (DP)@60Hz; 2048x1536(VGA)@75Hz  |                                 |        |                       |                            |                                     |                            |                               |                             |                           | ThinkPad X200 UltraBase™<br>• Provides desktop expansion and cable management for X200 and X201 Series<br>• Easily connects to the bottom of the X200 or X201 Series for traveling<br>• Converts ThinkPad to a two-spindle system with optional Ultrabay Slim accessories in right side:<br>– DVD-ROM Ultrabay Slim Drive II SATA 1.5G/s 43N3292<br>– Serial ATA Hard Drive Bay Adapter III 43N3412<br>Disks supported (some):<br>• 250GB FDE 7200 rpm 43N3410<br>• 320GB Disk 7200 rpm 43N3411                           |                               |         |               |        |
| Keyboard TrackPoint® Touchpad ThinkLight™   | Full-size, 89-key, ThinkVantage button, spill-resistant, mm Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling regions, multi-touch<br>None  |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Dimensions <sup>3</sup>   | without UltraBase; 4-cell: 11.6" x 9" x 1-1.3"; 295mm x 228mm x 26.5-33.3mm<br>without UltraBase; 8-cell: 11.6" x 10.1" x 1-1.3"; 295mm x 257mm x 26.5-33.3mm<br>4-cell: from 3.57 lb (1.62kg); 8-cell: from 3.96 lb (1.8kg)<br>Color: black; Material: magnesium alloy   |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Weight <sup>2</sup>   |   |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Case  |   |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Battery - type  | Lithium Ion 4-cell or 8-cell  |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Battery - life <sup>10</sup>  | 4-cell: up to 3.5 hr; 8-cell: up to 7.9 hr  |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Chipset   | Mobile Intel QM57 Express Chipset   |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Media slice   | Some: ThinkPad X200 UltraBase media slice (see right side)  |                                 |        |                       |                            |                                     |                            |                               |                             |                           | Other features:   |                               |         |               |        |
| Multicard Reader ExpressCard/54   | 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)  |                                 |        |                       |                            |                                     |                            |                               |                             |                           | • Power button (front)  |                               |         |               |        |
| Ports   | One slot (ExpressCard/34, ExpressCard/54)<br>Three USB 2.0 (one powered), external monitor (VGA DB-15), modem (RJ-11), ethernet (RJ-45)   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | • Stereo speakers (2 watt)  |                               |         |               |        |
| PCIe Mini Card  | Two PCI Express Mini Card slots<br>11a/b/g/n wireless, PCIe Mini Card, Intel Centrino® Advanced-N 6200, 2x2   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | • Security key lock, security keyhole, and optional security screw  |                               |         |               |        |
| Intel 6200 <sup>28</sup>  | Some: Wireless WAN upgradable   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | • Analog DB-15 monitor port   |                               |         |               |        |
| WWAN upg  | Some: Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | • DisplayPort (supports single-link DVI-D via cable 45J7915)  |                               |         |               |        |
| Gobi™ 2000  | Some: AT&T® or Verizon®, contract required with service provider  |                                 |        |                       |                            |                                     |                            |                               |                             |                           | • Four USB 2.0 ports  |                               |         |               |        |
| Carrier   |   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | • Gigabit ethernet port   |                               |         |               |        |
| Modem   | 56K V.92 <sup>9</sup> modem   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | • Microphone in and headphone out   |                               |         |               |        |
| Bluetooth™  | Bluetooth 2.1 wireless, LED indicator   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | • Second battery charger  |                               |         |               |        |
| Ethernet  | Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | • Requires 65 or 90 watt AC adapter   |                               |         |               |        |
| Intel AMT   | Intel Active Management Technology (iAMT)   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | • 1.6 lb; 730g  |                               |         |               |        |
| Audio support   | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / volume up, down, mute buttons / dual array mic, mic input jack, headphone jack<br>Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant   |                                 |        |                       |                            |                                     |                            |                               |                             |                           | 65-watt AC Adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>ROHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup><br>via 800-426-7378  |                               |         |               |        |
| Security  | UPEK Fingerprint reader (right base of display), used in tablet/notebook mode, 2-way swipe sensor, LED indicator, Power On Authentication, supports the security chip   |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Security chip   |   |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Fingerprint reader  |   |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |
| Limited warranty <sup>12</sup>  | 3-years/1-yr battery & digitizer pen - depot repair service / service upgrades <sup>22</sup> available  |                                 |        |                       |                            |                                     |                            |                               |                             |                           |   |                               |         |               |        |

See footnotes for important warranty information

☞ US models announced March 2, 2010; previous models on February 23, 2010

✕ US model withdrawn effective January 2011

© Lenovo

(CML3-1) December 2010

# ThinkPad® X201 Tablet (2985) - TopSeller (Windows 7) - April 2010

Personal Systems Reference (PSREF)

| Type-model | Processor | Max turbo (GHz) |      | Memory | Widescreen display | Camera (Mega-pixel) | Disk SATA GB <sup>5</sup> rpm | Optical in UltraBase | ThinkPad X200 UltraBase | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Carrier               | Bat-tery cells | Intel vPro | Preload | Avail date |
|------------|-----------|-----------------|------|--------|--------------------|---------------------|-------------------------------|----------------------|-------------------------|--------------------------|---------------------|-----------------------|----------------|------------|---------|------------|
| 2985-F2U   | i7-620LM  | 2.00            | 2.80 | 2GB    | 12.1" WXGA         | Entry               | 2.0 160G 7200                 | DVD±RW               | UltraB                  | Intel 6200 <sup>28</sup> | Gobi                | Verizon <sup>16</sup> | 8              | vPro       | Pro 64  | Apr 10     |
| 2985-F3U   | i7-620LM  | 2.00            | 2.80 | 2GB    | 12.1" WXGA         | Outdoor             | 2.0 160G 7200                 |                      |                         | Intel 6200               | upg                 |                       | 8              | vPro       | Pro 64  | Apr 10     |
| 2985-F4U   | i7-620LM  | 2.00            | 2.80 | 2GB    | 12.1" WXGA         | Multi               | 2.0 320G 7200                 | DVD±RW               | UltraB                  | Intel 6200               | upg                 |                       | 8              | vPro       | Pro 64  | Apr 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |   |  |  |  |  |  |  |  |  |  |   |  |  |
|---|---|--|--|--|--|--|--|--|--|--|---|--|--|
| Positioning Processor                     | Convertible tablet ultraportable; one spindle<br><b>Intel® Core™ i7 processor i7-620LM with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 4MB cache   |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64  |  |  |
| Memory                                    | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in 1 socket; 1 socket available  |  |  |  |  |  |  |  |  |  | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Windows Live™ Toolbar<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |  |  |
| SATA DVD±RW Ultrabay Slim SATA disk       | <i>Some:</i> DVD burner, SATA 1.5Gb/s, removable from <b>X200 UltraBase</b><br>Supports Ultrabay Slim devices in optional or standard <b>X200 UltraBase</b> (43R8781)<br><b>160GB<sup>8</sup></b> (7200 rpm) or <b>320GB<sup>8</sup></b> (7200 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Shock Mounted Hard Drive, Active Protection System™, supports second disk in opt or std <b>X200 UltraBase</b>  |  |  |  |  |  |  |  |  |  |   |  |  |
| Widescreen display                        | <i>Entry:</i> <b>12.1"</b> (308mm) <b>WXGA (1280x800) TFT color</b> , anti-glare, <b>LED backlight</b> , 200 nits, 16:10 aspect ratio, 500:1 contrast ratio, PVA or IPS, frameless<br><i>Outdoor:</i> <b>12.1"</b> (308mm) <b>WXGA (1280x800) TFT color</b> , anti-glare, <b>LED backlight</b> , 400 nits, 16:10 aspect ratio, 500:1 contrast ratio, 1.2% reflectivity, multiple anti-reflectivity layers, PVA or IPS<br><i>MultiTouch:</i> <b>12.1"</b> (308mm) <b>WXGA (1280x800) TFT color</b> , anti-glare, <b>LED backlight</b> , 300 nits, 16:10 aspect ratio, 500:1 contrast ratio, PVA or IPS, enhanced <b>MultiTouch</b> (touchscreen support pen & two-finger touch)<br><i>All:</i> <b>WideView</b> (170° viewing), anti-reflective and anti-glare protective coatings, <b>write on screen with standard digitizer pen</b> , pen holder in side base (right), <b>rotatable dual swivel hinge</b> for tablet mode (portrait or landscape) or picture frame mode (keyboard faces away from user), buttons on display bottom (power with slide-lock, reset, rotation, menu, all button lock) |  |  |  |  |  |  |  |  |  |   |  |  |
| Camera                                    | Camera on top of screen, 2.0-megapixel, fixed focus   |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies   |  |  |
| Integrated graphics                       | <b>Intel HD Graphics</b> in processor, external monitor support via analog VGA DB-15 connector / DisplayPort via UltraBase; supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DP)@60Hz; 2048x1536(VGA)@75Hz  |  |  |  |  |  |  |  |  |  | <b>ThinkPad X200 UltraBase™</b><br>• Provides desktop expansion and cable management for X200 and X201 Series<br>• Easily connects to the bottom of the X200 or X201 Series for traveling<br>• Converts ThinkPad to a two-spindle system with optional Ultrabay Slim accessories in right side:<br>– DVD-ROM Ultrabay Slim Drive II SATA 1.5Gb/s 43N3292<br>– Serial ATA Hard Drive Bay Adapter III 43N3412<br>Disks supported (some):<br>• 250GB FDE 7200 rpm 43N3410<br>• 320GB Disk 7200 rpm 43N3411   |  |  |
| Keyboard TrackPoint® Touchpad ThinkLight™ | Full-size, 89-key, ThinkVantage button, spill-resistant, mm Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling regions, multi-touch<br>None  |  |  |  |  |  |  |  |  |  |   |  |  |
| Dimensions <sup>3</sup>                   | <i>without UltraBase; 4-cell:</i> 11.6" x 9" x 1-1.3"; 295mm x 228mm x 26.5-33.3mm<br><i>without UltraBase; 8-cell:</i> 11.6" x 10.1" x 1-1.3"; 295mm x 257mm x 26.5-33.3mm<br><i>4-cell:</i> from 3.57 lb (1.62kg); <i>8-cell:</i> from 3.96 lb (1.8kg)  |  |  |  |  |  |  |  |  |  |   |  |  |
| Weight <sup>2</sup>                       | <i>Color:</i> black; <i>Material:</i> magnesium alloy   |  |  |  |  |  |  |  |  |  |   |  |  |
| Case                                      | Lithium Ion <b>8-cell</b>   |  |  |  |  |  |  |  |  |  |   |  |  |
| Battery - type                            | <i>4-cell:</i> up to 3.5 hr; <i>8-cell:</i> up to 7.9 hr  |  |  |  |  |  |  |  |  |  |   |  |  |
| Battery - life <sup>10</sup>              |   |  |  |  |  |  |  |  |  |  |   |  |  |
| Chipset                                   | <b>Mobile Intel QM57 Express Chipset</b>  |  |  |  |  |  |  |  |  |  |   |  |  |
| Media slice                               | <i>Some:</i> <b>ThinkPad X200 UltraBase media slice</b> (see right side)  |  |  |  |  |  |  |  |  |  |   |  |  |
| Multicard Reader                          | 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)  |  |  |  |  |  |  |  |  |  |   |  |  |
| ExpressCard/54                            | One slot (ExpressCard/34, ExpressCard/54)   |  |  |  |  |  |  |  |  |  |   |  |  |
| Ports                                     | Three USB 2.0 (one powered), external monitor (VGA DB-15), modem (RJ-11), ethernet (RJ-45)  |  |  |  |  |  |  |  |  |  |   |  |  |
| PCIe Mini Card                            | Two PCI Express Mini Card slots   |  |  |  |  |  |  |  |  |  |   |  |  |
| Intel 6200 <sup>28</sup>                  | 11a/b/g/n wireless, PCIe Mini Card, Intel Centrino® Advanced-N 6200, 2x2  |  |  |  |  |  |  |  |  |  |   |  |  |
| WWAN upg                                  | <i>Some:</i> Wireless WAN upgradable  |  |  |  |  |  |  |  |  |  |   |  |  |
| Gobi™ 2000                                | <i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider  |  |  |  |  |  |  |  |  |  |   |  |  |
| Carrier                                   | <i>Some:</i> Verizon®, contract required with service provider  |  |  |  |  |  |  |  |  |  |   |  |  |
| Modem                                     | 56K V.92 <sup>6</sup> modem   |  |  |  |  |  |  |  |  |  |   |  |  |
| Bluetooth™                                | Bluetooth 2.1 wireless, LED indicator   |  |  |  |  |  |  |  |  |  |   |  |  |
| Ethernet                                  | Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1   |  |  |  |  |  |  |  |  |  |   |  |  |
| Intel AMT                                 | Intel Active Management Technology (iAMT)   |  |  |  |  |  |  |  |  |  |   |  |  |
| Audio support                             | High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / volume up, down, mute buttons / dual array mic, mic input jack, headphone jack   |  |  |  |  |  |  |  |  |  |   |  |  |
| Security                                  | Power-on password, hard disk password, supervisor password, security keyhole  |  |  |  |  |  |  |  |  |  |   |  |  |
| Security chip                             | Trusted Platform Module, TCG 1.2-compliant  |  |  |  |  |  |  |  |  |  |   |  |  |
| Fingerprint reader                        | UPEK Fingerprint reader (right base of display), used in tablet/notebook mode, 2-way swipe sensor, LED indicator, Power On Authentication, supports the security chip   |  |  |  |  |  |  |  |  |  |   |  |  |
| Limited warranty <sup>12</sup>            | <b>3-years/1-yr battery &amp; digitizer pen - depot repair service / service upgrades<sup>22</sup> available</b>  |  |  |  |  |  |  |  |  |  | 65-watt AC Adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>ROHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |  |  |

See footnotes for important warranty information

US models announced April 20, 2010

2985 US model withdrawn effective January 2011

© Lenovo

(CML3-8) December 2010

# ThinkPad® X201 Tablet (2985) - TopSeller (Windows 7) - June 2010

Personal Systems Reference (PSREF)

| Type-model | Proc-<br>essor | Max<br>Base turbo<br>(GHz) | Memory | Widescreen<br>display | Camera<br>(Mega-<br>pixel) | Disk<br>SATA<br>GB <sup>8</sup> rpm | Optical<br>in<br>UltraBase | ThinkPad<br>X200<br>UltraBase | PCIe<br>Mini Card<br>802.11 | PCIe<br>Mini Card<br>WWAN | Bat-<br>tery<br>cells | Intel<br>vPro | Preload | Avail<br>date |
|------------|----------------|----------------------------|--------|-----------------------|----------------------------|-------------------------------------|----------------------------|-------------------------------|-----------------------------|---------------------------|-----------------------|---------------|---------|---------------|
| 2985-F7U   | i5-520UM       | 1.06                       | 1.86   | 4GB                   | 12.1" WXGA Multi           | 2.0M 320G 7200                      | DVD±RW                     | UltraB                        | Intel 6200 <sup>28</sup>    | WWAN upg                  | 8                     | vPro          | Pro 32  | Jun 10        |
| 2985-FAU   | i5-520UM       | 1.06                       | 1.86   | 2GB                   | 12.1" WXGA Entry           | 250G 5400                           |                            |                               | Intel 6200                  | WWAN upg                  | 4                     | vPro          | Pro 64  | Jun 10        |
| 2985-FBU   | i5-520UM       | 1.06                       | 1.86   | 2GB                   | 12.1" WXGA Outdoor         | 2.0M 320G 7200                      |                            |                               | Intel 6200                  | WWAN upg                  | 8                     | vPro          | Pro 64  | Jun 10        |
| 2985-FCU   | i5-520UM       | 1.06                       | 1.86   | 2GB                   | 12.1" WXGA Multi           | 2.0M 250G 5400                      |                            |                               | Intel 6200                  | WWAN upg                  | 8                     | vPro          | Pro 64  | Jun 10        |
| 2985-FSU   | i5-560M        | 2.66                       | 3.20   | 2GB                   | 12.1" WXGA Entry           | 160G 7200                           |                            |                               | Intel 6200                  | WWAN upg                  | 4                     | vPro          | Pro 64  | Sep 10        |
| 2985-FYU   | i5-560M        | 2.66                       | 3.20   | 2GB                   | 12.1" WXGA Outdoor         | 2.0M 160G 7200                      |                            |                               | Intel 6200                  | WWAN upg                  | 8                     | vPro          | Pro 64  | Sep 10        |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |   |  |  |  |  |  |  |  |  |  |  |  |  |
|--|---|--|--|--|--|--|--|--|--|--|--|--|--|
| Positioning Processor                            | Convertible tablet ultraportable; one spindle<br><b>Intel® Core™ i5 processor i5-520UM with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 800MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache or<br><b>Intel Core i5 processor i5-560M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache  |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Some: Genuine Windows® 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64  |  |  |
| Memory   | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in 1 socket; 1 socket available  |  |  |  |  |  |  |  |  |  | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage Toolbox<br>• Lenovo SimpleTap (Multi-Touch models)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |  |  |
| SATA DVD±RW Ultrabay Slim SATA disk              | <i>Some:</i> DVD burner, SATA 1.5Gb/s, removable from <b>X200 UltraBase</b> Supports Ultrabay Slim devices in optional or standard <b>X200 UltraBase</b> (43R8781) <b>160GB<sup>8</sup></b> (7200 rpm), <b>250GB<sup>8</sup></b> (5400 rpm), or <b>320GB<sup>8</sup></b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Shock Mounted Hard Drive, Active Protection System™, supports second disk in opt or std <b>X200 UltraBase</b>   |  |  |  |  |  |  |  |  |  |  |  |  |
| Widescreen display                               | <i>Entry:</i> <b>12.1"</b> (308mm) <b>WXGA (1280x800) TFT color</b> , anti-glare, <b>LED backlight</b> , 200 nits, 16:10 aspect ratio, 500:1 contrast ratio, PVA or IPS, frameless<br><i>Outdoor:</i> <b>12.1"</b> (308mm) <b>WXGA (1280x800) TFT color</b> , anti-glare, <b>LED backlight</b> , 400 nits, 16:10 aspect ratio, 500:1 contrast ratio, 1.2% reflectivity, multiple anti-reflectivity layers, PVA or IPS<br><i>MultiTouch:</i> <b>12.1"</b> (308mm) <b>WXGA (1280x800) TFT color</b> , anti-glare, <b>LED backlight</b> , 300 nits, 16:10 aspect ratio, 500:1 contrast ratio, PVA or IPS, enhanced <b>MultiTouch</b> (touchscreen support pen & two-finger touch)<br><i>All:</i> <b>WideView</b> (170° viewing), anti-reflective and anti-glare protective coatings, <b>write on screen with standard digitizer pen</b> , pen holder in side base (right), <b>rotatable dual swivel hinge</b> for tablet mode (portrait or landscape) or picture frame mode (keyboard faces away from user), buttons on display bottom (power with slide-lock, reset, rotation, menu, all button lock) |  |  |  |  |  |  |  |  |  |  |  |  |
| Camera   | <i>Some:</i> camera on top of screen, 2.0-megapixel, fixed focus  |  |  |  |  |  |  |  |  |  |  |  |  |
| Integrated graphics                              | <b>Intel HD Graphics</b> in processor, external monitor support via analog VGA DB-15 connector / DisplayPort via UltraBase; supports dual independent display;<br><i>Maximum external resolution:</i> 2560x1600 (DP)@60Hz; 2048x1536(VGA)@75Hz  |  |  |  |  |  |  |  |  |  |  |  |  |
| Keyboard TrackPoint® Touchpad ThinkLight™        | Full-size, 89-key, ThinkVantage button, spill-resistant, mm Fn keys<br>TrackPoint® pointing device, "Press-to-Select," Internet Scroll Bar <sup>13</sup> , magnifying glass UltraNav™, wide touchpad below keyboard, Tap Zones, scrolling regions, multi-touch<br>None  |  |  |  |  |  |  |  |  |  |  |  |  |
| Dimensions <sup>3</sup>                          | <i>without UltraBase; 4-cell:</i> 11.6" x 9" x 1-1.3"; 295mm x 228mm x 26.5-33.3mm<br><i>without UltraBase; 8-cell:</i> 11.6" x 10.1" x 1-1.3"; 295mm x 257mm x 26.5-33.3mm<br><i>4-cell:</i> from 3.57 lb (1.62kg); <i>8-cell:</i> from 3.96 lb (1.8kg)  |  |  |  |  |  |  |  |  |  |  |  |  |
| Weight <sup>2</sup>                              | <i>Color:</i> black; <i>Material:</i> magnesium alloy   |  |  |  |  |  |  |  |  |  |  |  |  |
| Case   | Lithium Ion <b>4-cell</b> or <b>8-cell</b>  |  |  |  |  |  |  |  |  |  |  |  |  |
| Battery - type                                   | <i>4-cell:</i> up to 3.5 hr; <i>8-cell:</i> up to 7.9 hr  |  |  |  |  |  |  |  |  |  |  |  |  |
| Battery - life <sup>10</sup>                     |   |  |  |  |  |  |  |  |  |  |  |  |  |
| Chipset  | <b>Mobile Intel QM57 Express Chipset</b>  |  |  |  |  |  |  |  |  |  |  |  |  |
| Media slice                                      | <i>Some:</i> <b>ThinkPad X200 UltraBase media slice</b> (see right side)  |  |  |  |  |  |  |  |  |  |  |  |  |
| Multicard Reader                                 | 5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC)  |  |  |  |  |  |  |  |  |  |  |  |  |
| ExpressCard/54                                   | One slot (ExpressCard/34, ExpressCard/54)   |  |  |  |  |  |  |  |  |  |  |  |  |
| Ports  | Three USB 2.0 (one powered), external monitor (VGA DB-15), modem (RJ-11), ethernet (RJ-45)  |  |  |  |  |  |  |  |  |  |  |  |  |
| PCIe Mini Card Intel 6200 <sup>28</sup> WWAN upg | Two PCI Express Mini Card slots<br>11a/b/g/n wireless, PCIe Mini Card, Intel Centrino® Advanced-N 6200, 2x2 Wireless WAN upgradable   |  |  |  |  |  |  |  |  |  |  |  |  |
| Modem Bluetooth™ Ethernet                        | 56K V.92 <sup>6</sup> modem<br>Bluetooth 2.1 wireless, LED indicator<br>Intel 82577LM Gigabit Network Connection (Hanksville), PHY, PCIe x1   |  |  |  |  |  |  |  |  |  |  |  |  |
| Intel AMT Audio support                          | Intel Active Management Technology (iAMT)<br>High Definition (HD) Audio, Conexant 20585 codec / stereo speakers, 1 watt x 2 / volume up, down, mute buttons / dual array mic, mic input jack, headphone jack  |  |  |  |  |  |  |  |  |  |  |  |  |
| Security Security chip Fingerprint reader        | Power-on password, hard disk password, supervisor password, security keyhole<br>Trusted Platform Module, TCG 1.2-compliant<br>UPEK Fingerprint reader (right base of display), used in tablet/notebook mode, 2-way swipe sensor, LED indicator, Power On Authentication, supports the security chip   |  |  |  |  |  |  |  |  |  |  |  |  |
| Limited warranty <sup>12</sup>                   | <b>3-years/1-yr battery &amp; digitizer pen</b> - depot repair service / service upgrades <sup>22</sup> available   |  |  |  |  |  |  |  |  |  |  |  |  |

See footnotes for important warranty information

US models announced September 28, 2010; previous models on May 25, 2010

US models withdrawn effective January 2011

© Lenovo

(CML3-9) December 2010

**Memory**

|  |         |              |
|--|---------|--------------|
| 1GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3706 | ann 06/23/09 |
| 1GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4385 | ann 06/23/09 |
| 2GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3707 | ann 06/23/09 |
| 2GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4386 | ann 06/23/09 |
| 4GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3708 | ann 06/23/09 |

**Ultrabay Slim 9.5mm**

|  |         |              |
|--|---------|--------------|
| <i>Most Ultrabay Slim accessories supported in ThinkPad X200 UltraBase</i> |         |              |
| Serial ATA Hard Drive Bay Adapter III                                      | 43N3412 | ann 06/23/09 |
| DVD-ROM Ultrabay Slim Drive II SATA 1.5G/s                                 | 43N3292 | ann 08/03/10 |
| DVD Burner Ultrabay Slim Drive II SATA 1.5G/s                              | 43N3229 | ann 06/23/09 |
| Ultrabay Slim Blu-ray Burner II (SATA)                                     | 43N3230 | ann 06/23/09 |

**Storage and removable storage**

|  |         |              |
|--|---------|--------------|
| 160GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 41N5737 | ann 10/16/07 |
| 250GB Disk SATA 3.0Gb/s (5400 rpm) <sup>41</sup>     | 43R8152 | ann 01/15/08 |
| 250GB Disk FDE SATA 3.0Gb/s (7200 rpm) <sup>41</sup> | 43N3410 | ann 01/20/09 |
| 320GB Disk SATA 3.0Gb/s (5400 rpm) <sup>41</sup>     | 43N3403 | ann 08/05/08 |
| 320GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 43N3411 | ann 01/20/09 |
| 500GB Disk SATA 3.0Gb/s (7200 rpm) <sup>41</sup>     | 43N3423 | ann 01/07/10 |

<sup>41</sup> Can be used as the main HDD or with *Serial ATA Hard Drive Bay Adapter III 43N3412* in X200 UltraBase (43R8781)

|   |         |              |
|---|---------|--------------|
| 128GB SSD SATA 3.0Gb/s 1.8" (2.5" cover)            | 43N3406 | ann 08/26/08 |
| 256GB FDE SSD SATA 3Gb/s 1.8" (2.5" cover)          | 43N3417 | ann 06/23/09 |
| ThinkPad 160GB Intel X25-M SSD <sup>41</sup>        | 43N3435 | ann 06/22/10 |
| USB 2.0 Portable 320GB Hard Disk                    | 45K1689 | ann 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk                    | 45K1690 | ann 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk             | 43R2018 | ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk             | 43R2019 | ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive <sup>53</sup> | 57Y4400 | ann 01/07/10 |

<sup>53</sup> USB-only attach.

**Wireless WAN (Mini PCI Express)**

*Only WWAN upgradable models:*

|   |         |              |
|---|---------|--------------|
| ThinkPad Gobi™ 2000 Broadband Option      | 78Y1399 | ann 01/07/10 |
| ThinkPad AT&T® Gobi 2000 Broadband Option | 78Y1398 | ann 01/07/10 |

**ThinkPad Expansion**

|  |         |              |
|--|---------|--------------|
| Lenovo® Essential Notebook Stand       | 45J9292 | ann 05/12/09 |
| USB Port Replicator with Digital Video | 45K1610 | ann 07/28/09 |
| ThinkPad X200 UltraBase                | 43R8781 | ann 08/05/08 |

**Keyboard**

|   |         |              |
|---|---------|--------------|
| TrackPoint Cap Collection   | 73P2698 | ann 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann 03/23/04 |
| Ultralim Wireless Keyboard and Mouse <sup>52</sup>                            | 57Y4700 | ann 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |              |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann 08/18/09 |
| Lenovo® USB Fingerprint Keyboard  | 73P4730 | ann 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann 03/24/09 |

**Mouse**

|  |         |              |
|--|---------|--------------|
| Lenovo Optical Mouse (USB)               | 06P4069 | ann 05/21/03 |
| Lenovo Laser Mouse (USB)                 | 41U3074 | ann 01/23/07 |
| ThinkPad USB Laser Mouse                 | 57Y4635 | ann 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical) | 31P7405 | ann 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)     | 31P7410 | ann 06/04/02 |
| ThinkPad Bluetooth Laser Mouse           | 41U5008 | ann 01/22/08 |

**Security**

|                                       |         |              |
|---------------------------------------|---------|--------------|
| Kensington® MicroSaver® Cable Lock    | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock       | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock            | 57Y4303 | ann 08/24/10 |
| USB Gemplus Smart Card Reader         | 41N3040 | ann 02/21/06 |
| ExpressCard Gemplus Smart Card Reader | 41N3043 | ann 06/27/06 |

**Multimedia**

|                            |         |              |
|----------------------------|---------|--------------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann 01/07/10 |
|----------------------------|---------|--------------|

**Tablet**

|                                 |         |              |
|---------------------------------|---------|--------------|
| ThinkPad Digitizer Pen          | 41U3143 | ann 11/14/06 |
| ThinkPad Tablet Tether (3-pack) | 41U4820 | ann 11/14/06 |

**Batteries**

|   |         |              |
|---|---------|--------------|
| ThinkPad Battery 12 (4-cell)                    | 43R9256 | ann 09/23/08 |
| ThinkPad Battery 12++ (8-cell)                  | 43R9257 | ann 09/23/08 |
| ThinkPad External Battery Charger <sup>47</sup> | 40Y7625 | ann 09/20/05 |

<sup>47</sup> Only supports *ThinkPad Battery 12 (4-cell)* 43R9256

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|                                  |         |              |
|----------------------------------|---------|--------------|
| ThinkPad 65W AC Adapter          | 40Y7696 | ann 01/05/06 |
| ThinkPad 90W AC Adapter          | 40Y7659 | ann 09/20/05 |
| Lenovo Power Hub                 | 57Y4600 | ann 09/07/10 |
| 90W Ultralim AC/DC Combo Adapter | 41R4493 | ann 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

*Charging tips for 90W Ultralim AC/DC Combo Adapter 41R4493*

|                                      |         |              |
|--------------------------------------|---------|--------------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)

**Carrying Cases**

*X200 Tablet:*

|                             |         |              |
|-----------------------------|---------|--------------|
| ThinkPad X200 Tablet Sleeve | 43R9115 | ann 09/23/08 |
|-----------------------------|---------|--------------|

*Up to 13.3" widescreen models:*

|                             |         |              |
|-----------------------------|---------|--------------|
| ThinkPad Ultraportable Case | 41U5062 | ann 05/13/08 |
|-----------------------------|---------|--------------|

*Up to 15.4" widescreen models:*

|                                 |         |              |
|---------------------------------|---------|--------------|
| Lenovo Business Messenger Case  | 51J0475 | ann 08/18/09 |
| Lenovo Messenger Max            | 41U5253 | ann 05/01/07 |
| Lenovo Performance Backpack     | 41U5254 | ann 05/01/07 |
| ThinkPad Business Topload Case  | 43R2476 | ann 05/13/08 |
| ThinkPad Business Backpack      | 43R2482 | ann 05/13/08 |
| ThinkPad Deluxe Expander Case   | 43R2478 | ann 05/13/08 |
| ThinkPad Executive Leather Case | 43R2480 | ann 05/13/08 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)

Lenovo luxury cases at [www.lenovoluxurycases.com](http://www.lenovoluxurycases.com)

**Monitors**

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann 09/17/08 |

**Monitor Accessories<sup>46</sup>**

|   |         |              |
|---|---------|--------------|
| Lenovo USB-to-DVI Monitor Adapter                     | 45K5296 | ann 05/12/09 |
| Lenovo DisplayPort to VGA Monitor Cable <sup>50</sup> | 57Y4393 | ann 08/04/09 |
| DisplayPort to Single-link DVI-D Cable <sup>50</sup>  | 45J7915 | ann 08/05/08 |

<sup>50</sup> Can only be used via ThinkPad X200 UltraBase (43R8781)

|                                  |         |              |
|----------------------------------|---------|--------------|
| ThinkVision USB Soundbar         | 40Y7616 | ann 08/23/05 |
| ThinkVision Soundbar             | 45K1263 | ann 09/16/08 |
| Kensington MicroSaver Cable Lock | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock  | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock       | 57Y4303 | ann 08/24/10 |
| Lenovo Easy Reach Monitor Stand  | 55Y9258 | ann 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)

Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

**Partial list of Lenovo® ThinkPlus Services<sup>22</sup> for ThinkPad notebooks**

 For more information see: [http://www.lenovo.com/services\\_warranty/us/en/index.html](http://www.lenovo.com/services_warranty/us/en/index.html)

|   |   |
|---|---|
| <b>ThinkPlus service upgrade options for ThinkPad W/X series</b><br><br><b>ThinkPad X100e notebook with 1-year Mail-In warranty</b><br>2-year Mail-In repair service 78Y1519<br>3-year Mail-In repair service 78Y1520<br><br>1-year LOR <sup>24</sup> 9x5 Next Business Day 78Y1517<br>2-year LOR 9x5 Next Business Day 78Y1521<br>3-year LOR 9x5 Next Business Day 78Y1522<br><br><b>ThinkPad X100e notebook with 1-year Depot warranty</b><br>2-year parts and labor depot repair service 41C9169<br>3-year parts and labor depot repair service 41C9170<br><br>1-year LOR 9x5 Next Business Day 41C9166<br>2-year LOR 9x5 Next Business Day 41C9167<br>3-year LOR 9x5 Next Business Day 41C9168<br><br><b>ThinkPad X series notebook with 1-year Depot warranty</b><br>2-year parts and labor depot repair service 41C9169<br>3-year parts and labor depot repair service 41C9170<br>4-year parts and labor depot repair service 41C9172<br>5-year parts and labor depot repair service 41C9174<br><br>1-year LOR 9x5 Next Business Day 41C9166<br>2-year LOR 9x5 Next Business Day 41C9167<br>3-year LOR 9x5 Next Business Day 41C9168<br>4-year LOR 9x5 Next Business Day 41C9171<br>5-year LOR 9x5 Next Business Day 41C9173<br><br><b>ThinkPad W/X series notebook with 3-year Depot warranty</b><br>4-year parts and labor depot repair service 41C9178<br>5-year parts and labor depot repair service 41C9180<br><br>3-year LOR 9x5 Next Business Day 41C9176<br>4-year LOR 9x5 Next Business Day 41C9177<br>5-year LOR 9x5 Next Business Day 41C9179<br><br><b>ThinkPad W/X series notebook with 3-year Onsite warranty</b><br>4-year LOR 9x5 Next Business Day 12X5630<br>5-year LOR 9x5 Next Business Day 43R2162 | <b>ThinkPlus Secure Business</b><br><br><b>Lenovo Online Data Backup</b><br><ul style="list-style-type: none"> <li>Secure offsite data storage</li> <li>256-bit Advanced Encryption System</li> <li>Data recovery or access in case of an unforeseen event</li> <li>Automatic, remote management</li> <li>Choose which business critical data to back up</li> </ul> 1-year Lenovo Online Data Backup - 10GB 51J0787<br>1-year Lenovo Online Data Backup - 25GB 51J0795  |
| <b>ThinkPlus service upgrade options for ThinkPad T/R series</b><br><br><b>ThinkPad T/R series notebook with 1-year Depot warranty</b><br>2-year parts and labor depot repair service 45K5971<br>3-year parts and labor depot repair service 45K5972<br>4-year parts and labor depot repair service 45K5974<br>5-year parts and labor depot repair service 45K5976<br><br>1-year LOR 9x5 Next Business Day 45K5968<br>2-year LOR 9x5 Next Business Day 45K5969<br>3-year LOR 9x5 Next Business Day 45K5970<br>4-year LOR 9x5 Next Business Day 45K5973<br>5-year LOR 9x5 Next Business Day 45K5975<br><br><b>ThinkPad T/R series notebook with 3-year Depot warranty</b><br>4-year parts and labor depot repair service 45K6023<br>5-year parts and labor depot repair service 45K6025<br><br>3-year LOR 9x5 Next Business Day 45K6021<br>4-year LOR 9x5 Next Business Day 45K6022<br>5-year LOR 9x5 Next Business Day 45K6024<br><br><b>ThinkPad T/R series notebook with 3-year Onsite warranty</b><br>4-year LOR 9x5 Next Business Day 45K6038<br>5-year LOR 9x5 Next Business Day 43R2162   | <b>ThinkPlus Priority Support for enterprise customers</b><br><br><ul style="list-style-type: none"> <li>9x5 next-business-day response Lenovo Onsite Repair</li> <li>24x7 support with priority routing and advanced level technicians</li> </ul> <b>ThinkPad notebook with 1-year Depot warranty</b><br>3-year Priority Support 45J9094<br><br><b>ThinkPad notebook with 3-year Depot warranty</b><br>3-year Priority Support 45J9095<br>4-year Priority Support 45J9096<br>5-year Priority Support 45J9097<br>3-year Priority Support 4-hour response 45J9101<br>4-year Priority Support 4-hour response 45J9102<br>5-year Priority Support 4-hour response 45J9103<br><br><b>ThinkPad notebook with 3-year Onsite (GMP) warranty</b><br>3-year Priority Support 45J9098<br>4-year Priority Support 45J9099<br>5-year Priority Support 45J9100<br>3-year Priority Support 4-hour response 45J9104<br>4-year Priority Support 4-hour response 45J9105<br>5-year Priority Support 4-hour response 45J9106<br><br><b>ThinkPad Workstation notebook with 1-year Depot warranty</b><br>3-year Priority Support 45J9107<br><br><b>ThinkPad Workstation notebook with 3-year Depot warranty</b><br>3-year Priority Support 45J9108<br>4-year Priority Support 45J9109<br>5-year Priority Support 45J9110<br>3-year Priority Support 4-hour response 45J9114<br>4-year Priority Support 4-hour response 45J9115<br>5-year Priority Support 4-hour response 45J9116<br><br><b>ThinkPad Workstation notebook with 3-year Onsite (GMP) warranty</b><br>3-year Priority Support 45J9111<br>4-year Priority Support 45J9112<br>5-year Priority Support 45J9113<br>3-year Priority Support 4-hour response 45J9117<br>4-year Priority Support 4-hour response 45K1520<br>5-year Priority Support 4-hour response 45K1521 |

**Availability:** All offers subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo is not responsible for photographic or typographic errors.

**Warranty:** For a copy of applicable product warranties, write to: Warranty Information, P.O. Box 12195, RTP, NC, 27709, Attn: Dept ZPYA/B676. Lenovo makes no representation or warranty regarding third party products or services.

**Footnotes:**

<sup>1</sup> Power management, including Intel® SpeedStep® Technology, reduces processor speed when in battery mode.

<sup>2</sup> **Weight** includes battery and standard optical drive; weight may vary due to vendor components, manufacturing process and options.

<sup>3</sup> **Thinness** may vary at certain points on the system.

<sup>4</sup> **Wireless capability:** Requires compatible wireless-enabled options sold separately.

<sup>5</sup> **TAA:** ThinkPad notebook is compliant with the U.S. Federal Government's country-of-origin requirements prescribed in 48 C.F.R. Subpart 25.4; Trade Act Agreement (TAA) model.

<sup>6</sup> **Public network download modem speeds** are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.

<sup>7</sup> **Maximum memory capacity** may require the replacement of standard component with largest supported component available. On ThinkPad systems, even though it is possible to physically install 4GB of memory, the actual amount of memory addressable by a 32-bit operating system will be limited to 3GB. This limitation does not exist with 64-bit operating systems.

<sup>8</sup> **Hard drive:** GB = billion bytes, TB = trillion bytes. Accessible capacity is less; up to 4GB is service partition.

<sup>9</sup> **CD/DVD drive speeds** list maximum rates; rates are variable and are often less than the maximum.

<sup>10</sup> **Battery:** These model numbers achieved the battery life based on MobileMark® 2007 during testing. For the ThinkPad X300, battery life is based on Business Winstone Battery Mark 2002. Battery life (and recharge times) will vary based on many factors including screen brightness, applications, features, power management, battery conditioning, and other customer preferences.

<sup>11</sup> **External monitor:** This system supports a maximum of two external monitors. The integrated display(s) must be disabled to support two external monitors.

<sup>12</sup> **Limited warranty:** Support unrelated to a warranty issue may be subject to additional charges.

<sup>13</sup> **Internet access not included.**

<sup>14</sup> **Included software** may differ from its retail version (if available), and may not include user manuals or all program functionality. Software license agreements may apply.

<sup>16</sup> **Activating Verizon Wireless Service:** Lenovo customers will be contacted after purchase to activate service; requires separate agreement with Verizon Wireless and is subject to the Customer Agreement, Calling Plan, and credit approval. Service, airtime, and early termination charges may apply. Verizon Wireless, not Lenovo, is solely responsible for service. Service not available in all areas; purchaser is responsible for verifying that service is available for the intended location before purchasing a computer equipped with WAN card. Network details, coverage limitations, and maps at [www.verizonwireless.com](http://www.verizonwireless.com).

<sup>17</sup> **International Warranty Service** is available in any country in which this product is sold and serviced. Service delivery methods and parts availability vary by country, may be different from that in the country of purchase, and are subject to change without notice. Fees and restrictions may apply in some countries.

<sup>18</sup> **Telephone support** may be subject to additional charges, even during the limited warranty period. Response times may vary. May exclude some holidays. If a machine is listed as having "On-site service for select repairs", this means that onsite service is available only for the replacement of select parts. For all other warranty repairs, Lenovo will provide the customer a replacement part for customer installation. The parts for which onsite service is available varies by machine, but may include the processor, power supply, heat sink, system board, or base cover. For ThinkPad notebooks with EasyServ or Courier service, Lenovo will attempt to diagnose and resolve the problem remotely before sending a courier.

<sup>19</sup> **EasyServ depot repair service:** In the United States call 1-800-426-7378. The customer may be asked certain diagnostic questions before a courier is sent. Your ThinkPad purchase includes this depot repair service, available in the U.S. during the limited warranty period.

<sup>20</sup> **Operating System:** Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to [lenovo.com/pc/support](http://lenovo.com/pc/support) and enter your machine type and model number for more information.

<sup>21</sup> **For combination drives**, maximum possible speeds only are given in the following order: CD write, CD rewrite, CD read, DVD read.

<sup>22</sup> **ThinkPlus Services:** These services are available for machines normally used for business, professional, or trade purposes, rather than personal, family, or household purposes. Not all machine types and models are covered. Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees. If the machine problem turns out to be a Customer Replaceable Unit (CRU), a part will be express shipped to you for quick replacement. Onsite 24x7x2-hour service is not available in all locations. For ThinkPad notebooks requiring LCD or other component replacement, Lenovo may choose to perform service at the depot repair center. Calls must be received by 5 pm local time in order to qualify for Next Business Day service. P&L means parts and labor. P/U means pick-up. See ThinkPlus terms and conditions for complete details and restrictions.

<sup>23</sup> **Activating AT&T Wireless Service:** Requires separate agreement with AT&T, subject to service agreement, rate plan and coverage maps. AT&T, not Lenovo, is solely responsible for service. Coverage not available in all areas; AT&T BroadbandConnect available in select metropolitan markets. Special credit and tenure restrictions and additional charges may apply to international roaming. A network connection, third-party software, additional hardware, and/or subscription to a third-party service may be required for certain solutions/applications. Additional restrictions apply, including early termination fee; see [www.wireless.att.com](http://www.wireless.att.com) for details. To activate call Lenovo Wireless Activation Hot Line at 1-877-299-4710.

<sup>24</sup> **Limited onsite service systems** are designed to be repaired during the applicable warranty period primarily with customer-replaceable parts provided by Lenovo. Lenovo will only send a technician onsite to perform a repair if (a) remote telephone diagnosis and/or customer part replacement are unable to resolve the problem, or (b) the part is one of the few designated by Lenovo for onsite replacement. For a list of onsite replaceable parts, contact Lenovo. In the United States call 1-800-426-7378. Support unrelated to a warranty issue may be subject to additional charges. Lenovo onsite repair (LOR), 8 am to 5 pm, Monday through Friday coverage excluding holidays, next business day (NBD) response time.

<sup>26</sup> **Full-size keyboard:** As defined by ISO/IEC 15412.

<sup>27</sup> **Based on IEEE 802.11a and 802.11b.** A customer can not upgrade to a different wireless Mini PCI adapter due to FCC regulations. Security screws prevent removal of this adapter. This wireless LAN product has been designed to permit legal operation world-wide in regions which it is approved. This product has been tested and certified to be interoperable by the Wireless Ethernet Compatibility Alliance and is authorized to carry the Wi-Fi logo.

<sup>28</sup> **The IEEE 802.11n specification (MIMO)** has been finalized and is currently in IEEE 802.11n-2009 release. The maximum speed depends on the access point device and the number of integrated antenna used for connection. An adapter with 11a/b, 11a/b/g, 11b/g/n, or 11a/b/g/n can communicate on any of its supported formats.

<sup>30</sup> **Measures only maximum** data transfer rate, not application performance. Many factors affect application performance.

<sup>32</sup> **Wireless:** Based on IEEE 802.11a, 802.11b, and 802.11g respectively. An adapter with 11a/b, 11b/g, or 11a/b/g can communicate on either/any of these listed formats respectively, the actual connection will be based on the access point to which it connects.

<sup>36</sup> **Wireless upgradable** allows the system to be wireless-enabled with an optional wireless Mini PCI or Mini PCI Express card. Designed to operate only with Lenovo options.

<sup>37</sup> **Optimus graphics** Optimus only switches in Windows 7 environment. It performs as discrete graphics in Windows Vista or Windows XP Professional environment.

This publication was developed for products and services offered in the United States. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.



**Trademarks:** Lenovo, the Lenovo logo, New World, New Thinking., Access Connections, Active Protection System, Rescue and Recovery, ThinkPad, ThinkVantage, ThinkVision, ThinkPlus, ThinkCentre, TrackPoint, UltraConnect, UltraNav, and Ultrabay are trademarks or registered trademarks of Lenovo. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. Any use of such marks by Lenovo is under license. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside logo, Intel Core and Core Inside, Intel Centrino logo, Pentium, Celeron and Intel SpeedStep are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Cisco and Aironet are registered trademarks of Cisco Corporation. Linux is a trademark of Linus Torvalds in the United States, other countries, or both. Other company, product and service names may be trademarks or service marks of others.

Visit [www.lenovo.com/safecomputing](http://www.lenovo.com/safecomputing) periodically for the latest information on safe and effective computing.

Visit [www.lenovo.com/psref](http://www.lenovo.com/psref) for the latest version of Personal Systems Reference.

© Lenovo, 2011.  
All rights reserved.

Lenovo  
1009 Think Place  
Morrisville, NC 27560  
U.S.A.

January 2011  
tabook.pdf



# *Personal Systems Reference Lenovo® ThinkPad® Edge Series and SL Series TopSeller™ Notebooks*

*January 2011 - Version 391*



Visit [www.lenovo.com/psref](http://www.lenovo.com/psref) for the latest version

ThinkPad®



Lenovo® ThinkPad Edge 13"



Lenovo ThinkPad Edge 13"  
(Glossy black model)



Lenovo ThinkPad Edge 13"  
(Glossy red model)



ThinkPad Battery 73+ (6-cell)      57Y4565  
ThinkPad Battery 73 (4-cell)      57Y4564



USB 2.0 Portable DVD Burner  
43N3264



Lenovo ThinkPad Edge 13"

# ThinkPad® Edge 13" 0196 (Intel) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Processor | GHz  | Memory     | Wide-screen display | Camera | Integrated graphics | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Top color    | Blue-tooth | Battery cells | Preload   | Avail date |
|------------|-----------|------|------------|---------------------|--------|---------------------|-------------------------------|-----------------------|---------------------|--------------|------------|---------------|-----------|------------|
| 0196-24U   | SU7300    | 1.30 | <b>3GB</b> | 13.3" HD            | 0.3M   | GMA                 | 320G 7200                     | Intel 1000            | None                | Matte black  | Blue       | 6             | Pro 32    | Jan 10     |
| 0196-4YU   | SU7300    | 1.30 | <b>3GB</b> | 13.3" HD            | 0.3M   | GMA                 | 320G 7200                     | Intel 1000            | None                | Glossy black | Blue       | 6             | Pro 32    | Jan 10     |
| 0196-5DU   | SU7300    | 1.30 | 2GB        | 13.3" HD            | 0.3M   | GMA                 | 250G 5400                     | Intel 1000            | None                | Glossy red   |            | 6             | Pro 32    | Apr 10     |
| 0196-5EU   | SU7300    | 1.30 | <b>3GB</b> | 13.3" HD            | 0.3M   | GMA                 | 250G 5400                     | WiMAX                 | None                | Matte black  | Blue       | 6             | Pro 32    | Apr 10     |
| 0196-5FU   | SU7300    | 1.30 | 2GB        | 13.3" HD            | 0.3M   | GMA                 | 250G 5400                     | Intel 1000            | None                | Matte black  |            | 6             | Home P 64 | Apr 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |  |
|--|--|--|--|
| Positioning Processor  | Sophisticated design with quality, durability and reliability for SMB customers; one spindle Intel® Core™ 2 Duo processor SU7300 with ultra low voltage, dual-core, 800MHz system bus, and 3MB L2 cache  |  | <b>Preloaded operating system</b> <sup>20</sup><br>- Some: Genuine Windows® 7 Home Premium 64<br>- Some: Genuine Windows 7 Professional 32<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2009 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |
| Memory   | <b>2GB</b> or <b>3GB</b> std / 4GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |  |  |
| Optical drive SATA disk  | None (use optional USB Portable DVD Burner 43N3264)<br><b>250GB</b> <sup>8</sup> (5400 rpm) or <b>320GB</b> (7200 rpm) / SATA 1.5Gb/s or 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™  |  |  |
| Widescreen display Camera  | <b>13.3"</b> (338mm) <b>HD (1366x768) color, VibrantView</b> (glossy), <b>LED backlight</b> , 200 nits, 16:9 aspect ratio, 400:1 contrast ratio<br>Camera on top of screen, 0.3-megapixel, low light sensitive   |  |  |
| Integrated graphics  | <b>Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD)</b> , in GS45, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display;<br><i>Max external resolution:</i> 2048x1536 @ 75Hz   |  |  |
| Keyboard TrackPoint® Touch pad   | 6-row, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup><br>UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch   |  |  |
| ThinkLight™  | None   |  |  |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color   | <i>13.3W" (WxDxH):</i> 12.7" x 9.0" x 1.0"; 322 x 228mm x 25.4mm (excluding battery bump)<br><i>4-cell:</i> starting at 3.59 lb (1.63kg); <i>6-cell:</i> starting at 3.81 lb (1.73kg)<br>Matte black (top), glossy black (top), or glossy red (top), trimmed with a thin silver band (side); black bottom  |  | Supports ThinkVantage® technologies<br><br>65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup><br>via 800-426-7378  |
| Case material Battery - type <sup>37</sup> Battery - life <sup>10</sup>  | Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>6-cell</b><br><i>4-cell:</i> up to 5.3 hr; <i>6-cell:</i> up to 8.0 hr   |  |  |
| Chipset  | <b>Mobile Intel GS45 Express Chipset</b> (Graphics Memory Controller Hub); <b>ICH9M</b> I/O Controller Hub   |  |  |
| ExpressCard Smart Card Read Multicard Reader Ports   | None<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, XD)<br>Three USB 2.0 (one powered), external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  |  |  |
| PCIe Mini Card Intel 1000 WiMAX WWAN upg Modem Bluetooth™ Ethernet Intel AMT Audio support Security Security chip Fingerprint reader | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br><i>Some:</i> 11a/b/g/n and WiMAX wireless, PCIe Half Mini Card, Intel Centrino Advanced-N + WiMAX 6250, 2x2 AGN + 1x2 WiMAX<br>None<br>None<br><i>Some:</i> Bluetooth 2.1 wireless<br>Realtek® RTL8111DL Gigabit Network Connection<br>None<br>High Definition (HD) Audio, Conexant® CX20582 codec / stereo speakers, 1 watt x 2/ mono microphone, combo audio/mic jack<br>Power-on password, hard disk password, supervisor password, security keyhole<br>None<br>None<br>None |  |  |
| Limited warranty <sup>12</sup>   | 1-year - depot repair service / service upgrades <sup>22</sup> available   |  | ThinkPlus™. <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>Post-warranty annual maintenance agreements at<br><b>lenovo.com/thinkplus/warranty</b>   |

See footnotes for important warranty information

US models announced April 6, 2010; previous models on January 5, 2010

© Lenovo  
(PAR1-1) April 2010

# ThinkPad® Edge 13" 0197 (AMD) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Proc-<br>essor | GHz  | Memory | Wide-<br>screen<br>display | Cam-<br>era | Integrated<br>graphics | Disk<br>SATA<br>GB <sup>8</sup> rpm | PCIe<br>Mini Card<br>802.11 | PCIe<br>Mini Card<br>WWAN | Top<br>color | Blue-<br>tooth | Battery<br>cells | Preload   | Avail<br>date |
|------------|----------------|------|--------|----------------------------|-------------|------------------------|-------------------------------------|-----------------------------|---------------------------|--------------|----------------|------------------|-----------|---------------|
| 0197-26U   | L325           | 1.50 | 2GB    | 13.3" HD                   | 0.3M        | HD 3200                | 250G 5400                           | 11b/g/n                     | None                      | Matte black  | None           | 4                | Home P 64 | Jan 10        |
| 0197-27U   | L325           | 1.50 | 3GB    | 13.3" HD                   | 0.3M        | HD 3200                | 250G 5400                           | 11b/g/n                     | None                      | Matte black  | None           | 6                | Pro 32    | Jan 10        |
| 0197-6XU   | L325           | 1.50 | 3GB    | 13.3" HD                   | 0.3M        | HD 3200                | 250G 5400                           | 11b/g/n                     | None                      | Glossy black | None           | 6                | Pro 32    | Jan 10        |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |  |  |   |
|---|--|--|---|
| Positioning Processor   | Sophisticated design with quality, durability and reliability for SMB customers; one spindle<br><b>AMD® Athlon™ Neo X2 Dual-Core processor L325</b> with <b>dual-core</b> , virtualization technology, integrated DDR2 memory controller, and 1MB L2 cache   |  | <b>Preloaded operating system</b> <sup>20</sup><br>- Some: Genuine Windows® 7 Home Premium 64<br>- Some: Genuine Windows 7 Professional 32<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• ThinkVantage Toolbox<br>• Lenovo Online Data Backup<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br><br>Supports ThinkVantage® technologies<br><br>65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378<br><br>ThinkPlus™. <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br><br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b> |
| Memory  | <b>2GB</b> or <b>3GB</b> std / 4GB max <sup>7</sup> / PC2-5300 667MHz <b>DDR2</b> , non-parity, dual-channel capable, two 200-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available                          |  |   |
| Optical drive<br>SATA disk  | None (use optional USB Portable DVD Burner 43N3264)<br><b>250GB</b> <sup>8</sup> (5400 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™   |  |   |
| Widescreen display<br>Camera  | <b>13.3"</b> (338mm) <b>HD (1366x768) color, VibrantView</b> (glossy), <b>LED backlight</b> , 200 nits, 16:9 aspect ratio, 400:1 contrast ratio<br>Camera on top of screen, 0.3-megapixel, low light sensitive   |  |   |
| Integrated graphics   | <b>ATI™ Radeon™ HD 3200 graphics</b> , in M780G, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display;<br><i>Max external resolution: 2456x1536@60Hz</i>   |  |   |
| Keyboard<br>TrackPoint®<br>Touch pad  | 6-row, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup><br>UltraNav™,<br>wide touch pad below keyboard, Tap Zones, multi-touch  |  |   |
| ThinkLight™   | None   |  |   |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color                              | <b>13.3W"</b> (WxDxH): 12.7" x 9.0" x 1.0"; 322 x 228mm x 25.4mm (excluding battery bump)<br><b>4-cell:</b> starting at 3.61 lb (1.64kg); <b>6-cell:</b> starting at 3.83 lb (1.74kg)<br>Matte black (top) or glossy black (top), trimmed with a thin silver band (side); black bottom   |  |   |
| Case material<br>Battery - type <sup>37</sup><br>Battery - life <sup>10</sup>             | Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>4-cell</b> or <b>6-cell</b><br><i>L325 models with 4-cell:</i> up to 3.3 hr; <i>6-cell:</i> up to 5.0 hr   |  |   |
| Chipset<br>ExpressCard<br>Smart Card Read<br>Multicard Reader<br>Ports                    | <b>AMD M780G Chipset</b> , SB710 south bridge<br>None<br>None<br>5-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, XD)<br>Three USB 2.0 (one powered), external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   |  |   |
| PCIe Mini Card<br>11b/g/n<br>WWAN upg<br>Modem<br>Bluetooth™<br>Ethernet<br>Audio support | Two PCI Express Mini Card slots<br>11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card, Realtek® RTL8191SE<br>None<br>None<br>None<br>Realtek RTL8111DL Gigabit Network Connection<br>High Definition (HD) Audio, Conexant® CX20582 codec / stereo speakers, 1 watt x 2/ mono microphone, combo audio/mic jack |  |   |
| Security<br>Security chip<br>Fingerprint reader   | Power-on password, hard disk password, supervisor password, security keyhole<br>None<br>None   |  |   |
| Limited warranty <sup>12</sup>  | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  |   |

See footnotes for important warranty information  
US models announced January 5, 2010

© Lenovo  
(PAR1-2) January 2010

**Memory**

0196 with Intel processors:

|  |         |     |          |
|--|---------|-----|----------|
| 1GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3706 | ann | 06/23/09 |
| 1GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4385 | ann | 06/23/09 |
| 2GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3707 | ann | 06/23/09 |
| 2GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4386 | ann | 06/23/09 |
| 1GB PC3-10600 DDR3 L-H SODIMM          | 55Y3709 | ann | 03/02/10 |
| 1GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 55Y4415 | ann | 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM          | 55Y3710 | ann | 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 55Y4416 | ann | 03/02/10 |

0197 with AMD processors:

|                                    |         |     |          |
|------------------------------------|---------|-----|----------|
| 1GB PC2-5300 DDR2 SODIMM           | 40Y7734 | ann | 01/05/06 |
| 1GB PC2-5300 DDR2 SODIMM (25-Pack) | 51J0502 | ann | 03/17/09 |
| 2GB PC2-5300 DDR2 SODIMM           | 40Y7735 | ann | 11/28/06 |
| 2GB PC2-5300 DDR2 SODIMM (25-Pack) | 51J0548 | ann | 03/17/09 |

**Storage and removable storage**

|   |         |     |          |
|---|---------|-----|----------|
| USB 2.0 Portable 320GB Hard Disk                    | 45K1689 | ann | 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk                    | 45K1690 | ann | 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk             | 43R2018 | ann | 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk             | 43R2019 | ann | 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive <sup>53</sup> | 57Y4400 | ann | 01/07/10 |
| USB 2.0 Portable DVD Burner                         | 43N3264 | ann | 01/05/10 |

<sup>53</sup> USB-only attach.**ThinkPad Expansion**

|  |         |     |          |
|--|---------|-----|----------|
| Lenovo® Essential Notebook Stand       | 45J9292 | ann | 05/12/09 |
| USB Port Replicator with Digital Video | 45K1610 | ann | 07/28/09 |

**Keyboard**

|   |         |     |          |
|---|---------|-----|----------|
| TrackPoint Cap Collection   | 73P2698 | ann | 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann | 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann | 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann | 03/23/04 |
| Lenovo Mini Wireless Keyboard N5901 <sup>52</sup> (blk)                       | 57Y6336 |     |          |
| UltraSlim Wireless Keyboard and Mouse <sup>52</sup>                           | 57Y4700 | ann | 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |     |          |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann | 08/18/09 |
| Lenovo USB Fingerprint Keyboard   | 73P4730 | ann | 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann | 03/24/09 |

**Mouse**

|   |         |     |          |
|---|---------|-----|----------|
| Lenovo Optical Mouse (USB)                            | 06P4069 | ann | 05/21/03 |
| Lenovo Laser Mouse (USB)                              | 41U3074 | ann | 01/23/07 |
| ThinkPad USB Laser Mouse                              | 57Y4635 | ann | 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical)              | 31P7405 | ann | 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)                  | 31P7410 | ann | 06/04/02 |
| ThinkPad Bluetooth Laser Mouse                        | 41U5008 | ann | 01/22/08 |
| Lenovo Wireless Laser Mouse - Black <sup>52</sup>     | 45K1696 | ann | 11/25/08 |
| Lenovo Wireless Laser Mouse - Red/Black <sup>52</sup> | 51J0198 | ann | 11/25/08 |
| Lenovo Optical Mouse A6010 (black)                    | 57Y6255 |     |          |
| Lenovo Mini Optical Mouse M20B                        | 55Y2091 |     |          |
| Lenovo Wireless Mouse N30B (black)                    | 55Y9360 |     |          |

**Security**

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Kensington® MicroSaver® Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock     | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock          | 57Y4303 | ann | 08/24/10 |
| USB Gemplus GemPC Smart Card Reader | 41N3040 | ann | 02/21/06 |

**Multimedia**

|                            |         |     |          |
|----------------------------|---------|-----|----------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann | 01/07/10 |
| Lenovo Mini Speaker M220   | 55Y2033 |     |          |
| Lenovo Headphone P550      | 55Y2065 |     |          |

**Modem**

|                      |         |     |          |
|----------------------|---------|-----|----------|
| USB 2.0 Lenovo Modem | 43R1814 | ann | 02/26/08 |
|----------------------|---------|-----|----------|

**Batteries<sup>37</sup>**

|   |         |     |          |
|---|---------|-----|----------|
| ThinkPad Battery 73 (4-cell)                    | 57Y4564 | ann | 01/05/10 |
| ThinkPad Battery 73+ (6-cell)                   | 57Y4565 | ann | 01/05/10 |
| ThinkPad External Battery Charger <sup>44</sup> | 40Y7625 | ann | 09/20/05 |

<sup>44</sup> Requires the *ThinkPad 90W AC Adapter*

40Y7659 or the adapter provided with the system.

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|  |         |     |          |
|--|---------|-----|----------|
| ThinkPad 65W AC Adapter <sup>45</sup>                              | 40Y7696 | ann | 01/05/06 |
| <sup>45</sup> Only compatible with the integrated graphics models. |         |     |          |
| ThinkPad 90W AC Adapter  | 40Y7659 | ann | 09/20/05 |
| Lenovo Power Hub   | 57Y4600 | ann | 09/07/10 |
| 90W UltraSlim AC/DC Combo Adapter                                  | 41R4493 | ann | 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

Charging tips for 90W UltraSlim AC/DC Combo Adapter 41R4493

|                                      |         |     |          |
|--------------------------------------|---------|-----|----------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann | 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann | 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)**Carrying Cases**

|                                 |         |     |          |
|---------------------------------|---------|-----|----------|
| ThinkPad 15W Case Sleeve        | 51J0477 | ann | 08/18/09 |
| Lenovo Business Messenger Case  | 51J0475 | ann | 08/18/09 |
| Lenovo Messenger Max            | 41U5253 | ann | 05/01/07 |
| Lenovo Performance Backpack     | 41U5254 | ann | 05/01/07 |
| ThinkPad Business Topload Case  | 43R2476 | ann | 05/13/08 |
| ThinkPad Business Backpack      | 43R2482 | ann | 05/13/08 |
| ThinkPad Deluxe Expander Case   | 43R2478 | ann | 05/13/08 |
| ThinkPad Executive Leather Case | 43R2480 | ann | 05/13/08 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)**Monitors**

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann | 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann | 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann | 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann | 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann | 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann | 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann | 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann | 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann | 09/17/08 |

**Monitor Accessories<sup>46</sup>**

|                                   |         |     |          |
|-----------------------------------|---------|-----|----------|
| Lenovo USB-to-DVI Monitor Adapter | 45K5296 | ann | 05/12/09 |
| ThinkVision USB Soundbar          | 40Y7616 | ann | 08/23/05 |
| ThinkVision Soundbar              | 45K1263 | ann | 09/16/08 |
| Kensington MicroSaver Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock   | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock        | 57Y4303 | ann | 08/24/10 |
| Lenovo Easy Reach Monitor Stand   | 55Y9258 | ann | 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

ThinkPad®



Lenovo® ThinkPad Edge 14"



Lenovo ThinkPad Edge 14"  
(Glossy black model)



Lenovo ThinkPad Edge 14"



USB Port Replicator with Digital Video  
45K1610



Lenovo ThinkPad Edge 14"

# ThinkPad® Edge 14" 0578 (Intel) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model  | Processor  | GHz  | Memory | Wide-screen display | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11    | PCIe Mini Card WWAN | Carrier               | Top color    | Finger print reader   | Blue-tooth | Battery cells | Preload   | Avail date |
|---|--|------|--------|---------------------|-------------------------------|--------------------------|---------------------|-----------------------|--------------|---|------------|---------------|-----------|------------|
| 0578-23U  | i3-350M  | 2.26 | 2+1GB  | 14.0" HD            | 320G 7200                     | Intel 6200 <sup>28</sup> |                     |                       | Matte black  |   |            | 6             | Pro 64    | Mar 10     |
| 0578-25U  | i3-330M  | 2.13 | 2GBx2  | 14.0" HD            | 250G 5400                     | 11b/g/n                  |                     |                       | Matte black  |   |            | 4             | Home P 64 | Mar 10     |
| 0578-27U  | i3-330M  | 2.13 | 2GBx1  | 14.0" HD            | 250G 5400                     | Intel 1000               |                     |                       | Glossy black |   |            | 6             | Pro 32    | Mar 10     |
| 0578-29U  | i3-330M  | 2.13 | 2GBx1  | 14.0" HD            | 250G 5400                     | Intel 1000               |                     |                       | Glossy black |   |            | 6             | Home P 64 | Mar 10     |
| 0578-2AU  | i3-330M  | 2.13 | 2GBx2  | 14.0" HD            | 250G 5400                     | Intel 1000               | Gobi 2000           | AT&T <sup>23</sup>    | Glossy black |   | Blue       | 6             | Pro 64    | Mar 10     |
| 0578-2BU  | i3-330M  | 2.13 | 2GBx2  | 14.0" HD            | 320G 7200                     | Intel 1000               | Gobi 2000           | Verizon <sup>16</sup> | Glossy black |   | Blue       | 6             | Pro 64    | Mar 10     |
| 0578-65U  | i3-330M  | 2.13 | 2GBx2  | 14.0" HD            | 320G 7200                     | Intel 1000               |                     |                       | Glossy black | Finger  | Blue       | 6             | Pro 64    | Mar 10     |
| 0578-66U  | i3-330M  | 2.13 | 2+1GB  | 14.0" HD            | 320G 7200                     | Intel 1000               |                     |                       | Glossy red   |   | Blue       | 6             | Home P 64 | Mar 10     |
| 0578-28U  | Cel P4500  | 1.86 | 2GBx1  | 14.0" HD            | 250G 5400                     | Intel 1000               |                     |                       | Glossy black |   |            | 6             | Home P 64 | Apr 10     |
| 0578-64U  | Cel P4500  | 1.86 | 2GBx1  | 14.0" HD            | 250G 5400                     | Intel 1000               |                     |                       | Glossy black |   |            | 6             | Pro 32    | Apr 10     |
| 0578-7ZU  | Cel P4500  | 1.86 | 2GBx1  | 14.0" HD            | 250G 5400                     | Intel 1000               |                     |                       | Matte black  |   |            | 6             | Home P 64 | Apr 10     |
| 0578-82U  | i3-330M  | 2.13 | 2GBx1  | 14.0" HD            | 250G 5400                     | Intel 1000               |                     |                       | Matte black  |   |            | 6             | Pro 32    | Apr 10     |
| 0578-83U  | i3-330M  | 2.13 | 2+1GB  | 14.0" HD            | 250G 5400                     | Intel 1000               |                     |                       | Glossy red   |   | Blue       | 6             | Pro 32    | Apr 10     |
| 0578-84U  | i3-330M  | 2.13 | 2+1GB  | 14.0" HD            | 250G 5400                     | Intel 1000               | Gobi 2000           | AT&T                  | Glossy black |   | Blue       | 6             | Pro 32    | Apr 10     |
| 0578-85U  | i3-330M  | 2.13 | 2GBx1  | 14.0" HD            | 250G 5400                     | Intel 1000               |                     |                       | Matte black  |   |            | 6             | Home P 64 | Apr 10     |
| 0578-86U  | i3-330M  | 2.13 | 2GBx2  | 14.0" HD            | 320G 7200                     | Intel 1000               |                     |                       | Matte black  |   | Blue       | 6             | Pro 64    | Apr 10     |
| 0578-C5U  | i3-350M  | 2.26 | 2GBx1  | 14.0" HD            | 320G 7200                     | Intel 1000               |                     |                       | Matte black  |   | Blue       | 6             | Pro 64    | Apr 10     |
| 0578-C6U  | i3-350M  | 2.26 | 2GBx2  | 14.0" HD            | 500G 7200                     | Intel 1000               |                     |                       | Glossy black |   | Blue       | 6             | Pro 64    | Apr 10     |
| • These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)   |  |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| Positioning Processor   | Sophisticated design with quality, durability and reliability for SMB customers; two spindles<br><b>Intel® Celeron® Processor P4500</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), and 2MB cache<br><b>Intel Core™ i3 processor i3-330M or i3-350M</b> with dual-core, DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache        |      |        |                     |                               |                          |                     |                       |              | <b>Preloaded operating system<sup>20</sup></b><br>- Some: Genuine Windows® 7 Home Premium 64<br>- Some: Genuine Windows 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64  |            |               |           |            |
| Memory  | <b>2GB, 3GB, or 4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets  |      |        |                     |                               |                          |                     |                       |              | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |            |               |           |            |
| SATA DVD±RW SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>250GB<sup>8</sup></b> (5400 rpm), <b>320GB</b> (7200 rpm), or <b>500GB</b> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™   |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| Widescreen display Camera   | <b>14.0"</b> (355mm) <b>HD (1366x768) color, VibrantView</b> (glossy), <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus   |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| Integrated graphics   | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display;<br><i>Max external resolution: 2048x1536 @ 75Hz; 1920x1080 (HDMI port)</i>  |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| Keyboard TrackPoint® Touch pad  | 6-row, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup><br>UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch   |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| ThinkLight™   | None   |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| Dimensions <sup>3</sup> Weight <sup>2</sup> Case color                  | <b>14.0W"</b> (WxDxH): 13.54" x 9.17" x 1.25-1.46"; 344 x 233mm x 31.8-37.0mm<br><b>4-cell:</b> from 4.72 lb (2.14kg); <b>6-cell:</b> from 4.9 lb (2.22kg); <b>9-cell:</b> from 5.29 lb (2.40kg)<br>Matte black (top), glossy black (top), or glossy red (top), trimmed with a thin silver band (side); black bottom   |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| Case material Battery - type <sup>37</sup> Battery - life <sup>10</sup> | Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>4-cell</b> or <b>6-cell</b><br><b>4-cell:</b> up to 2.9 hr; <b>6-cell:</b> up to 4.5 hr  |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| Chipset ExpressCard/34 Multicard Reader Ports                           | <b>Mobile Intel HM55 Express Chipset</b><br>One ExpressCard/34<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| PCIe Mini Card 11b/g/n Intel 1000 Gobi™ 2000                            | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br><i>Some:</i> 11b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br><i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino Advanced-N 6200, 2x2<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| Carrier Modem Bluetooth™ Ethernet Intel AMT Audio support               | <i>Some:</i> AT&T® or Verizon®, contract required with service provider<br>None<br><i>Some:</i> Bluetooth 2.1 wireless<br>Realtek® RTL8111DL Gigabit Network Connection<br>None<br>High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack   |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| Security Security chip Fingerprint reader                               | Power-on password, hard disk password, supervisor password, security keyhole<br>None<br><i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor  |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
| Limited warranty <sup>12</sup>  | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |      |        |                     |                               |                          |                     |                       |              |   |            |               |           |            |
|   |  |      |        |                     |                               |                          |                     |                       |              | ThinkPlus™, <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>   |            |               |           |            |

See footnotes for important warranty information

⌘ US models announced April 13, 2010; previous models on March 23 or April 6 2010

⌘ US models withdrawn effective August 2010

© Lenovo  
(BER1-1) April 2010

# ThinkPad® Edge 14" 0578 (Intel) - TopSeller (Windows 7) - May 2010

Personal Systems Reference (PSREF)

| Type-model | Processor | GHz  | Max turbo (GHz) | Memory | Wide-screen display | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Carrier            | Top color    | Finger print reader | Blue-tooth | Bat-tery cells | Preload   | Avail date |
|------------|-----------|------|-----------------|--------|---------------------|-------------------------------|-----------------------|---------------------|--------------------|--------------|---------------------|------------|----------------|-----------|------------|
| 0578-9KU   | i3-350M   | 2.26 |                 | 4GB    | 14.0" HD            | 500G 5400                     | Intel 1000            |                     |                    | Matte black  |                     |            | 6              | Home P 64 | May 10     |
| 0578-DGU   | i3-350M   | 2.26 |                 | 2GB    | 14.0" HD            | 320G 7200                     | Intel 1000            |                     |                    | Glossy red   |                     |            | 6              | Pro 64    | May 10     |
| 0578-DHU   | i3-350M   | 2.26 |                 | 4GB    | 14.0" HD            | 500G 5400                     | Intel 1000            |                     |                    | Glossy red   |                     |            | 6              | Pro 64    | May 10     |
| 0578-F5U   | i3-370M   | 2.40 |                 | 2GB    | 14.0" HD            | 250G 5400                     | Intel 1000            |                     |                    | Matte black  |                     |            | 6              | Pro 64    | Jul 10     |
| 0578-F6U   | i3-370M   | 2.40 |                 | 4GB    | 14.0" HD            | 320G 7200                     | Intel 1000            |                     |                    | Matte black  |                     |            | 6              | Pro 64    | Jul 10     |
| 0578-F7U   | i3-370M   | 2.40 |                 | 4GB    | 14.0" HD            | 320G 7200                     | Intel 1000            |                     |                    | Matte black  | Fing                | Blue       | 6              | Pro 64    | Jul 10     |
| 0578-F8U   | i3-370M   | 2.40 |                 | 4GB    | 14.0" HD            | 320G 7200                     | Intel 1000            | Gobi 2000           | AT&T <sup>23</sup> | Matte black  | Fing                | Blue       | 6              | Pro 64    | Jul 10     |
| 0578-F9U   | i3-370M   | 2.40 |                 | 4GB    | 14.0" HD            | 320G 7200                     | Intel 1000            |                     |                    | Glossy red   | Fing                | Blue       | 6              | Pro 64    | Jul 10     |
| 0578-HTU   | i3-350M   | 2.26 |                 | 4GB    | 14.0" HD            | 250G 5400                     | Intel 1000            |                     |                    | Matte black  |                     |            | 4              | Home P 64 | Jul 10     |
| 0578-HUU   | i3-370M   | 2.40 |                 | 4GB    | 14.0" HD            | 250G 5400                     | Intel 1000            |                     |                    | Matte black  |                     |            | 4              | Home P 64 | Jul 10     |
| 0578-HVU   | i3-350M   | 2.26 |                 | 4GB    | 14.0" HD            | 320G 5400                     | Intel 1000            |                     |                    | Glossy black |                     |            | 4              | Home P 64 | Jul 10     |
| 0578-HWU   | i3-370M   | 2.40 |                 | 4GB    | 14.0" HD            | 320G 5400                     | Intel 1000            |                     |                    | Glossy black |                     |            | 4              | Home P 64 | Jul 10     |
| 0578-HXU   | i5-450M   | 2.40 | 2.66            | 4GB    | 14.0" HD            | 500G 5400                     | Intel 1000            |                     |                    | Glossy black | Fing                | Blue       | 6              | Pro 64    | Jul 10     |
| 0578-HZU   | i3-350M   | 2.26 |                 | 4GB    | 14.0" HD            | 500G 5400                     | Intel 1000            |                     |                    | Glossy black |                     |            | 6              | Pro 64    | Jul 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |   |  |
|---|---|--|
| Positioning Processor   | Sophisticated design with quality, durability and reliability for SMB customers; two spindles<br><b>Intel® Core™ i3 processor i3-350M</b> or <b>i3-370M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or<br><b>Intel Core i5 processor i5-450M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache | <b>Preloaded operating system<sup>20</sup></b><br>- Some: Genuine Windows® 7 Home Premium 64<br>- Some: Genuine Windows 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |
| Memory  | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |
| SATA DVD±RW<br>SATA disk  | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>250GB<sup>8</sup></b> (5400 rpm), <b>320GB</b> (5400 or 7200 rpm), or <b>500GB</b> (5400 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™  |  |
| Widescreen display<br>Camera  | <b>14.0"</b> (355mm) <b>HD (1366x768) color, VibrantView</b> (glossy), <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 2.0-megapixel, fixed focus  |  |
| Integrated graphics   | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display;<br><i>Max external resolution:</i> 2048x1536@75Hz; 1920x1080 (HDMI port)   |  |
| Keyboard<br>TrackPoint®<br>Touch pad  | 6-row, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup><br>UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch  |  |
| ThinkLight™   | None  |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color                  | <b>14.0W"</b> (WxDxH): 13.54" x 9.17" x 1.25-1.46"; 344 x 233mm x 31.8-37.0mm<br><i>4-cell:</i> from 4.72 lb (2.14kg); <i>6-cell:</i> from 4.9 lb (2.22kg); <i>9-cell:</i> from 5.29 lb (2.40kg)<br>Matte black (top), glossy black (top), or glossy red (top), trimmed with a thin silver band (side); black bottom<br>Acrylonitrile-Butadiene-Styrene (ABS) plastic   | Supports ThinkVantage® technologies  |
| Case material<br>Battery - type <sup>37</sup><br>Battery - life <sup>10</sup> | Lithium Ion <b>4-cell</b> or <b>6-cell</b><br><i>4-cell:</i> up to 2.9 hr; <i>6-cell:</i> up to 4.5 hr  | 65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports                        | <b>Mobile Intel HM55 Express Chipset</b><br>One ExpressCard/34<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  |  |
| PCIe Mini Card<br>Intel 1000<br>Gobi™ 2000                                    | Two PCI Express Mini Card slots<br>11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider  | ThinkPlus™.22 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974   |
| Carrier<br>Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support      | <i>Some:</i> AT&T®, contract required with service provider<br>None<br><i>Some:</i> Bluetooth 2.1 wireless<br>Realtek® RTL8111DL Gigabit Network Connection<br>None<br>High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack<br>Power-on password, hard disk password, supervisor password, security keyhole  |  |
| Security<br>Security chip<br>Fingerprint reader                               | None<br>None<br><i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor   | Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>  |
| Limited warranty <sup>12</sup>  | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available   |  |

See footnotes for important warranty information

☞ US models announced July 6, 2010; previous models on May 4, 2010

⚡ US model withdrawn effective October 2010

© Lenovo  
(BER1-2) July 2010

| Type-model | Processor | GHz  | Max turbo (GHz) | Memory | Wide-screen display | Screen type | Disk SATA GB <sup>3</sup> rpm | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Carrier            | Top color    | Finger print reader | Blue-tooth | Preload | Avail date |
|------------|-----------|------|-----------------|--------|---------------------|-------------|-------------------------------|-----------------------|---------------------|--------------------|--------------|---------------------|------------|---------|------------|
| 0578-N6U   | i3-390M   | 2.66 |                 | 4GB    | 14.0" HD            | Glossy      | 320G 7200                     | Intel 1000            |                     |                    | Matte black  | Fing                | Blue       | Pro 64  | Jan 11     |
| 0578-N8U   | i3-390M   | 2.66 |                 | 2GB    | 14.0" HD            | Glossy      | 250G 5400                     | Intel 1000            |                     |                    | Matte black  |                     |            | Pro 64  | Jan 11     |
| 0578-NJU   | i5-480M   | 2.66 | 2.93            | 4GB    | 14.0" HD            | Glossy      | 320G 7200                     | Intel 1000            |                     |                    | Matte black  | Fing                | Blue       | Pro 64  | Jan 11     |
| 0578-P4U   | i3-390M   | 2.66 |                 | 4GB    | 14.0" HD            | Glossy      | 320G 7200                     | Intel 1000            | Gobi 2000           | AT&T <sup>23</sup> | Glossy black | Fing                | Blue       | Pro 64  | Jan 11     |
| 0578-Q2U   | i3-380M   | 2.53 |                 | 2GB    | 14.0" HD            |             | 250G 5400                     | 11b/g/n               |                     |                    | Matte black  |                     |            | Pro 64  | Jan 11     |
| 0578-QLU   | i3-380M   | 2.53 |                 | 2GB    | 14.0" HD            |             | 250G 5400                     | 11b/g/n               |                     |                    | Matte black  |                     |            | Pro 64  | Jan 11     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
|---|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|
| Positioning Processor   | Sophisticated design with quality, durability and reliability for SMB customers; two spindles<br><b>Intel® Core™ i3 processor i3-380M or i3-390M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or<br><b>Intel Core i5 processor i5-480M with dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |  |  |  |  |
| Memory  | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| SATA DVD±RW<br>SATA disk  | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>250GB<sup>8</sup></b> (5400 rpm) or <b>320GB</b> (7200 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Widescreen display  | <i>Some:</i> <b>14.0"</b> (355mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br><i>Some:</i> <b>14.0"</b> (355mm) <b>HD (1366x768) color, VibrantView</b> (glossy), <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Camera  | Camera on top of screen, 2.0-megapixel, fixed focus  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Integrated graphics   | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display;<br><i>Max external resolution:</i> 2048x1536@75Hz; 1920x1080 (HDMI port)  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Keyboard<br>TrackPoint®<br>Touch pad  | 6-row, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup><br>UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch   |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| ThinkLight™   | None   |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color                  | <b>14.0W"</b> (WxDxH): 13.54" x 9.17" x 1.25-1.46"; 344 x 233mm x 31.8-37.0mm<br><i>4-cell:</i> from 4.72 lb (2.14kg); <i>6-cell:</i> from 4.9 lb (2.22kg); <i>9-cell:</i> from 5.29 lb (2.40kg)<br>Matte black (top) or glossy black (top), trimmed with a thin silver band (side); black bottom  |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies   |  |  |  |  |
| Case material<br>Battery - type <sup>37</sup><br>Battery - life <sup>10</sup> | Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>6-cell</b><br><i>4-cell:</i> up to 2.9 hr; <i>6-cell:</i> up to 4.5 hr   |  |  |  |  |  |  |  |  |  | 65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |  |  |  |  |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports                        | <b>Mobile Intel HM55 Express Chipset</b><br>One ExpressCard/34<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| PCIe Mini Card<br>11b/g/n<br>Intel 1000<br>Gobi™ 2000                         | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br><i>Some:</i> 11b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider  |  |  |  |  |  |  |  |  |  | ThinkPlus™.22 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>   |  |  |  |  |
| Carrier<br>Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support      | <i>Some:</i> AT&T®, contract required with service provider<br>None<br><i>Some:</i> Bluetooth 2.1 wireless<br>Realtek® RTL8111DL Gigabit Network Connection<br>None<br>High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack   |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Security<br>Security chip<br>Fingerprint reader                               | Power-on password, hard disk password, supervisor password, security keyhole<br>None<br><i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Limited warranty <sup>12</sup>  | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |

See footnotes for important warranty information  
US models announced January 11, 2011

| Type-model | Processor | GHz  | Memory | Wide-screen display | Camera | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11 | Top color   | Finger print reader | Blue-tooth | Battery cells | Preload | Avail date |
|------------|-----------|------|--------|---------------------|--------|-------------------------------|-----------------------|-------------|---------------------|------------|---------------|---------|------------|
| 0199-4GU   | P340      | 2.20 | 2GB    | 14.0" HD            | 0.3M   | 320G 7200                     | 11b/g/n               | Matte black | None                | None       | 6             | Pro 64  | Sep 10     |
| 0199-4HU   | P340      | 2.20 | 2GB    | 14.0" HD            | 0.3M   | 320G 7200                     | 11b/g/n               | Glossy red  | None                | None       | 6             | Pro 64  | Sep 10     |
| 0199-4JU   | P540      | 2.40 | 2GB    | 14.0" HD            | 0.3M   | 320G 7200                     | 11b/g/n               | Matte black | None                | None       | 6             | Pro 64  | Sep 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |   |  |  |
|---|---|--|--|
| Positioning Processor   | Sophisticated design with quality, durability and reliability for SMB customers; two spindles<br><b>AMD® Athlon™ II Dual-Core Mobile Processor P340</b> with dual-core, virtualization technology, integrated DDR3 memory controller, and 1MB L2 cache or <b>AMD Turion™ II Dual-Core Mobile Processor P540</b> with dual-core, virtualization technology, integrated DDR3 memory controller, and 2MB L2 cache  |  | <b>Preloaded operating system</b> <sup>20</sup><br>- Genuine Windows® 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• ThinkVantage Toolbox<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |
| Memory  | <b>2GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |  |
| SATA DVD±RW<br>SATA disk  | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>320GB</b> <sup>8</sup> (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™  |  |  |
| Widescreen display<br>Camera  | <b>14.0"</b> (355mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 0.3-megapixel, fixed focus   |  |  |
| Integrated graphics   | <b>ATI™ Radeon™ HD 4250 graphics</b> , in RS880M, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display;<br><i>Max external resolution: 2456x1536@60Hz</i>   |  |  |
| Keyboard<br>TrackPoint®<br>Touch pad  | 6-row, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup><br>UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch  |  | Supports ThinkVantage® technologies  |
| ThinkLight™   | None  |  | 65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color<br>Case material<br>Battery - type <sup>37</sup><br>Battery - life <sup>10</sup> | <b>14.0W"</b> (WxDxH): 13.54" x 9.17" x 1.25-1.46"; 344 x 233mm x 31.8-37.0mm<br><i>4-cell:</i> from 4.78 lb (2.17kg); <i>6-cell:</i> from 4.96 lb (2.25kg); <i>9-cell:</i> from 5.36 lb (2.43kg)<br>Matte black (top) or glossy red (top), trimmed with a thin silver band (side); black bottom<br>Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>6-cell</b><br><i>4-cell:</i> up to 2.6 hr; <i>6-cell:</i> up to 4 hr; <i>9-cell:</i> up to 6 hr |  |  |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports  | <b>AMD RS880M Chipset</b> , SB820M south bridge<br>One ExpressCard/34<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   |  |  |
| PCIe Mini Card<br>11b/g/n<br>Modem<br>Bluetooth™<br>Ethernet<br>Audio support   | One PCI Express Half Mini Card slot<br>11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br>None<br>None<br>Realtek® RTL8111DL Gigabit Network Connection<br>High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/<br>mono digital microphone, combo audio/mic jack   |  |  |
| Security<br>Security chip<br>Fingerprint reader   | Power-on password, hard disk password, supervisor password, security keyhole<br>None<br>None  |  |  |
| Limited warranty <sup>12</sup>  | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available   |  | ThinkPlus™, <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>  |

See footnotes for important warranty information  
US models announced September 28, 2010

© Lenovo  
(BER1-5) October 2010

## Memory

|  |         |     |          |
|--|---------|-----|----------|
| 1GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3706 | ann | 06/23/09 |
| 1GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4385 | ann | 06/23/09 |
| 2GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3707 | ann | 06/23/09 |
| 2GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4386 | ann | 06/23/09 |
| 1GB PC3-10600 DDR3 L-H SODIMM          | 55Y3709 | ann | 03/02/10 |
| 1GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 55Y4415 | ann | 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM          | 55Y3710 | ann | 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 55Y4416 | ann | 03/02/10 |

## Storage and removable storage

|   |         |     |          |
|---|---------|-----|----------|
| USB 2.0 Portable 320GB Hard Disk        | 45K1689 | ann | 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk        | 45K1690 | ann | 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk | 43R2018 | ann | 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk | 43R2019 | ann | 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive   | 57Y4400 | ann | 01/07/10 |
| USB 2.0 Portable DVD Burner             | 43N3264 | ann | 01/05/10 |

## ThinkPad Expansion

|  |         |     |          |
|--|---------|-----|----------|
| Lenovo® Essential Notebook Stand       | 45J9292 | ann | 05/12/09 |
| USB Port Replicator with Digital Video | 45K1610 | ann | 07/28/09 |

## Keyboard

|   |         |     |          |
|---|---------|-----|----------|
| TrackPoint Cap Collection   | 73P2698 | ann | 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann | 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann | 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann | 03/23/04 |
| Lenovo Mini Wireless Keyboard N5901 <sup>52</sup> (blk)                       | 57Y6336 |     |          |
| Ultraslim Wireless Keyboard and Mouse <sup>52</sup>                           | 57Y4700 | ann | 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |     |          |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann | 08/18/09 |
| Lenovo USB Fingerprint Keyboard   | 73P4730 | ann | 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann | 03/24/09 |

## Mouse

|   |         |     |          |
|---|---------|-----|----------|
| Lenovo Optical Mouse (USB)                            | 06P4069 | ann | 05/21/03 |
| Lenovo Laser Mouse (USB)                              | 41U3074 | ann | 01/23/07 |
| ThinkPad USB Laser Mouse                              | 57Y4635 | ann | 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical)              | 31P7405 | ann | 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)                  | 31P7410 | ann | 06/04/02 |
| ThinkPad Bluetooth Laser Mouse                        | 41U5008 | ann | 01/22/08 |
| Lenovo Wireless Laser Mouse - Black <sup>52</sup>     | 45K1696 | ann | 11/25/08 |
| Lenovo Wireless Laser Mouse - Red/Black <sup>52</sup> | 51J0198 | ann | 11/25/08 |
| Lenovo Optical Mouse A6010 (black)                    | 57Y6255 |     |          |
| Lenovo Mini Optical Mouse M20B                        | 55Y2091 |     |          |
| Lenovo Wireless Mouse N30B (black)                    | 55Y9360 |     |          |

## Security

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Kensington® MicroSaver® Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock     | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock          | 57Y4303 | ann | 08/24/10 |
| USB Gemplus GemPC Smart Card Reader | 41N3040 | ann | 02/21/06 |

## Multimedia

|                            |         |     |          |
|----------------------------|---------|-----|----------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann | 01/07/10 |
| Lenovo Mini Speaker M220   | 55Y2033 |     |          |
| Lenovo Headphone P550      | 55Y2065 |     |          |

## Modem

|                      |         |     |          |
|----------------------|---------|-----|----------|
| USB 2.0 Lenovo Modem | 43R1814 | ann | 02/26/08 |
|----------------------|---------|-----|----------|

## Batteries<sup>37</sup>

|   |         |     |          |
|---|---------|-----|----------|
| ThinkPad Battery 25 (4-cell)                    | 51J0498 | ann | 10/22/09 |
| ThinkPad Battery 25+ (6-cell)                   | 51J0499 | ann | 10/22/09 |
| ThinkPad Battery 25++ (9-cell)                  | 51J0500 | ann | 10/22/09 |
| ThinkPad External Battery Charger <sup>44</sup> | 40Y7625 | ann | 09/20/05 |

<sup>44</sup> Requires the *ThinkPad 90W AC Adapter*

40Y7659 or the adapter provided with the system.

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|  |         |     |          |
|--|---------|-----|----------|
| ThinkPad 65W AC Adapter <sup>45</sup>                              | 40Y7696 | ann | 01/05/06 |
| <sup>45</sup> Only compatible with the integrated graphics models. |         |     |          |
| ThinkPad 90W AC Adapter  | 40Y7659 | ann | 09/20/05 |
| Lenovo Power Hub   | 57Y4600 | ann | 09/07/10 |
| 90W Ultraslim AC/DC Combo Adapter                                  | 41R4493 | ann | 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

*Charging tips for 90W Ultraslim AC/DC Combo Adapter 41R4493*

|                                      |         |     |          |
|--------------------------------------|---------|-----|----------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann | 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann | 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)

## Carrying Cases

|                                 |         |     |          |
|---------------------------------|---------|-----|----------|
| ThinkPad 14W Case Sleeve        | 57Y4294 | ann | 03/16/10 |
| Lenovo Business Messenger Case  | 51J0475 | ann | 08/18/09 |
| Lenovo Messenger Max            | 41U5253 | ann | 05/01/07 |
| Lenovo Performance Backpack     | 41U5254 | ann | 05/01/07 |
| ThinkPad Business Topload Case  | 43R2476 | ann | 05/13/08 |
| ThinkPad Business Backpack      | 43R2482 | ann | 05/13/08 |
| ThinkPad Deluxe Expander Case   | 43R2478 | ann | 05/13/08 |
| ThinkPad Executive Leather Case | 43R2480 | ann | 05/13/08 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)

## Monitors

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann | 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann | 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann | 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann | 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann | 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann | 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann | 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann | 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann | 09/17/08 |

## Monitor Accessories<sup>46</sup>

|                                   |         |     |          |
|-----------------------------------|---------|-----|----------|
| Lenovo USB-to-DVI Monitor Adapter | 45K5296 | ann | 05/12/09 |
| ThinkVision USB Soundbar          | 40Y7616 | ann | 08/23/05 |
| ThinkVision Soundbar              | 45K1263 | ann | 09/16/08 |
| Kensington MicroSaver Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock   | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock        | 57Y4303 | ann | 08/24/10 |
| Lenovo Easy Reach Monitor Stand   | 55Y9258 | ann | 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)

Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

ThinkPad®



Lenovo® ThinkPad Edge 15"



Lenovo ThinkPad Edge 15"  
(Glossy black model)



Lenovo ThinkPad Edge 15"



Lenovo ThinkPad Edge 15"  
(Glossy red model)



Lenovo ThinkPad Edge 15"

|   | Type-model | Proc-<br>essor | GHz  | Memory | Wide-<br>screen<br>display | Screen<br>type | Disk<br>SATA<br>GB <sup>3</sup> rpm | PCIe<br>Mini Card<br>802.11 | PCIe<br>Mini Card<br>WWAN | Carrier               | Top color    | Finger<br>print<br>reader | Blue-<br>tooth | Bat-<br>tery<br>cells | Preload | Avail<br>date |
|---|------------|----------------|------|--------|----------------------------|----------------|-------------------------------------|-----------------------------|---------------------------|-----------------------|--------------|---------------------------|----------------|-----------------------|---------|---------------|
| ☞ | 0301-23U   | i3-350M        | 2.26 | 4GB    | 15.6" HD                   | Glossy         | 320G 7200                           | Intel 6200 <sup>28</sup>    |                           |                       | Matte black  |                           |                | 6                     | Pro 64  | Mar 10        |
| ☞ | 0301-25U   | i3-330M        | 2.13 | 4GB    | 15.6" HD                   | Glossy         | 250G 5400                           | 11b/g/n                     |                           |                       | Matte black  |                           |                | 4                     | Home P  | Mar 10        |
| ☞ | 0301-26U   | i3-330M        | 2.13 | 2GB    | 15.6" HD                   |                | 250G 5400                           | Intel 1000                  |                           |                       | Glossy black |                           |                | 6                     | Pro 32  | Mar 10        |
| ☞ | 0301-27U   | i3-330M        | 2.13 | 2GB    | 15.6" HD                   |                | 320G 7200                           | Intel 1000                  | Gobi 2000                 | AT&T <sup>23</sup>    | Glossy black |                           | Blue           | 6                     | Pro 32  | Mar 10        |
| ☞ | 0301-29U   | i3-330M        | 2.13 | 2GB    | 15.6" HD                   | Glossy         | 250G 5400                           | Intel 1000                  |                           |                       | Glossy black |                           |                | 6                     | Home P  | Mar 10        |
| ☞ | 0301-2AU   | i3-330M        | 2.13 | 4GB    | 15.6" HD                   |                | 250G 5400                           | Intel 1000                  | Gobi 2000                 | AT&T                  | Glossy black |                           | Blue           | 6                     | Pro 64  | Mar 10        |
| ☞ | 0301-2BU   | i3-330M        | 2.13 | 4GB    | 15.6" HD                   |                | 250G 5400                           | Intel 1000                  | Gobi 2000                 | Verizon <sup>16</sup> | Glossy black |                           | Blue           | 6                     | Pro 64  | Mar 10        |
| ☞ | 0301-5PU   | i3-330M        | 2.13 | 2GB    | 15.6" HD                   |                | 320G 7200                           | Intel 1000                  | Gobi 2000                 | Verizon               | Glossy black | Finger                    | Blue           | 6                     | Pro 32  | Mar 10        |
| ☞ | 0301-5QU   | i3-330M        | 2.13 | 2GB    | 15.6" HD                   |                | 250G 5400                           | Intel 1000                  |                           |                       | Glossy red   |                           | Blue           | 6                     | Pro 32  | Mar 10        |
| ☞ | 0301-5RU   | i3-330M        | 2.13 | 3GB    | 15.6" HD                   |                | 320G 7200                           | Intel 1000                  |                           |                       | Glossy red   |                           | Blue           | 6                     | Home P  | Mar 10        |
| ☞ | 0301-5SU   | i3-330M        | 2.13 | 4GB    | 15.6" HD                   |                | 320G 7200                           | Intel 1000                  |                           |                       | Glossy black | Finger                    | Blue           | 6                     | Pro 64  | Mar 10        |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |  |  |   |
|---|--|--|---|
| Positioning Processor   | Sophisticated design with quality, durability and reliability for SMB customers; two spindles<br><b>Intel® Core™ i3 processor i3-330M or i3-350M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache  |  | <b>Preloaded operating system</b> <sup>20</sup><br>- <i>Some:</i> Genuine Windows® 7 Home Premium 64<br>- <i>Some:</i> Genuine Windows 7 Professional 32<br>- <i>Some:</i> Genuine Windows 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• ThinkVantage Toolbox<br>• Lenovo Online Data Backup<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |
| Memory  | <b>2GB, 3GB, or 4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |   |
| SATA DVD±RW<br>SATA disk  | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>250GB</b> <sup>8</sup> (5400 rpm) or <b>320GB</b> (7200 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™   |  |   |
| Widescreen display  | <i>Some:</i> <b>15.6"</b> (395mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br><i>Some:</i> <b>15.6"</b> (395mm) <b>HD (1366x768) color, VibrantView</b> (glossy), <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio  |  |   |
| Camera  | Camera on top of screen, 2.0-megapixel, fixed focus  |  |   |
| Integrated graphics   | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display;<br><i>Max external resolution:</i> 2048x1536@75Hz; 1920x1080 (HDMI port)  |  | Supports ThinkVantage® technologies<br><br>65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378<br><br>ThinkPlus™. 22 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>                                  |
| Keyboard<br>TrackPoint®<br>Touch pad  | 6-row, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup><br>UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch   |  |   |
| ThinkLight™   | None   |  |   |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color                      | <b>15.6W"</b> (WxDxH): 14.96" x 9.72" x 1.27-1.48"; 380 x 247mm x 32.3-37.5mm<br><i>4-cell:</i> from 5.32 lb (2.42kg); <i>6-cell:</i> from 5.50 lb (2.50kg); <i>9-cell:</i> from 5.89 lb (2.67kg)<br>Matte black (top), glossy black (top), or glossy red (top), trimmed with a thin silver band (side); black bottom  |  |   |
| Case material<br>Battery - type <sup>37</sup><br>Battery - life <sup>10</sup>     | Acrylonitrile-Butadiene-Styrene (ABS) plastic<br>Lithium Ion <b>4-cell</b> or <b>6-cell</b><br><i>4-cell:</i> up to 2.9 hr; <i>6-cell:</i> up to 4.5 hr  |  |   |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports                            | <b>Mobile Intel HM55 Express Chipset</b><br>One ExpressCard/34<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   |  |   |
| PCIe Mini Card<br>11b/g/n<br>Intel 1000<br>Intel 6200 <sup>28</sup><br>Gobi™ 2000 | Two PCI Express Mini Card slots<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card<br><i>Some:</i> 11b/g/n wireless, PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br><i>Some:</i> 11a/b/g/n wireless, PCIe Half Mini Card, Intel Centrino Advanced-N 6200, 2x2<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider |  |   |
| Carrier<br>Modem  | <i>Some:</i> AT&T® or Verizon®, contract required with service provider<br>None  |  |   |
| Bluetooth™<br>Ethernet<br>Intel AMT   | <i>Some:</i> Bluetooth 2.1 wireless<br>Realtek® RTL8111DL Gigabit Network Connection<br>None   |  |   |
| Audio support   | High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack  |  |   |
| Security<br>Security chip<br>Fingerprint reader                                   | Power-on password, hard disk password, supervisor password, security keyhole<br>None<br><i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor  |  |   |
| Limited warranty <sup>12</sup>  | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  |   |

See footnotes for important warranty information  
US models announced March 23, 2010

< US models withdrawn effective August 2010

© Lenovo  
(LDN1-1) March 2010

## Personal Systems Reference (PSREF)

- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

See footnotes for important warranty information  
 🇺🇸 US models announced May 4, 2010; previous models on April 6 or April 13, 2010  
 ✖ US models withdrawn effective August 2010

| Type-model | Processor | GHz  | Max turbo (GHz) | Memory     | Wide-screen display | Screen type | Disk SATA GB <sup>8</sup> rpm | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Carrier            | Top color         | Finger print reader | Blue-tooth  | Battery cells | Preload       | Avail date    |
|------------|-----------|------|-----------------|------------|---------------------|-------------|-------------------------------|-----------------------|---------------------|--------------------|-------------------|---------------------|-------------|---------------|---------------|---------------|
| 0301-DBU   | i3-370M   | 2.40 |                 | 2GB        | 15.6" HD            |             | 250G 5400                     | Intel 1000            |                     |                    | Matte black       |                     |             | 6             | Pro 64        | Jul 10        |
| 0301-DCU   | i3-370M   | 2.40 |                 | <b>4GB</b> | 15.6" HD            |             | 320G 7200                     | Intel 1000            |                     |                    | Matte black       | Fing                | Blue        | 6             | Pro 64        | Jul 10        |
| 0301-DDU   | i3-370M   | 2.40 |                 | <b>4GB</b> | 15.6" HD            |             | 320G 7200                     | Intel 1000            | Gobi 2000           | AT&T <sup>23</sup> | Matte black       | Fing                | Blue        | 6             | Pro 64        | Jul 10        |
| 0301-DEU   | i3-370M   | 2.40 |                 | <b>4GB</b> | 15.6" HD            |             | <b>320G 7200</b>              | <b>Intel 1000</b>     |                     |                    | <b>Glossy red</b> | <b>Fing</b>         | <b>Blue</b> | <b>6</b>      | <b>Pro 64</b> | <b>Jul 10</b> |
| 0301-ECU   | i3-370M   | 2.40 |                 | <b>4GB</b> | 15.6" HD            | Glossy      | 250G 5400                     | Intel 1000            |                     |                    | Matte black       |                     |             | 4             | Home P        | Jul 10        |
| 0301-EDU   | i3-370M   | 2.40 |                 | <b>4GB</b> | 15.6" HD            |             | 500G 7200                     | Intel 1000            |                     |                    | Glossy black      | Fing                | Blue        | 6             | Pro 64        | Jul 10        |
| 0301-EEU   | i3-350M   | 2.26 |                 | <b>4GB</b> | 15.6" HD            |             | 500G 7200                     | Intel 1000            |                     |                    | Glossy black      | Fing                | Blue        | 6             | Pro 64        | Jul 10        |
| 0301-EFU   | i3-370M   | 2.40 |                 | 2GB        | 15.6" HD            |             | 250G 5400                     | Intel 1000            |                     |                    | Glossy black      |                     |             | 6             | Home P        | Jul 10        |
| 0301-EGU   | i3-370M   | 2.40 |                 | <b>3GB</b> | 15.6" HD            |             | 320G 7200                     | Intel 1000            |                     |                    | Glossy red        |                     | Blue        | 6             | Home P        | Jul 10        |
| 0301-EHU   | i5-450M   | 2.40 | 2.66            | <b>4GB</b> | 15.6" HD            |             | 500G 5400                     | Intel 1000            |                     |                    | Glossy black      | Fing                | Blue        | 6             | Pro 64        | Jul 10        |
| 0301-EJU   | i5-450M   | 2.40 | 2.66            | <b>4GB</b> | 15.6" HD            |             | 500G 7200                     | Intel 1000            |                     |                    | Glossy black      | Fing                | Blue        | 6             | Pro 64        | Jul 10        |
| 0301-EMU   | i3-350M   | 2.26 |                 | 2GB        | 15.6" HD            |             | 250G 5400                     | Intel 1000            | Gobi 2000           | AT&T               | Glossy black      |                     |             | 6             | Pro 32        | Jul 10        |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |   |
|--|--|--|---|
| Positioning Processor  | Sophisticated design with quality, durability and reliability for SMB customers; two spindles<br><b>Intel® Core™ i3 processor i3-350M or i3-370M with dual-core</b> ,<br>DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or<br><b>Intel Core i5 processor i5-450M with dual-core</b> ,<br>DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache | <b>Preloaded operating system</b> <sup>20</sup><br>- <i>Some:</i> Genuine Windows® 7 Home Premium 64<br>- <i>Some:</i> Genuine Windows 7 Professional 32<br>- <i>Some:</i> Genuine Windows 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |   |
| Memory   | <b>2GB, 3GB, or 4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |   |
| SATA DVD±RW<br>SATA disk                                     | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>250GB<sup>8</sup></b> (5400 rpm), <b>320GB</b> (7200 rpm), or <b>500GB</b> (5400 or 7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™   |  |   |
| Widescreen display   | <i>Some:</i> <b>15.6"</b> (395mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br><i>Some:</i> <b>15.6"</b> (395mm) <b>HD (1366x768) color, VibrantView</b> (glossy), <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio  |  |   |
| Camera   | Camera on top of screen, 2.0-megapixel, fixed focus  |  |   |
| Integrated graphics  | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display;<br><i>Max external resolution:</i> 2048x1536@75Hz; 1920x1080 (HDMI port)  |  |   |
| Keyboard<br>TrackPoint®<br>Touch pad                         | 6-row, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup><br>UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch   |  |   |
| ThinkLight™  | None   |  |   |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color | <b>15.6W"</b> (WxDxH): 14.96" x 9.72" x 1.27-1.48"; 380 x 247mm x 32.3-37.5mm<br><i>4-cell:</i> from 5.32 lb (2.42kg); <i>6-cell:</i> from 5.50 lb (2.50kg); <i>9-cell:</i> from 5.89 lb (2.67kg)<br>Matte black (top), glossy black (top), or glossy red (top), trimmed with a thin silver band (side); black bottom  |  |   |
| Case material  | Acrylonitrile-Butadiene-Styrene (ABS) plastic  |  |   |
| Battery - type <sup>37</sup><br>Battery - life <sup>10</sup> | Lithium Ion <b>4-cell</b> or <b>6-cell</b><br><i>4-cell:</i> up to 2.9 hr; <i>6-cell:</i> up to 4.5 hr   |  |   |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports       | <b>Mobile Intel HM55 Express Chipset</b><br>One ExpressCard/34<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   | Supports ThinkVantage® technologies<br><br>65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378   |   |
| PCIe Mini Card<br>Intel 1000<br>Gobi™ 2000                   | Two PCI Express Mini Card slots<br><b>11b/g/n wireless<sup>4</sup></b> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2<br><i>Some:</i> Wireless WAN, Qualcomm chipset, PCIe Mini Card, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, contract required with service provider   |  |   |
| Carrier<br>Modem   | <i>Some:</i> AT&T®, contract required with service provider<br>None  |  |   |
| Bluetooth™<br>Ethernet                                       | <i>Some:</i> Bluetooth 2.1 wireless<br>Realtek® RTL8111DL Gigabit Network Connection   |  |   |
| Intel AMT<br>Audio support                                   | None<br>High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack  |  |   |
| Security<br>Security chip                                    | Power-on password, hard disk password, supervisor password, security keyhole<br>None   |  |   |
| Fingerprint reader   | <i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor  |  |   |
| Limited warranty <sup>12</sup>                               | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  |   |
|  |  |  | ThinkPlus™, <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b> |

See footnotes for important warranty information

US models announced July 6, 2010

0301 US model withdrawn effective October 2010

| Type-model | Processor | GHz  | Max turbo (GHz) | Memory     | Wide-screen display | Disk SATA GB <sup>3</sup> rpm | PCIe Mini Card 802.11 | PCIe Mini Card WWAN | Carrier | Top color   | Finger print reader | Blue-tooth | Bat-tery cells | Preload | Avail date |
|------------|-----------|------|-----------------|------------|---------------------|-------------------------------|-----------------------|---------------------|---------|-------------|---------------------|------------|----------------|---------|------------|
| 0301-JDU   | i5-480M   | 2.66 | 2.93            | <i>4GB</i> | 15.6" HD            | 320G 7200                     | Intel 1000            | None                | None    | Matte black | Fing                | Blue       | 6              | Pro 64  | Jan 11     |
| 0301-JAU   | i3-390M   | 2.66 |                 | <i>4GB</i> | 15.6" HD            | 320G 7200                     | Intel 1000            | None                | None    | Matte black | Fing                | Blue       | 6              | Pro 64  | Jan 11     |
| 0301-J9U   | i3-390M   | 2.66 |                 | 2GB        | 15.6" HD            | 250G 5400                     | Intel 1000            | None                | None    | Matte black |                     |            | 6              | Pro 64  | Jan 11     |
| 0301-K3U   | i3-390M   | 2.66 |                 | 4GB        | 15.6" HD            | 500G 5400                     | Intel 1000            | None                | None    | Matte black |                     |            | 6              | Home P  | Jan 11     |
| 0301-Q2U   | i3-380M   | 2.53 |                 | 2GB        | 15.6" HD            | 250G 5400                     | 11b/g/n               | None                | None    | Matte black |                     |            | 6              | Pro 64  | Jan 11     |

- *These small and medium business (SMB) models are part of the US TopSeller™ Program*
- *These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)*

|                                |   |  |  |  |
|--------------------------------|---|--|--|--|
| Positioning Processor          | Sophisticated design with quality, durability and reliability for SMB customers; two spindles<br><b>Intel® Core™ i3 processor i3-380M</b> or <b>i3-390M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Hyper-Threading technology; 3MB cache or<br><b>Intel Core i5 processor i5-480M</b> with <b>dual-core</b> , DMI (Direct Media Interface), integrated DDR3 memory controller (up to 1066MHz), Intel Turbo Boost, Hyper-Threading technology; 3MB cache |  | <b>Preloaded operating system</b> <sup>20</sup><br>- <i>Some:</i> Genuine Windows® 7 Home Premium 64<br>- <i>Some:</i> Genuine Windows 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• ThinkVantage Toolbox<br>• Norton™ Internet Security 2011 (30 days of virus definitions)<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch |  |
| Memory                         | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  | Supports ThinkVantage® technologies  |  |
| SATA DVD±RW<br>SATA disk       | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>250GB</b> <sup>8</sup> (5400 rpm), <b>320GB</b> (7200 rpm), or <b>500GB</b> (5400 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™   |  |  |  |
| Widescreen display             | <b>15.6"</b> (395mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio  |  |  |  |
| Camera                         | Camera on top of screen, 2.0-megapixel, fixed focus   |  |  |  |
| Integrated graphics            | <b>Intel HD Graphics</b> in processor, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display;<br><i>Max external resolution:</i> 2048x1536@75Hz; 1920x1080 (HDMI port)   |  |  |  |
| Keyboard                       | 6-row, spill-resistant, multimedia Fn keys  |  | 65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378  |  |
| TrackPoint®                    | TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup>  |  |  |  |
| Touch pad                      | UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch  |  |  |  |
| ThinkLight™                    | None  |  |  |  |
| Dimensions <sup>3</sup>        | <b>15.6W"</b> (WxDxH): 14.96" x 9.72" x 1.27-1.48"; 380 x 247mm x 32.3-37.5mm   |  |  |  |
| Weight <sup>2</sup>            | <i>4-cell:</i> from 5.32 lb (2.42kg); <i>6-cell:</i> from 5.50 lb (2.50kg); <i>9-cell:</i> from 5.89 lb (2.67kg)  |  | ThinkPlus™. <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b>  |  |
| Case color                     | Matte black (top), trimmed with a thin silver band (side); black bottom   |  |  |  |
| Case material                  | Acrylonitrile-Butadiene-Styrene (ABS) plastic   |  |  |  |
| Battery - type <sup>37</sup>   | Lithium Ion <b>6-cell</b>   |  |  |  |
| Battery - life <sup>10</sup>   | <i>4-cell:</i> up to 2.9 hr; <i>6-cell:</i> up to 4.5 hr  |  |  |  |
| Chipset                        | <b>Mobile Intel HM55 Express Chipset</b>  |  |  |  |
| ExpressCard/34                 | One ExpressCard/34  |  |  |  |
| Multicard Reader               | 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)   |  |  |  |
| Ports                          | Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   |  |  |  |
| PCIe Mini Card                 | Two PCI Express Mini Card slots   |  |  |  |
| 11b/g/n                        | <i>Some:</i> 11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card  |  |  |  |
| Intel 1000                     | <i>Some:</i> 11b/g/n wireless <sup>4</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2  |  |  |  |
| WWAN upg                       | None  |  |  |  |
| Modem                          | None  |  |  |  |
| Bluetooth™                     | <i>Some:</i> Bluetooth 2.1 wireless   |  |  |  |
| Ethernet                       | Realtek® RTL8111DL Gigabit Network Connection   |  |  |  |
| Intel AMT                      | None  |  |  |  |
| Audio support                  | High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack   |  |  |  |
| Security                       | Power-on password, hard disk password, supervisor password, security keyhole  |  |  |  |
| Security chip                  | None  |  |  |  |
| Fingerprint reader             | <i>Some:</i> UPEK Fingerprint reader on palm rest, swipe sensor   |  |  |  |
| Limited warranty <sup>12</sup> | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available   |  |  |  |

See footnotes for important warranty information  
US models announced January 11, 2011

© Lenovo  
(LDN1-7) January 2011

| Type-model | Proc-<br>essor | GHz  | Memory | Wide-<br>screen<br>display | Screen<br>type | Camera | Disk<br>SATA<br>GB <sup>8</sup> rpm | PCIe<br>Mini Card<br>802.11 | Top color    | Finger<br>print<br>reader | Blue-<br>tooth | Bat-<br>tery<br>cells | Preload | Avail<br>date |
|------------|----------------|------|--------|----------------------------|----------------|--------|-------------------------------------|-----------------------------|--------------|---------------------------|----------------|-----------------------|---------|---------------|
| 0302-44U   | P340           | 2.20 | 2GB    | 15.6" HD                   |                | 2.0M   | 320G 7200                           | 11b/g/n                     | Matte black  | None                      | None           | 6                     | Pro 64  | Sep 10        |
| 0302-45U   | P540           | 2.40 | 2GB    | 15.6" HD                   |                | 2.0M   | 320G 7200                           | 11b/g/n                     | Matte black  | None                      | None           | 6                     | Pro 64  | Sep 10        |
| 0302-4LU   | P840           | 1.90 | 4GB    | 15.6" HD                   | Glossy         | 0.3M   | 500G 5400                           | 11b/g/n                     | Glossy black | None                      | None           | 6                     | Home P  | Jan 11        |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |   |  |
|--|--|--|---|--|
| Positioning Processor  | Sophisticated design with quality, durability and reliability for SMB customers; two spindles<br><b>AMD® Athlon™ II Dual-Core Mobile Processor P340</b> with <b>dual-core</b> , virtualization technology, integrated DDR3 memory controller, and 1MB L2 cache or <b>AMD Turion™ II Dual-Core Mobile Processor P540</b> with <b>dual-core</b> , virtualization technology, integrated DDR3 memory controller, and 2MB L2 cache or <b>AMD Phenom™ II Triple-Core Mobile Processor P840</b> with <b>triple-core</b> , virtualization technology, integrated DDR3 memory controller, and 1.5MB L2 cache |  | <b>Preloaded operating system</b> <sup>20</sup><br>- <i>Some:</i> Genuine Windows® 7 Home Premium 64<br>- <i>Some:</i> Genuine Windows 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• ThinkVantage Toolbox<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch   |  |
| Memory   | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz <b>DDR3</b> , non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |  | Supports ThinkVantage® technologies<br><br>65-watt AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378<br><br>ThinkPlus™. <sup>22</sup> 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>Post-warranty annual maintenance agreements at <b>lenovo.com/thinkplus/warranty</b> |  |
| SATA DVD±RW<br>SATA disk                                     | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>320GB</b> <sup>8</sup> (7200 rpm) or <b>500GB</b> (5400 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, Active Protection System™   |  |   |  |
| Widescreen display   | <i>Some:</i> <b>15.6"</b> (395mm) <b>HD (1366x768) color</b> , anti-glare, <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br><i>Some:</i> <b>15.6"</b> (395mm) <b>HD (1366x768) color, VibrantView</b> (glossy), <b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio  |  |   |  |
| Camera   | Camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus   |  |   |  |
| Integrated graphics  | <b>ATI™ Radeon™ HD 4250 graphics</b> , in RS880M, external analog monitor support via VGA DB-15 connector and digital monitor support via HDMI™ (supporting HDCP to output protected content); supports dual independent display;<br><i>Max external resolution:</i> 2456x1536@60Hz  |  |   |  |
| Keyboard<br>TrackPoint®<br>Touch pad                         | 6-row, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup><br>UltraNav™, wide touch pad below keyboard, Tap Zones, multi-touch   |  |   |  |
| ThinkLight™  | None   |  |   |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color | <b>15.6W"</b> (WxDxH): 14.96" x 9.72" x 1.27-1.48"; 380 x 247mm x 32.3-37.5mm<br><i>4-cell:</i> from 5.40 lb (2.45kg); <i>6-cell:</i> from 5.58 lb (2.53kg); <i>9-cell:</i> from 5.95 lb (2.70kg)<br>Matte black (top) or glossy black (top), trimmed with a thin silver band (side); black bottom   |  |   |  |
| Case material  | Acrylonitrile-Butadiene-Styrene (ABS) plastic  |  |   |  |
| Battery - type <sup>37</sup><br>Battery - life <sup>10</sup> | Lithium Ion <b>6-cell</b><br><i>4-cell:</i> up to 2.6 hr; <i>6-cell:</i> up to 4 hr; <i>9-cell:</i> up to 6 hr   |  |   |  |
| Chipset<br>ExpressCard/34<br>Multicard Reader<br>Ports       | <b>AMD RS880M Chipset</b> , SB820M south bridge<br>One ExpressCard/34<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>Three USB 2.0 (one powered), one USB 2.0/eSATA combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  |  |   |  |
| PCIe Mini Card<br>11b/g/n                                    | One PCI Express Half Mini Card slot<br>11b/g/n wireless <sup>4</sup> , ThinkPad 11b/g/n, PCIe Half Mini Card   |  |   |  |
| Modem  | None   |  |   |  |
| Bluetooth™   | None   |  |   |  |
| Ethernet   | Realtek® RTL8111DL Gigabit Network Connection  |  |   |  |
| Audio support  | High Definition (HD) Audio, Realtek ALC269 codec / stereo speakers, 1.5 watt x 2/ mono digital microphone, combo audio/mic jack  |  |   |  |
| Security   | Power-on password, hard disk password, supervisor password, security keyhole   |  |   |  |
| Security chip  | None   |  |   |  |
| Fingerprint reader   | None   |  |   |  |
| Limited warranty <sup>12</sup>                               | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  |   |  |

See footnotes for important warranty information

US model announced January 11, 2011; previous models on September 28, 2010

 © Lenovo  
(LDN1-6) January 2011

## Memory

|  |         |     |          |
|--|---------|-----|----------|
| 1GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3706 | ann | 06/23/09 |
| 1GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4385 | ann | 06/23/09 |
| 2GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3707 | ann | 06/23/09 |
| 2GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4386 | ann | 06/23/09 |
| 1GB PC3-10600 DDR3 L-H SODIMM          | 55Y3709 | ann | 03/02/10 |
| 1GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 55Y4415 | ann | 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM          | 55Y3710 | ann | 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 55Y4416 | ann | 03/02/10 |

## Storage and removable storage

|   |         |     |          |
|---|---------|-----|----------|
| USB 2.0 Portable 320GB Hard Disk        | 45K1689 | ann | 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk        | 45K1690 | ann | 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk | 43R2018 | ann | 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk | 43R2019 | ann | 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive   | 57Y4400 | ann | 01/07/10 |
| USB 2.0 Portable DVD Burner             | 43N3264 | ann | 01/05/10 |

## ThinkPad Expansion

|  |         |     |          |
|--|---------|-----|----------|
| Lenovo® Essential Notebook Stand       | 45J9292 | ann | 05/12/09 |
| USB Port Replicator with Digital Video | 45K1610 | ann | 07/28/09 |

## Keyboard

|   |         |     |          |
|---|---------|-----|----------|
| TrackPoint Cap Collection   | 73P2698 | ann | 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann | 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann | 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann | 03/23/04 |
| Lenovo Mini Wireless Keyboard N5901 <sup>52</sup> (blk)                       | 57Y6336 |     |          |
| UltraSlim Wireless Keyboard and Mouse <sup>52</sup>                           | 57Y4700 | ann | 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |     |          |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann | 08/18/09 |
| Lenovo USB Fingerprint Keyboard   | 73P4730 | ann | 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann | 03/24/09 |

## Mouse

|   |         |     |          |
|---|---------|-----|----------|
| Lenovo Optical Mouse (USB)                            | 06P4069 | ann | 05/21/03 |
| Lenovo Laser Mouse (USB)                              | 41U3074 | ann | 01/23/07 |
| ThinkPad USB Laser Mouse                              | 57Y4635 | ann | 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical)              | 31P7405 | ann | 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)                  | 31P7410 | ann | 06/04/02 |
| ThinkPad Bluetooth Laser Mouse                        | 41U5008 | ann | 01/22/08 |
| Lenovo Wireless Laser Mouse - Black <sup>52</sup>     | 45K1696 | ann | 11/25/08 |
| Lenovo Wireless Laser Mouse - Red/Black <sup>52</sup> | 51J0198 | ann | 11/25/08 |
| Lenovo Optical Mouse A6010 (black)                    | 57Y6255 |     |          |
| Lenovo Mini Optical Mouse M20B                        | 55Y2091 |     |          |
| Lenovo Wireless Mouse N30B (black)                    | 55Y9360 |     |          |

## Security

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Kensington® MicroSaver® Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock     | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock          | 57Y4303 | ann | 08/24/10 |
| USB Gemplus GemPC Smart Card Reader | 41N3040 | ann | 02/21/06 |

## Multimedia

|                            |         |     |          |
|----------------------------|---------|-----|----------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann | 01/07/10 |
| Lenovo Mini Speaker M220   | 55Y2033 |     |          |
| Lenovo Headphone P550      | 55Y2065 |     |          |

## Modem

|                      |         |     |          |
|----------------------|---------|-----|----------|
| USB 2.0 Lenovo Modem | 43R1814 | ann | 02/26/08 |
|----------------------|---------|-----|----------|

## Batteries<sup>37</sup>

|   |         |     |          |
|---|---------|-----|----------|
| ThinkPad Battery 25 (4-cell)                    | 51J0498 | ann | 10/22/09 |
| ThinkPad Battery 25+ (6-cell)                   | 51J0499 | ann | 10/22/09 |
| ThinkPad Battery 25++ (9-cell)                  | 51J0500 | ann | 10/22/09 |
| ThinkPad External Battery Charger <sup>44</sup> | 40Y7625 | ann | 09/20/05 |

<sup>44</sup> Requires the *ThinkPad 90W AC Adapter*

40Y7659 or the adapter provided with the system.

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|  |         |     |          |
|--|---------|-----|----------|
| ThinkPad 65W AC Adapter <sup>45</sup>                              | 40Y7696 | ann | 01/05/06 |
| <sup>45</sup> Only compatible with the integrated graphics models. |         |     |          |
| ThinkPad 90W AC Adapter  | 40Y7659 | ann | 09/20/05 |
| Lenovo Power Hub   | 57Y4600 | ann | 09/07/10 |
| 90W UltraSlim AC/DC Combo Adapter                                  | 41R4493 | ann | 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

*Charging tips for 90W UltraSlim AC/DC Combo Adapter 41R4493*

|                                      |         |     |          |
|--------------------------------------|---------|-----|----------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann | 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann | 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)

## Carrying Cases

|                                 |         |     |          |
|---------------------------------|---------|-----|----------|
| ThinkPad 15W Case Sleeve        | 51J0477 | ann | 08/18/09 |
| Lenovo Business Messenger Case  | 51J0475 | ann | 08/18/09 |
| Lenovo Messenger Max            | 41U5253 | ann | 05/01/07 |
| Lenovo Performance Backpack     | 41U5254 | ann | 05/01/07 |
| ThinkPad Business Topload Case  | 43R2476 | ann | 05/13/08 |
| ThinkPad Business Backpack      | 43R2482 | ann | 05/13/08 |
| ThinkPad Deluxe Expander Case   | 43R2478 | ann | 05/13/08 |
| ThinkPad Executive Leather Case | 43R2480 | ann | 05/13/08 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)

## Monitors

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann | 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann | 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann | 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann | 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann | 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann | 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann | 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann | 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann | 09/17/08 |

## Monitor Accessories<sup>46</sup>

|                                   |         |     |          |
|-----------------------------------|---------|-----|----------|
| Lenovo USB-to-DVI Monitor Adapter | 45K5296 | ann | 05/12/09 |
| ThinkVision USB Soundbar          | 40Y7616 | ann | 08/23/05 |
| ThinkVision Soundbar              | 45K1263 | ann | 09/16/08 |
| Kensington MicroSaver Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock   | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock        | 57Y4303 | ann | 08/24/10 |
| Lenovo Easy Reach Monitor Stand   | 55Y9258 | ann | 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)

Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

ThinkPad®



Lenovo® ThinkPad SL410



Lenovo ThinkPad SL410



Lenovo ThinkPad SL410



Lenovo ThinkPad SL410



Lenovo ThinkPad SL410 buttons



Lenovo ThinkPad SL410 lights

# ThinkPad® SL410 2842 (GMA) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Proc-<br>essor | GHz  | Memory | Wide-<br>screen<br>display | CCFL<br>or<br>LED | Screen<br>type | Cam-<br>era | Integrated<br>graphics | Disk<br>SATA<br>GB <sup>3</sup> rpm | SATA<br>optical | Mini PCIe<br>802.11<br>wireless | Mini<br>PCIe<br>WWAN | Blue-<br>tooth | Finger<br>print<br>reader | Bat-<br>tery<br>cells | Preload | Avail<br>date |
|------------|----------------|------|--------|----------------------------|-------------------|----------------|-------------|------------------------|-------------------------------------|-----------------|---------------------------------|----------------------|----------------|---------------------------|-----------------------|---------|---------------|
| ⌘ 2842-F7U | T6570          | 2.10 | 2GB    | 14.0" HD                   | LED               | Glossy         | 2.0M        | GMA                    | 250G 5400                           | DVD±RW          | * Intel 1000                    | None                 |                |                           | 6                     | Pro 32  | Jan 10        |
| ⌘ 2842-F8U | T6570          | 2.10 | 3GB    | 14.0" HD                   | LED               | Glossy         | 2.0M        | GMA                    | 320G 7200                           | DVD±RW          | * Intel 1000                    | None                 |                |                           | 6                     | Pro 32  | Jan 10        |
| ⌘ 2842-F9U | T6670          | 2.20 | 4GB    | 14.0" HD                   | LED               | Glossy         | 2.0M        | GMA                    | 320G 7200                           | DVD±RW          | * Intel 1000                    | None                 | Blue           | Fing                      | 6                     | Pro 64  | Jan 10        |
| ⌘ 2842-K3U | T6670          | 2.20 | 2GB    | 14.0" HD                   | LED               | Glossy         | 0.3M        | GMA                    | 250G 5400                           | DVD±RW          | * Intel 1000                    | None                 |                |                           | 6                     | Pro 64  | Sep 10        |
| ⌘ 2842-K4U | T6670          | 2.20 | 3GB    | 14.0" HD                   | LED               | Glossy         | 0.3M        | GMA                    | 500G 7200                           | DVD±RW          | * Intel 1000                    | None                 |                |                           | 6                     | Pro 64  | Sep 10        |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |   |  |   |
|---|---|--|---|
| Processor   | Intel® Core™ 2 Duo processor T6570 or T6670 with dual-core, 800MHz system bus, and 2MB L2 cache   |  | <b>Preloaded operating system</b> <sup>20</sup><br>- <i>Some:</i> Genuine Windows® 7 Professional 32<br>- <i>Some:</i> Genuine Windows 7 Professional 64<br><br><b>Preloaded applications</b> <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage Toolbox<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Roxio® Creator® Business Edition (DVD±RW)<br><br>Supports ThinkVantage® technologies<br><br>65-watt (GMA graphics) AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup> via 800-426-7378<br><br>ThinkPlus™.22 1-year LOR <sup>24</sup> 9x5 NBD 45K5968<br>ThinkPlus 2-year LOR 9x5 NBD 45K5969<br>ThinkPlus 3-year LOR 9x5 NBD 45K5970<br>ThinkPlus 4-year LOR 9x5 NBD 45K5973<br>ThinkPlus 5-year LOR 9x5 NBD 45K5975<br>ThinkPlus 2-year P&L P/U Depot 45K5971<br>ThinkPlus 3-year P&L P/U Depot 45K5972<br>ThinkPlus 4-year P&L P/U Depot 45K5974<br>ThinkPlus 5-year P&L P/U Depot 45K5976<br><br>Post-warranty annual maintenance agreements at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a> |
| Memory  | 2GB, 3GB, or 4GB std / 8GB max <sup>7</sup> / PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |   |
| SATA DVD±RW<br>SATA disk  | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in 250GB <sup>8</sup> (5400 rpm), 320GB (7200 rpm), or 500GB (7200 rpm) / SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, ThinkPad Shock Mounted Hard Drive, Active Protection System™  |  |   |
| Widescreen display<br>Camera  | 14.0" (355mm) HD (1366x768) color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus   |  |   |
| Integrated graphics   | Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content;<br><i>Max external resolution:</i> 2048x1536 @ 75Hz (VGA DB-15 port); 1920x1080 (HDMI port)   |  |   |
| Keyboard<br>TrackPoint®<br>Touch pad  | 6-row, ThinkVantage button, spill-resistant, multimedia Fn keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™, wide touch pad below keyboard, Tap Zones, scrolling regions label, multi-touch<br>Illuminated power button   |  |   |
| Lighting FX   |   |  |   |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case color<br>Case material<br>Battery - type <sup>37</sup><br>Battery - life <sup>10</sup> | 4/6-cell 14.0W" (WxDxH): 13.54" x 9.17" x 1.26–1.42"; 344mm x 233mm x 32–36mm<br>4-cell: starting at 4.59 lb (2.08kg); 6-cell: starting at 5.1 lb (2.3kg)<br>ThinkPad Matte Black<br>Scratch-resistant ABS plastic<br>Lithium Ion 6-cell<br>6-cell: up to 4.0 hr; 9-cell: up to 6 hr  |  |   |
| Chipset   | Mobile Intel GM45 Express Chipset (Graphics Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), LPC bus (IT8752)<br>One slot (ExpressCard/34)  |  |   |
| ExpressCard<br>Multicard Reader<br>PC Card<br>Smart Card Read<br>Ports  | 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>None<br>None<br>Three USB 2.0, one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)  |  |   |
| Mini PCI Express<br>Intel 1000<br>WWAN upg<br>Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support                                   | One Mini PCI Express slot<br>11b/g/n wireless <sup>4</sup> , Mini PCIe adapter, Intel Centrino® Wireless-N 1000, 1x2<br>None<br>None<br><i>Some:</i> Bluetooth 2.1 wireless, LED indicator<br>Realtek RTL8111DL Gigabit Network Connection, PHY, PCIe x1<br>None<br>High Definition (HD) Audio, ALC269Q codec / stereo speakers, 1.5 watt / speaker volume up, down and mute buttons / mono microphone, mic mute button, mic input jack, headphone jack<br>Power-on password, hard disk password, supervisor password, security keyhole |  |   |
| Security<br>Security chip<br>Fingerprint reader   | None<br><i>Some:</i> Fingerprint reader on palm rest, swipe sensor  |  |   |
| Limited warranty <sup>12</sup>  | 1-year - depot repair service / service upgrades <sup>22</sup> available  |  |   |

See footnotes for important warranty information \* Intel Centrino® processor technology

⌘ US models announced September 28, 2010; previous models on December 15, 2009

⌘ US models withdrawn effective December 2010 or January 2011

© Lenovo  
(JAD1-3) October 2010

lenovo.com/thinkplus/warranty

**Memory**

|  |         |              |
|--|---------|--------------|
| 1GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3706 | ann 06/23/09 |
| 1GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4385 | ann 06/23/09 |
| 2GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3707 | ann 06/23/09 |
| 2GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4386 | ann 06/23/09 |
| 4GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3708 | ann 06/23/09 |

**Storage and removable storage**

|   |         |              |
|---|---------|--------------|
| SL410/510 500GB Disk SATA 3G/s (5400 rpm) | 43N3422 | ann 10/22/09 |
| USB 2.0 Portable 320GB Hard Disk          | 45K1689 | ann 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk          | 45K1690 | ann 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk   | 43R2018 | ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk   | 43R2019 | ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive     | 57Y4400 | ann 01/07/10 |
| USB 2.0 Portable DVD Burner               | 43N3264 | ann 01/05/10 |

**ThinkPad Expansion**

|  |         |              |
|--|---------|--------------|
| Lenovo® Essential Notebook Stand       | 45J9292 | ann 05/12/09 |
| USB Port Replicator with Digital Video | 45K1610 | ann 07/28/09 |

**Keyboard**

|   |         |              |
|---|---------|--------------|
| TrackPoint Cap Collection   | 73P2698 | ann 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann 03/23/04 |
| Lenovo Mini Wireless Keyboard N5901 <sup>52</sup> (blk)                       | 57Y6336 |              |
| Ultraslim Wireless Keyboard and Mouse <sup>52</sup>                           | 57Y4700 | ann 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |              |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann 08/18/09 |
| Preferred Pro USB Fingerprint Keyboard  | 73P4730 | ann 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann 03/24/09 |

**Mouse**

|  |         |              |
|--|---------|--------------|
| Lenovo Optical Mouse (USB)               | 06P4069 | ann 05/21/03 |
| Lenovo Laser Mouse (USB)                 | 41U3074 | ann 01/23/07 |
| ThinkPad USB Laser Mouse                 | 57Y4635 | ann 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical) | 31P7405 | ann 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)     | 31P7410 | ann 06/04/02 |
| ThinkPad Bluetooth Laser Mouse           | 41U5008 | ann 01/22/08 |
| Lenovo Optical Mouse A6010 (black)       | 57Y6255 |              |
| Lenovo Mini Optical Mouse M20B           | 55Y2091 |              |
| Lenovo Wireless Mouse N30B (black)       | 55Y9360 |              |

**Security**

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Kensington® MicroSaver® Cable Lock  | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock     | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock          | 57Y4303 | ann 08/24/10 |
| USB Gemplus GemPC Smart Card Reader | 41N3040 | ann 02/21/06 |

**Multimedia**

|                            |         |              |
|----------------------------|---------|--------------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann 01/07/10 |
| Lenovo Mini Speaker M220   | 55Y2033 |              |
| Lenovo Headphone P550      | 55Y2065 |              |

**Modem**

|                      |         |              |
|----------------------|---------|--------------|
| USB 2.0 Lenovo Modem | 43R1814 | ann 02/26/08 |
|----------------------|---------|--------------|

**Batteries<sup>37</sup>**

|   |         |              |
|---|---------|--------------|
| ThinkPad Battery 25 (4-cell)                    | 51J0498 | ann 10/22/09 |
| ThinkPad Battery 25+ (6-cell)                   | 51J0499 | ann 10/22/09 |
| ThinkPad Battery 25++ (9-cell)                  | 51J0500 | ann 10/22/09 |
| ThinkPad External Battery Charger <sup>44</sup> | 40Y7625 | ann 09/20/05 |

<sup>44</sup> Requires the *ThinkPad 90W AC Adapter 40Y7659* or the adapter provided with the system.

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|  |         |              |
|--|---------|--------------|
| ThinkPad 65W AC Adapter <sup>45</sup>                              | 40Y7696 |              |
| <sup>45</sup> Only compatible with the integrated graphics models. |         |              |
| ThinkPad 90W AC Adapter  | 40Y7659 | ann 09/20/05 |
| Lenovo Power Hub   | 57Y4600 | ann 09/07/10 |
| 90W Ultraslim AC/DC Combo Adapter                                  | 41R4493 | ann 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

*Charging tips for 90W Ultraslim AC/DC Combo Adapter 41R4493*

|                                      |         |              |
|--------------------------------------|---------|--------------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)

**Carrying Cases**

|                              |         |              |
|------------------------------|---------|--------------|
| Up to 14" widescreen models: |         |              |
| ThinkPad 14W Case Sleeve     | 57Y4294 | ann 03/16/10 |

|                                 |         |              |
|---------------------------------|---------|--------------|
| Up to 15.4" widescreen models:  |         |              |
| ThinkPad 15W Case Sleeve        | 51J0477 | ann 08/18/09 |
| Lenovo Business Messenger Case  | 51J0475 | ann 08/18/09 |
| Lenovo Messenger Max            | 41U5253 | ann 05/01/07 |
| Lenovo Performance Backpack     | 41U5254 | ann 05/01/07 |
| ThinkPad Business Topload Case  | 43R2476 | ann 05/13/08 |
| ThinkPad Business Backpack      | 43R2482 | ann 05/13/08 |
| ThinkPad Deluxe Expander Case   | 43R2478 | ann 05/13/08 |
| ThinkPad Executive Leather Case | 43R2480 | ann 05/13/08 |

|                                    |         |              |
|------------------------------------|---------|--------------|
| Up to 15.6" widescreen models:     |         |              |
| Wenger Backpack for Lenovo         | 57Y4271 | ann 01/07/10 |
| Wenger Slim Case for Lenovo        | 57Y4272 | ann 01/07/10 |
| Wenger Deluxe Slim Case for Lenovo | 57Y4273 | ann 01/07/10 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)

**Monitors**

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann 09/17/08 |

**Monitor Accessories<sup>46</sup>**

|                                  |         |              |
|----------------------------------|---------|--------------|
| ThinkVision USB Soundbar         | 40Y7616 | ann 08/23/05 |
| ThinkVision Soundbar             | 45K1263 | ann 09/16/08 |
| Kensington MicroSaver Cable Lock | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock  | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock       | 57Y4303 | ann 08/24/10 |
| Lenovo Easy Reach Monitor Stand  | 55Y9258 | ann 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad SL accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)

Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

ThinkPad®



Lenovo® ThinkPad SL510



Lenovo ThinkPad SL510



Lenovo ThinkPad SL510



Lenovo ThinkPad SL510



Lenovo Essential Notebook Stand  
45J9292



ThinkPad SL510 Touchpad

# ThinkPad® SL510 2847 (GMA) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | proc-<br>essor | GHz  | Memory | Wide-<br>screen<br>display | CCFL<br>or<br>LED | Screen<br>type | Cam-<br>era | Inte-<br>grated<br>graphics | Disk<br>SATA<br>GB <sup>8</sup> rpm | SATA<br>optical | Mini PCIe<br>802.11<br>wireless | Mini PCIe<br>WWAN        | Finger<br>Blue-<br>tooth<br>reader | Bat-<br>tery<br>cells | Preload | Avail<br>date |
|------------|----------------|------|--------|----------------------------|-------------------|----------------|-------------|-----------------------------|-------------------------------------|-----------------|---------------------------------|--------------------------|------------------------------------|-----------------------|---------|---------------|
| ☞ 2847-2KU | T5870          | 2.00 | 2GB    | 15.6"                      | HD                | LED            |             | GMA                         | 160G 5400                           | DVD±RW *        | Intel 5100 <sup>28</sup>        |                          |                                    | 6                     | Pro 32  | Oct 09        |
| ☞ 2847-2LU | T5870          | 2.00 | 4GB    | 15.6"                      | HD                | LED            | 2.0M        | GMA                         | 250G 5400                           | DVD±RW *        | Intel 5100                      |                          | Blue                               | 6                     | Home P  | Oct 09        |
| ☞ 2847-2QU | P8700          | 2.53 | 4GB    | 15.6"                      | HD                | LED            | 2.0M        | GMA                         | 320G 5400                           | DVD±RW *        | Intel 5100                      |                          | Blue                               | 6                     | Pro 64  | Oct 09        |
| ☞ 2847-6GU | T6670          | 2.20 | 2GB    | 15.6"                      | HD                | LED            | 2.0M        | GMA                         | 250G 5400                           | DVD±RW *        | WiMAX                           |                          |                                    | 6                     | Pro 32  | Nov 09        |
| ☞ 2847-6HU | T6670          | 2.20 | 3GB    | 15.6"                      | HD                | LED            | 2.0M        | GMA                         | 250G 5400                           | DVD±RW *        | Intel 5100                      | Verizon <sup>16</sup>    |                                    | 6                     | Pro 32  | Nov 09        |
| ☞ 2847-9VU | T6570          | 2.10 | 4GB    | 15.6"                      | HD                | LED            | Glossy      | 2.0M                        | GMA                                 | 320G 7200       | DVD±RW *                        | Intel 1000 <sup>28</sup> | Blue                               | 6                     | Home P  | Jan 10        |
| ☞ 2847-9YU | T6670          | 2.20 | 4GB    | 15.6"                      | HD                | LED            | 2.0M        | GMA                         | 320G 7200                           | DVD±RW *        | Intel 1000                      |                          | Blue                               | 6                     | Pro 64  | Jan 10        |
| ☞ 2847-9UU | T6570          | 2.10 | 2GB    | 15.6"                      | HD                | LED            | 2.0M        | GMA                         | 250G 5400                           | DVD±RW *        | Intel 1000                      |                          | Blue                               | 6                     | Pro 32  | Jan 10        |
| ☞ 2847-9XU | T6570          | 2.10 | 3GB    | 15.6"                      | HD                | LED            | 2.0M        | GMA                         | 320G 7200                           | DVD±RW *        | Intel 1000                      |                          |                                    | 6                     | Pro 32  | Jan 10        |
| ☞ 2847-9ZU | T6670          | 2.20 | 3GB    | 15.6"                      | HD                | LED            | 2.0M        | GMA                         | 320G 7200                           | DVD±RW *        | Intel 1000                      | AT&T <sup>23</sup>       |                                    | 6                     | Pro 32  | Jan 10        |
| ☞ 2847-AZU | T6570          | 2.10 | 2GB    | 15.6"                      | HD                | LED            | Glossy      | 2.0M                        | GMA                                 | 250G 5400       | DVD±RW *                        | Intel 1000               |                                    | 6                     | Home P  | Apr 10        |
| ☞ 2847-CZU | T6670          | 2.20 | 2GB    | 15.6"                      | HD                | LED            | 0.3M        | GMA                         | 250G 5400                           | DVD±RW *        | Intel 1000                      |                          |                                    | 6                     | Pro 64  | Sep 10        |
| ☞ 2847-D2U | T6670          | 2.20 | 3GB    | 15.6"                      | HD                | LED            | 0.3M        | GMA                         | 500G 7200                           | DVD±RW *        | Intel 1000                      |                          |                                    | 6                     | Pro 64  | Sep 10        |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |
|--|--|--|
| Processor  | Intel® Core™ 2 Duo processor T5870, T6570, or T6670 with dual-core, 800MHz system bus, and 2MB L2 cache or Intel Core 2 Duo processor P8700 with dual-core, Intel HD Boost, 1066MHz system bus, and 3MB L2 cache   | Preloaded operating system <sup>20</sup><br>- Some: Genuine Windows® 7 Home Premium 64<br>- Some: Genuine Windows 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64   |
| Memory   | 2GB, 3GB, or 4GB std / 8GB max <sup>7</sup> / PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available   | Preloaded applications <sup>14</sup> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• Fingerprint Software (fingerprint models)<br>• ThinkVantage Toolbox<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Microsoft Research AutoCollage Touch<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW) |
| SATA DVD±RW<br>SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br>160GB <sup>8</sup> (5400 rpm), 250GB (5400 rpm), 320GB (5400 or 7200 rpm), or 500GB (7200 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable, ThinkPad Shock Mounted Hard Drive, Active Protection System™   |  |
| Widescreen display   | Some: 15.6" (395mm) HD (1366x768) color, anti-glare, LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Some: 15.6" (395mm) HD (1366x768) color, VibrantView (glossy), LED backlight, 220 nits, 16:9 aspect ratio, 500:1 contrast ratio   |  |
| Camera   | Some: camera on top of screen, 0.3-megapixel or 2.0-megapixel, fixed focus   |  |
| Integrated graphics  | Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD), in GM45, HDMI port supporting HDCP to output protected content<br>Max external resolution: 2048x1536@75Hz (VGA DB-15 port); 1920x1080 (HDMI port)  |  |
| Keyboard<br>TrackPoint®<br>Touch pad   | 6-row, ThinkVantage button, spill-resistant, multimedia Fn keys, Windows and App keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™,<br>wide touch pad below keyboard, Tap Zones, scrolling regions label, multi-touch<br>Illuminated power button   |  |
| Lighting FX  |  |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case<br>Battery - type <sup>37</sup><br>Battery - life <sup>10</sup>           | 4/6-cell 15.6W" (WxDxH): 14.9" x 9.72" x 1.26–1.42"; 380 x 247mm x 32–36mm<br>4-cell: starting at 5.17 lb (2.35kg); 6-cell: starting at 5.64 lb (2.56kg)<br>Color: ThinkPad Matte Black; Material: Scratch-resistant ABS plastic<br>Lithium Ion 6-cell<br>6-cell: up to 4.0 hr; 9-cell: up to 6 hr   | Supports ThinkVantage® technologies  |
| Chipset  | Mobile Intel GM45 Express Chipset (Graphics Memory Controller Hub), ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3, ethernet MAC), LPC bus (IT8752)<br>One slot (ExpressCard/34)   | 65-watt (GMA graphics) AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support during the warranty period <sup>12</sup><br>via 800-426-7378  |
| ExpressCard<br>Multicard reader<br>PC Card<br>Smart Card read<br>Ports   | 7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>None<br>None<br>Three USB 2.0, one eSATA/USB combo port, external monitor (VGA DB-15, HDMI), ethernet (RJ-45)   |  |
| Mini PCI Express<br>Intel 1000 <sup>28</sup><br>Intel 5100 <sup>28</sup><br>WiMAX<br>Verizon <sup>16</sup><br>AT&T <sup>23</sup> | One or two Mini PCI Express slots<br>Some: 11b/g/n wireless <sup>4</sup> , Mini PCIe adapter, Intel Centrino® Wireless-N 1000, 1x2<br>Some: 11a/b/g/n wireless, Mini PCIe adapter, Intel WiFi Link 5100, 1x2 (Shirley Peak)<br>Some: 11a/b/g/n and WiMAX wireless, Mini PCIe adap, Intel WiMAX/WiFi Link 5150, 1x2 (300Mbps) WiFi + 1x2 WiMAX (Echo Peak)<br>Some: Wireless WAN, Qualcomm Gobi 1000 chipset, Mini PCIe adpdr, EV-DO Rev. A, GPRS/WCDMA/HSPA, GPS, service contract required with Verizon®<br>Some: Wireless WAN, Ericsson chipset, Mini PCIe adapter and SIM, GPRS/WCDMA/HSPA, GPS, service contract required with AT&T® | ThinkPlus™.22 1-year LOR <sup>24</sup> 9x5 NBD<br>45K5968<br>ThinkPlus 2-year LOR 9x5 NBD<br>45K5969<br>ThinkPlus 3-year LOR 9x5 NBD<br>45K5970<br>ThinkPlus 4-year LOR 9x5 NBD<br>45K5973<br>ThinkPlus 5-year LOR 9x5 NBD<br>45K5975<br>ThinkPlus 2-year P&L P/U Depot<br>45K5971<br>ThinkPlus 3-year P&L P/U Depot<br>45K5972<br>ThinkPlus 4-year P&L P/U Depot<br>45K5974<br>ThinkPlus 5-year P&L P/U Depot<br>45K5976<br>Post-warranty annual maintenance agreements at<br>lenovo.com/thinkplus/warranty   |
| Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support  | None<br>Some: Bluetooth 2.1 wireless, LED indicator<br>Realtek® RTL8111DL Gigabit Network Connection, PHY, PCIe x1<br>None<br>High Definition (HD) Audio, ALC269Q codec / stereo speakers, 1.5 watt / speaker volume up, down and mute buttons / mono microphone, mic mute button, mic input jack, headphone jack<br>Power-on password, hard disk password, supervisor password, security keyhole  |  |
| Security<br>Security chip<br>Fingerprint reader  | None<br>None<br>Some: Fingerprint reader on palm rest, swipe sensor  |  |
| Limited warranty <sup>12</sup>   | 1-year - depot repair service / service upgrades <sup>22</sup> available   |  |

See footnotes for important warranty information

\* Intel Centrino® processor technology  
☞ US models announced September 28, 2010;  
previous models on October 22, November 17, or December 15, 2009, or April 6, 2010

☞ US models withdrawn effective February or December 2010 or January 2011

© Lenovo  
(TOP1-3) October 2010

| Type-model | proc-<br>essor | GHz  | Memory | Wide-<br>screen<br>display | CCFL<br>or<br>LED | Cam-<br>era | Inte-<br>grated<br>graphics | Disk<br>SATA<br>GB <sup>8</sup> rpm | SATA<br>optical | Mini PCIe<br>802.11<br>wireless | Mini PCIe<br>WWAN | Blue-<br>tooth | Finger<br>print<br>reader | Bat-<br>tery<br>cells | Preload | Avail<br>date |
|------------|----------------|------|--------|----------------------------|-------------------|-------------|-----------------------------|-------------------------------------|-----------------|---------------------------------|-------------------|----------------|---------------------------|-----------------------|---------|---------------|
| 2847-DJU   | T6670          | 2.20 | 4GB    | 15.6" HD                   | LED               | 0.3M        | GMA                         | 500G 7200                           | DVD±RW          | * 11n <sup>28</sup>             | None              | None           | None                      | 6                     | Home P  | Jan 11        |
| 2847-DKU   | T6670          | 2.20 | 2GB    | 15.6" HD                   | LED               | 0.3M        | GMA                         | 250G 5400                           | DVD±RW          | * Intel 1000 <sup>28</sup>      | None              | None           | None                      | 6                     | Home P  | Jan 11        |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|  |  |  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|--|
| Processor  | <b>Intel® Core™ 2 Duo processor T6670</b> with dual-core, 800MHz system bus, and 2MB L2 cache  |  |  |  |  |  |  |  |  |  |  | <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7<br>Home Premium 64   |  |  |  |  |
| Memory   | <b>2GB</b> or <b>4GB</b> std / 8GB max <sup>7</sup> / PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SO-DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |  |  |  |  |  |  |  |  |  |  | <b>Preloaded applications<sup>14</sup></b> (only some listed)<br>• Rescue and Recovery™<br>• Access Connections™<br>• Password Manager<br>• ThinkVantage Power Manager<br>• ThinkVantage System Update<br>• ThinkVantage Toolbox<br>• Adobe® Reader®<br>• Adobe Flash® Player<br>• Skype™ for Windows<br>• Microsoft Office 2010 preloaded; purchase product key to activate<br>• Roxio® Creator® Business Edition (DVD±RW)<br>• Roxio MyDVD® (DVD±RW)<br>• Corel® WinDVD® (DVD±RW) |  |  |  |  |
| SATA DVD±RW<br>SATA disk   | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable, tray-in<br><b>250GB<sup>8</sup></b> (5400 rpm) or <b>500GB</b> (7200 rpm) /<br>SATA 3.0Gb/s, 2.5" wide, 9.5mm high, removable, upgradable,<br>ThinkPad Shock Mounted Hard Drive, Active Protection System™  |  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Widescreen<br>display<br>Camera  | <b>15.6"</b> (395mm) <b>HD (1366x768) color</b> , anti-glare,<br><b>LED backlight</b> , 220 nits, 16:9 aspect ratio, 500:1 contrast ratio<br>Camera on top of screen, 0.3-megapixel, fixed focus   |  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Integrated<br>graphics   | <b>Intel Graphics Media Accelerator 4500MHD (GMA 4500MHD)</b> , in GM45,<br>HDMI port supporting HDCP to output protected content<br><i>Max external resolution:</i> 2048x1536@75Hz (VGA DB-15 port); 1920x1080 (HDMI port)  |  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Keyboard<br>TrackPoint®<br>Touch pad   | 6-row, ThinkVantage button, spill-resistant, multimedia Fn keys, Windows and App keys<br>TrackPoint® pointing device, Internet Scroll Bar <sup>13</sup> , magnifying glass<br>UltraNav™,<br>wide touch pad below keyboard, Tap Zones, scrolling regions label, multi-touch   |  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Lighting FX  | Illuminated power button   |  |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies   |  |  |  |  |
| Dimensions <sup>3</sup><br>Weight <sup>2</sup><br>Case<br>Battery - type <sup>37</sup><br>Battery - life <sup>10</sup>                         | <i>4/6-cell 15.6W" (WxDxH):</i> 14.9" x 9.72" x 1.26–1.42"; 380 x 247mm x 32–36mm<br><i>4-cell:</i> starting at 5.17 lb (2.35kg); <i>6-cell:</i> starting at 5.64 lb (2.56kg)<br><i>Color:</i> ThinkPad Matte Black; <i>Material:</i> Scratch-resistant ABS plastic<br>Lithium Ion <b>6-cell</b><br><i>6-cell:</i> up to 4.0 hr; <i>9-cell:</i> up to 6 hr   |  |  |  |  |  |  |  |  |  |  | 65-watt (GMA graphics) AC adapter<br>EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>RoHS-compliant<br>International Warranty Service <sup>17</sup><br>24 hour x 7 day <sup>18</sup> toll-free support<br>during the warranty period <sup>12</sup><br>via 800-426-7378  |  |  |  |  |
| Chipset  | <b>Mobile Intel GM45 Express Chipset</b> (Graphics Memory Controller Hub),<br>ICH9M I/O Controller Hub (SATA 3.0Gb/s, USB 2.0, PCI Express® 1.1, PCI 2.3,<br>ethernet MAC), LPC bus (IT8752)   |  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| ExpressCard<br>Multicard reader<br>PC Card<br>Smart Card read<br>Ports   | One slot (ExpressCard/34)<br>7-in-1 reader (MMC, Memory Stick, Mem Stick Pro, SD, SDHC, XD, XD Type H)<br>None<br>None<br>Three USB 2.0, one eSATA/USB combo port, external monitor (VGA DB-15, HDMI),<br>ethernet (RJ-45)   |  |  |  |  |  |  |  |  |  |  | ThinkPlus™, 22 1-year LOR <sup>24</sup> 9x5 NBD<br>45K5968<br>ThinkPlus 2-year LOR 9x5 NBD<br>45K5969<br>ThinkPlus 3-year LOR 9x5 NBD<br>45K5970<br>ThinkPlus 4-year LOR 9x5 NBD<br>45K5973<br>ThinkPlus 5-year LOR 9x5 NBD<br>45K5975<br>ThinkPlus 2-year P&L P/U Depot<br>45K5971<br>ThinkPlus 3-year P&L P/U Depot<br>45K5972<br>ThinkPlus 4-year P&L P/U Depot<br>45K5974<br>ThinkPlus 5-year P&L P/U Depot<br>45K5976  |  |  |  |  |
| Mini PCI Express<br>11n <sup>28</sup><br>Intel 1000 <sup>28</sup><br>WWAN upg<br>Modem<br>Bluetooth™<br>Ethernet<br>Intel AMT<br>Audio support | One Mini PCI Express slot<br><i>Some:</i> 11b/g/n wireless <sup>4</sup> , Mini-PCIe Adapter II<br><i>Some:</i> 11b/g/n wireless, Mini PCIe adapter, Intel Centrino® Wireless-N 1000, 1x2<br>None<br>None<br>None<br>None<br>Realtek® RTL8111DL Gigabit Network Connection, PHY, PCIe x1<br>None<br>High Definition (HD) Audio, ALC269Q codec / stereo speakers, 1.5 watt /<br>speaker volume up, down and mute buttons /<br>mono microphone, mic mute button, mic input jack, headphone jack<br>Power-on password, hard disk password, supervisor password, security keyhole |  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Security<br>Security chip<br>Fingerprint reader  | None<br>None<br>None   |  |  |  |  |  |  |  |  |  |  |   |  |  |  |  |
| Limited warranty <sup>12</sup>   | <b>1-year</b> - depot repair service / service upgrades <sup>22</sup> available  |  |  |  |  |  |  |  |  |  |  | agreements at<br><b>lenovo.com/thinkplus/warranty</b>   |  |  |  |  |

See footnotes for important warranty information  
US models announced January 11, 2011

\* Intel Centrino® processor technology  
✦ Intel Centrino 2 processor technology

© Lenovo  
(TOP1-4) January 2011

**Memory**

|  |         |     |          |
|--|---------|-----|----------|
| 1GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3706 | ann | 06/23/09 |
| 1GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4385 | ann | 06/23/09 |
| 2GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3707 | ann | 06/23/09 |
| 2GB PC3-8500 DDR3 L-H SODIMM (25-Pack) | 57Y4386 | ann | 06/23/09 |
| 4GB PC3-8500 DDR3 Low-Halogen SODIMM   | 55Y3708 | ann | 06/23/09 |

**Storage and removable storage**

|   |         |     |          |
|---|---------|-----|----------|
| SL410/510 500GB Disk SATA 3G/s (5400 rpm) | 43N3422 | ann | 10/22/09 |
| USB 2.0 Portable 320GB Hard Disk          | 45K1689 | ann | 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk          | 45K1690 | ann | 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk   | 43R2018 | ann | 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk   | 43R2019 | ann | 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive     | 57Y4400 | ann | 01/07/10 |
| USB 2.0 Portable DVD Burner               | 43N3264 | ann | 01/05/10 |

**ThinkPad Expansion**

|  |         |     |          |
|--|---------|-----|----------|
| Lenovo® Essential Notebook Stand       | 45J9292 | ann | 05/12/09 |
| USB Port Replicator with Digital Video | 45K1610 | ann | 07/28/09 |

**Keyboard**

|   |         |     |          |
|---|---------|-----|----------|
| TrackPoint Cap Collection   | 73P2698 | ann | 12/16/03 |
| USB Numeric Keypad  | 33L3225 | ann | 05/01/00 |
| Preferred Pro USB Keyboard  | 73P5220 | ann | 06/21/05 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann | 03/23/04 |
| Lenovo Mini Wireless Keyboard N5901 <sup>52</sup> (blk)                       | 57Y6336 |     |          |
| Ultraslim Wireless Keyboard and Mouse <sup>52</sup>                           | 57Y4700 | ann | 09/15/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |     |          |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann | 08/18/09 |
| Preferred Pro USB Fingerprint Keyboard  | 73P4730 | ann | 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann | 03/24/09 |

**Mouse**

|  |         |     |          |
|--|---------|-----|----------|
| Lenovo Optical Mouse (USB)               | 06P4069 | ann | 05/21/03 |
| Lenovo Laser Mouse (USB)                 | 41U3074 | ann | 01/23/07 |
| ThinkPad USB Laser Mouse                 | 57Y4635 | ann | 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical) | 31P7405 | ann | 08/27/02 |
| ThinkPad Travel Mouse (USB, Optical)     | 31P7410 | ann | 06/04/02 |
| ThinkPad Bluetooth Laser Mouse           | 41U5008 | ann | 01/22/08 |
| Lenovo Optical Mouse A6010 (black)       | 57Y6255 |     |          |
| Lenovo Mini Optical Mouse M20B           | 55Y2091 |     |          |
| Lenovo Wireless Mouse N30B (black)       | 55Y9360 |     |          |

**Security**

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Kensington® MicroSaver® Cable Lock  | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock     | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock          | 57Y4303 | ann | 08/24/10 |
| USB Gemplus GemPC Smart Card Reader | 41N3040 | ann | 02/21/06 |

**Multimedia**

|                            |         |     |          |
|----------------------------|---------|-----|----------|
| ThinkPad In-Ear Headphones | 57Y4488 | ann | 01/07/10 |
| Lenovo Mini Speaker M220   | 55Y2033 |     |          |
| Lenovo Headphone P550      | 55Y2065 |     |          |

**Modem**

|                      |         |     |          |
|----------------------|---------|-----|----------|
| USB 2.0 Lenovo Modem | 43R1814 | ann | 02/26/08 |
|----------------------|---------|-----|----------|

**Batteries<sup>37</sup>**

|   |         |     |          |
|---|---------|-----|----------|
| ThinkPad Battery 25 (4-cell)                    | 51J0498 | ann | 10/22/09 |
| ThinkPad Battery 25+ (6-cell)                   | 51J0499 | ann | 10/22/09 |
| ThinkPad Battery 25++ (9-cell)                  | 51J0500 | ann | 10/22/09 |
| ThinkPad External Battery Charger <sup>44</sup> | 40Y7625 | ann | 09/20/05 |

<sup>44</sup> Requires the *ThinkPad 90W AC Adapter* 40Y7659 or the adapter provided with the system.

More information at [www.lenovo.com/alldaycomputing](http://www.lenovo.com/alldaycomputing)

|  |         |     |          |
|--|---------|-----|----------|
| ThinkPad 65W AC Adapter <sup>45</sup>                              | 40Y7696 |     |          |
| <sup>45</sup> Only compatible with the integrated graphics models. |         |     |          |
| ThinkPad 90W AC Adapter  | 40Y7659 | ann | 09/20/05 |
| Lenovo Power Hub   | 57Y4600 | ann | 09/07/10 |
| 90W Ultraslim AC/DC Combo Adapter                                  | 41R4493 | ann | 09/22/09 |

More info at [www.lenovo.com/support/poweradapters](http://www.lenovo.com/support/poweradapters)

*Charging tips for 90W Ultraslim AC/DC Combo Adapter 41R4493*

|                                      |         |     |          |
|--------------------------------------|---------|-----|----------|
| • iPod and iPhone Charge Tip (L10a)  | 41R4481 | ann | 12/18/07 |
| • Generic Micro USB charge tip (L18) | 41R4490 | ann | 01/06/09 |

More information at [www.lenovopowertips.com](http://www.lenovopowertips.com)

**Carrying Cases**

*Up to 15.6" widescreen models:*

|                                |         |     |          |
|--------------------------------|---------|-----|----------|
| ThinkPad 15W Case Sleeve       | 51J0477 | ann | 08/18/09 |
| Lenovo Business Messenger Case | 51J0475 | ann | 08/18/09 |
| Lenovo Messenger Max           | 41U5253 | ann | 05/01/07 |
| Lenovo Performance Backpack    | 41U5254 | ann | 05/01/07 |
| ThinkPad Business Backpack     | 43R2482 | ann | 05/13/08 |

More information at [www.lenovo.com/support/cases](http://www.lenovo.com/support/cases)

**Monitors**

|                                     |         |     |          |
|-------------------------------------|---------|-----|----------|
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann | 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann | 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann | 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann | 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann | 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann | 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann | 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann | 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann | 09/17/08 |

**Monitor Accessories<sup>46</sup>**

|                                  |         |     |          |
|----------------------------------|---------|-----|----------|
| ThinkVision USB Soundbar         | 40Y7616 | ann | 08/23/05 |
| ThinkVision Soundbar             | 45K1263 | ann | 09/16/08 |
| Kensington MicroSaver Cable Lock | 73P2582 | ann | 12/29/03 |
| Kensington Twin Head Cable Lock  | 45K1620 | ann | 09/30/08 |
| Lenovo Security Cable Lock       | 57Y4303 | ann | 08/24/10 |
| Lenovo Easy Reach Monitor Stand  | 55Y9258 | ann | 09/22/09 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on ThinkPad SL accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/notebookaccessories](http://www.lenovo.com/support/notebookaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)

Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

**Availability:** All offers subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo is not responsible for photographic or typographic errors.

**Warranty:** For a copy of applicable product warranties, write to: Warranty Information, P.O. Box 12195, RTP, NC, 27709, Attn: Dept ZPYA/B676. Lenovo makes no representation or warranty regarding third party products or services.

**Footnotes:**

<sup>1</sup> Power management, including Intel® SpeedStep® Technology, reduces processor speed when in battery mode.

<sup>2</sup> **Weight** includes battery and standard optical drive; weight may vary due to vendor components, manufacturing process and options.

<sup>3</sup> **Thinness** may vary at certain points on the system.

<sup>4</sup> **Wireless capability:** Requires compatible wireless-enabled options sold separately.

<sup>6</sup> **Public network download modem speeds** are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.

<sup>7</sup> **Maximum memory capacity** may require the replacement of standard component with largest supported component available. On ThinkPad systems, even though it is possible to physically install 4GB of memory, the actual amount of memory addressable by a 32-bit operating system will be limited to 3GB. This limitation does not exist with 64-bit operating systems.

<sup>8</sup> **Hard drive:** GB = billion bytes, TB = trillion bytes. Accessible capacity is less; up to 4GB is service partition.

<sup>10</sup> **Battery:** These model numbers achieved the battery life based on MobileMark® 2007 during testing. Battery life (and recharge times) will vary based on many factors including screen brightness, applications, features, power management, battery conditioning, and other customer preferences.

<sup>12</sup> **Limited warranty:** Support unrelated to a warranty issue may be subject to additional charges.

<sup>13</sup> **Internet access not included.**

<sup>14</sup> **Included software** may differ from its retail version (if available), and may not include user manuals or all program functionality. Software license agreements may apply.

<sup>16</sup> **Activating Verizon Wireless Service:** Lenovo customers will be contacted after purchase to activate service; requires separate agreement with Verizon Wireless and is subject to the Customer Agreement, Calling Plan, and credit approval. Service, airtime, and early termination charges may apply. Verizon Wireless, not Lenovo, is solely responsible for service. Service not available in all areas; purchaser is responsible for verifying that service is available for the intended location before purchasing a computer equipped with WAN card. Network details, coverage limitations, and maps at [www.verizonwireless.com](http://www.verizonwireless.com).

<sup>17</sup> **International Warranty Service** is available in any country in which this product is sold and serviced. Service delivery methods and parts availability vary by country, may be different from that in the country of purchase, and are subject to change without notice. Fees and restrictions may apply in some countries.

<sup>18</sup> **Telephone support** may be subject to additional charges, even during the limited warranty period. Response times may vary. May exclude some holidays. If a machine is listed as having "On-site service for select repairs", this means that onsite service is available only for the replacement of select parts. For all other warranty repairs, Lenovo will provide the customer a replacement part for customer installation. The parts for which onsite service is available varies by machine, but may include the processor, power supply, heat sink, system board, or base cover. For ThinkPad notebooks with EasyServ or Courier service, Lenovo will attempt to diagnose and resolve the problem remotely before sending a courier.

<sup>19</sup> **EasyServ depot repair service:** In the United States call 1-800-426-7378. The customer may be asked certain diagnostic questions before a courier is sent. Your ThinkPad purchase includes this depot repair service, available in the U.S. during the limited warranty period.

<sup>20</sup> **Operating System:** Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to [lenovo.com/pc/support](http://lenovo.com/pc/support) and enter your machine type and model number for more information.

<sup>22</sup> **ThinkPlus Services:** These services are available for machines normally used for business, professional, or trade purposes, rather than personal, family, or household purposes. Not all machine types and models are covered. Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees. If the machine problem turns out to be a Customer Replaceable Unit (CRU), a part will be express shipped to you for quick replacement. Onsite 24x7x2-hour service is not available in all locations. For ThinkPad notebooks requiring LCD or other component replacement, Lenovo may choose to perform service at the depot repair center. Calls must be received by 5 pm local time in order to qualify for Next Business Day service. P&L means parts and labor. P/U means pick-up. See ThinkPlus terms and conditions for complete details and restrictions.

<sup>23</sup> **Activating AT&T Wireless Service:** Requires separate agreement with AT&T, subject to service agreement, rate plan and coverage maps. AT&T, not Lenovo, is solely responsible for service. Coverage not available in all areas; AT&T BroadbandConnect available in select metropolitan markets. Special credit and tenure restrictions and additional charges may apply to international roaming. A network connection, third-party software, additional hardware, and/or subscription to a third-party service may be required for certain solutions/applications. Additional restrictions apply, including early termination fee; see [www.wireless.att.com](http://www.wireless.att.com) for details. To activate call Lenovo Wireless Activation Hot Line at 1-877-299-4710.

<sup>24</sup> **Limited onsite service systems** are designed to be repaired during the applicable warranty period primarily with customer-replaceable parts provided by Lenovo. Lenovo will only send a technician onsite to perform a repair if (a) remote telephone diagnosis and/or customer part replacement are unable to resolve the problem, or (b) the part is one of the few designated by Lenovo for onsite replacement. For a list of onsite replaceable parts, contact Lenovo. In the United States call 1-800-426-7378. Support unrelated to a warranty issue may be subject to additional charges. Lenovo onsite repair (LOR), 8 am to 5 pm, Monday through Friday coverage excluding holidays, next business day (NBD) response time.

<sup>27</sup> **Based on IEEE 802.11a and 802.11b.** A customer can not upgrade to a different wireless Mini PCI adapter due to FCC regulations. Security screws prevent removal of this adapter. This wireless LAN product has been designed to permit legal operation world-wide in regions which it is approved. This product has been tested and certified to be interoperable by the Wireless Ethernet Compatibility Alliance and is authorized to carry the Wi-Fi logo.

<sup>28</sup> **The IEEE 802.11n specification (MIMO)** has been finalized and is currently in IEEE 802.11n-2009 release. The maximum speed depends on the access point device and the number of integrated antenna used for connection. An adapter with 11a/b, 11a/b/g, 11b/g/n, or 11a/b/g/n can communicate on any of its supported formats.

<sup>30</sup> **Measures only maximum** data transfer rate, not application performance. Many factors affect application performance.

<sup>32</sup> **Wireless:** Based on IEEE 802.11a, 802.11b, and 802.11g respectively. An adapter with 11a/b, 11b/g, or 11a/b/g can communicate on either/any of these listed formats respectively, the actual connection will be based on the access point to which it connects.

<sup>35</sup> **Operating system:** Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to [lenovo.com/think/support](http://lenovo.com/think/support) and enter your machine type and model number for more information.

<sup>37</sup> **Battery:** The ThinkPad Edge and ThinkPad SL series do not support batteries that are not genuine Lenovo-made or authorized. These systems will continue to boot, but may not charge unauthorized batteries.

**Warning:** Lenovo has no responsibility for the performance or safety of unauthorized batteries, and provides no warranties for failures or damage arising out of their use.

This publication was developed for products and services offered in the United States. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications or other product information without notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS," WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions, therefore this disclaimer may not apply to you.



**Trademarks:** Lenovo, the Lenovo logo, New World, New Thinking., Access Connections, Active Protection System, Rescue and Recovery, ThinkPad, ThinkVantage, ThinkVision, ThinkPlus, ThinkCentre, TrackPoint, UltraConnect, UltraNav, and Ultrabay are trademarks or registered trademarks of Lenovo. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. Any use of such marks by Lenovo is under license. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside logo, Intel Core and Core Inside, Intel Centrino logo, Pentium, Celeron and Intel SpeedStep are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. Cisco and Aironet are registered trademarks of Cisco Corporation. Linux is a trademark of Linus Torvalds in the United States, other countries, or both. Other company, product and service names may be trademarks or service marks of others.

Visit [www.lenovo.com/safecomputing](http://www.lenovo.com/safecomputing) periodically for the latest information on safe and effective computing.

Visit [www.lenovo.com/psref](http://www.lenovo.com/psref) for the latest version of Personal Systems Reference.

© Lenovo, 2011.  
All rights reserved.

Lenovo  
1009 Think Place  
Morrisville, NC 27560  
U.S.A.

January 2011  
slbook.pdf



# *Personal Systems Reference*

## *Lenovo® ThinkCentre TopSeller™ Desktops*

*January 2011 - Version 391*




Lenovo ThinkCentre M90/M90p  
(Eco Ultra Small, Small, Tower Form Factors)

Visit [www.lenovo.com/psref](http://www.lenovo.com/psref) for the latest version



Kensington® MicroSaver® Cable Lock  
73P2582  
Kensington Twin Head Cable Lock  
45K1620



1GB PC3-8500 DDR3 UDIMM 45J5434  
2GB PC3-8500 DDR3 UDIMM 45J5435  
1GB PC3-8500 DDR3 Low-Halogen SODIMM 55Y3706  
2GB PC3-8500 DDR3 Low-Halogen SODIMM 55Y3707  
(UDIMM for SFF, Tower only; SODIMM for Eco USFF only)



NVIDIA® GeForce® 310 DMS59 (2-DVI, 2-VGA)  
57Y4167



Lenovo® USB-to-DVI Monitor Adapter  
45K5296



Ultralim Wireless Keyboard and Mouse  
57Y4700



Lenovo Laser Mouse (USB)  
41U3074



Lenovo ThinkCentre M58 Eco Ultra Small



Lenovo ThinkCentre M58 Eco Ultra Small  
with dual Lenovo ThinkVision monitors



Lenovo ThinkCentre M58 Small



Lenovo ThinkCentre M58 Small  
with Lenovo ThinkVision monitor



Lenovo ThinkCentre M58 Tower



Lenovo ThinkCentre M58 Tower  
with dual Lenovo ThinkVision monitors

# ThinkCentre® M58 Eco Ultra Small (8820) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Name | Type-model | Slot x bay | Processor        | GHz  | Cores | Memory <sup>a</sup> | SATA disk          | SATA optical | Graphics | Monitor conn | DisplayPort dongle | ENERGY STAR 5.0 | Intel vPro | Win7 preload | Global Educ | Avail date |        |
|------|------------|------------|------------------|------|-------|---------------------|--------------------|--------------|----------|--------------|--------------------|-----------------|------------|--------------|-------------|------------|--------|
| M58  | 8820-AQU   | 1x2        | Core 2 Duo E7500 | 2.93 | 2     | 2GB                 | 250GB <sup>b</sup> | DVD±RW       | GMA      | VGA, DP      | None               | ES50            | None       | Pro          | 32          | None       | Jan 10 |

- **This small and medium business (SMB) model is part of the US TopSeller™ Program**
- **This model has a 3-year limited warranty<sup>1</sup>**
- **This system is Microsoft® Office 2010 Product Key Ready (O10PKR)**


|   |   |  |  |   |  |   |  |
|---|---|--|--|---|--|---|--|
| Positioning Processor   | Mainstream enterprise stability and manageability<br><b>Intel® Core™ 2 Duo Processor E7500</b> with dual-core, 1066MHz system bus, and 3MB L2 cache<br>Processor in LGA775 socket   |  |  | Eco Ultra Small   |  | <div><div>optical</div><div>disk</div></div>  |  |
| Implementation  | Processor in LGA775 socket  |  |  | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 3.5", 1" high, no access, std disk   |  |   |  |
| Memory  | 2GB std, 8GB max®, PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, two 204-pin SODIMM sockets (notebook);<br>Non-italics: standard memory in one socket; one socket available  |  |  | Slot 1: Low Profile, 32-bit PCI 2.3   |  |   |  |
| Graphics  | Intel Graphics Media Accelerator 4500 (GMA 4500), integrated graphics in Q45, uses main memory (up to 765MB), one analog VGA DB-15 connector, one DisplayPort™ connector (supports single-link DVI-D via cable 45J7915), HDCP, DirectX® 10, supports dual independent display |  |  | <ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 10.8" W X 9.4" D X 3.1" H</li><li>• 275mm W X 238mm D X 80mm H</li><li>• 9.2 lb (4.2 kg) in maximum configuration</li><li>• Hinged toolless cover for easy serviceability</li><li>• Toolless disk and optical drive removal</li><li>• Toolless systemboard retention</li><li>• System floor stand for vertical orientation</li></ul> |  |   |  |
| SATA disk   | 250GB, SATA 3.0Gb/s 7200 rpm, vibration dampening mounts  |  |  |   |  |   |  |
| SATA controller   | Serial ATA, SATA 3.0Gb/s, integrated in ICH10DO, RAID 0/1 support   |  |  |   |  |   |  |
| SATA DVD±RW   | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive   |  |  |   |  |   |  |
| SATA cables   | Two SATA cables (each 1-drop to device), two SATA connectors and one eSATA connector on planar  |  |  |   |  |   |  |
| eSATA port  | None  |  |  |   |  |   |  |
| Diskette drive  | None  |  |  |   |  |   |  |
| Media reader  | None  |  |  |   |  |   |  |
| Chipset   | Intel Q45 Express Chipset (PCI Express® 2.0 x16), I/O Controller Hub 10 Digital Office [ICH10DO] (SATA 3.0Gb/s with RAID 0/1 support, PCI Express x1, ethernet MAC, PCI 2.3, USB, LPC bus), SMSC® SCH5617 Super I/O   |  |  |   |  | Security <ul style="list-style-type: none"><li>• Security chip (see information on left)</li><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable)<ul style="list-style-type: none"><li>- security slot and cover release button are combined into one latch for improved chassis security</li></ul></li><li>• Power-on password</li><li>• Administrator password</li><li>• Hard disk password (user and master)</li><li>• Boot sequence control</li><li>• Boot without diskette, keyboard</li><li>• Individual USB port disablement</li></ul> |  |
| Front ports   | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |  |  |   |  |   |  |
| Rear ports  | Six USB 2.0, ethernet (RJ-45), monitor (VGA DB-15, DisplayPort)   |  |  |   |  |   |  |
| Internal connector  | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)   |  |  |   |  |   |  |
| Rear audio ports  | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone (stereo, 3.5mm)   |  |  |   |  |   |  |
| Audio   | High Definition (HD) Audio, Analog Devices AD1882 codec   |  |  |   |  |   |  |
| Speaker   | One internal speaker for business audio   |  |  |   |  |   |  |
| Ethernet  | Gigabit ethernet on planar, Intel 82567LM, Wake on LAN®, ASF2.0, DASH 1.0   |  |  |   |  |   |  |
| Intel AMT   | None  |  |  |   |  |   |  |
| Modem   | None  |  |  |   |  |   |  |
| Security chip   | Winbond® WPCT200 SafeKeeper™ Trusted Platform Module, TCG 1.2-compliant   |  |  |   |  |   |  |
| Keyboard  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo  |  |  |   |  | Supports ThinkVantage® technologies   |  |
| Mouse   | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo  |  |  |   |  |   |  |
| Power supply  | External AC/DC adapter, 130 watts, autosensing, 87% PSU   |  |  |   |  | EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>GREENGUARD® certified<br>RoHS-compliant   |  |
| Preloaded operating system <sup>20</sup>                            |   |  |  | Accessories   |  |   |  |
| - Genuine Windows® 7 Professional 32                                |   |  |  | 500GB SATA 3.0Gb/s Disk (7200 rpm)  |  | 43R1990   |  |
| Preloaded applications <sup>5</sup> (only some listed)              |   |  |  | 1TB SATA 3.0Gb/s Disk (7200 rpm)  |  | 45J7918   |  |
| • Rescue and Recovery™  |   |  |  | Super Multi-Burner DL DVD±RW SATA Drive   |  | 41N5620   |  |
| • Password Manager  |   |  |  | DisplayPort to Single-link DVI-D Cable  |  | 45J7915   |  |
| • ThinkVantage System Update  |   |  |  | DisplayPort to VGA Monitor Cable  |  | 57Y4393   |  |
| • ThinkVantage Power Manager  |   |  |  | Lenovo Vertical PC and Monitor Stand II   |  | 41R4474   |  |
| • ThinkVantage Toolbox  |   |  |  | ThinkCentre Ultra Small Under Desk Mount  |  | 40Y8625   |  |
| • Lenovo Online Data Backup   |   |  |  | More accessories on O-M58 sheet   |  |   |  |
| • Norton™ Internet Security 2011 (30 days of virus definitions)     |   |  |  | Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a>   |  |   |  |
| • Adobe® Reader®  |   |  |  | Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a>   |  |   |  |
| • Adobe Flash® Player   |   |  |  |   |  |   |  |
| • Microsoft Office 2010 preloaded; purchase product key to activate |   |  |  |   |  |   |  |
| • Roxio® Creator® Business Edition (DVD±RW)                         |   |  |  |   |  |   |  |
| • Roxio MyDVD® (DVD±RW)   |   |  |  |   |  |   |  |
|   |   |  |  |   |  | Limited Warranty <sup>1</sup>   |  |
|   |   |  |  |   |  | ➤ 3-year parts and labor  |  |
|   |   |  |  |   |  | ➤ International Warranty Service®   |  |
|   |   |  |  |   |  | ➤ Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts <sup>3</sup> , 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)  |  |
|   |   |  |  |   |  | ➤ Onsite service upgrade options (in eligible locations): <sup>7</sup>  |  |
|   |   |  |  |   |  | • 3-year LOR 9x5, 4 hour response (ThinkPlus™ part number 41C9192)  |  |
|   |   |  |  |   |  | • 3-year LOR 24x7, 4 hour response (ThinkPlus part number 41C9193)  |  |
|   |   |  |  |   |  | • 4-year LOR 9x5, Next Business Day (ThinkPlus part number 41C9194)   |  |
|   |   |  |  |   |  | • 4-year LOR 9x5, 4 hour response (ThinkPlus part number 41C9195)   |  |
|   |   |  |  |   |  | • 4-year LOR 24x7, 4 hour response (ThinkPlus part number 41C9196)  |  |
|   |   |  |  |   |  | ➤ ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a>  |  |
|   |   |  |  |   |  | ➤ Post warranty maintenance services available  |  |
|   |   |  |  |   |  | ➤ 24 hour x 7 day <sup>14</sup> toll-free support during the warranty period <sup>1</sup> via 800-426-7378  |  |

See footnotes for important warranty information  
US model announced January 12, 2010

© Lenovo  
(MLAN4-23) January 2010

| Name       | Type-model | Slot x bay | Processor         | GHz  | Cores | Memory <sup>6</sup> | SATA disk          | SATA optical | Graphics | Monitor conn | DisplayPort dongle | Intel vPro | Win7 preload | Global Educ | Avail date |
|------------|------------|------------|-------------------|------|-------|---------------------|--------------------|--------------|----------|--------------|--------------------|------------|--------------|-------------|------------|
| <b>M58</b> | 8910-AQU   | 2x3        | Pentium E5400     | 2.70 | 2     | 2GB                 | 250GB <sup>2</sup> | DVD±RW       | GMA      | VGA, DP      | None               | None       | Pro 32       | None        | Jan 10     |
| <b>M58</b> | 8910-B4U   | 2x3        | Pentium E5700     | 3.00 | 2     | 2GB                 | 250GB              | DVD±RW       | GMA      | VGA, DP      | None               | None       | Pro 32       | None        | Oct 10     |
| <b>M58</b> | 8910-ARU   | 2x3        | Core 2 Duo E7500  | 2.93 | 2     | 2GB                 | 250GB              | DVD±RW       | GMA      | VGA, DP      | None               | None       | Pro 32       | None        | Jan 10     |
| <b>M58</b> | 8910-AUU   | 2x3        | Core 2 Quad Q9500 | 2.83 | 4     | 4GB                 | 320GB              | DVD±RW       | GMA      | VGA, DP      | None               | None       | Pro 32       | None        | Mar 10     |
| <b>M58</b> | 8910-ASU   | 2x3        | Core 2 Duo E7500  | 2.93 | 2     | 4GB                 | 320GB              | DVD±RW       | GMA      | VGA, DP      | None               | None       | Pro 64       | None        | Mar 10     |

- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a 3-year limited warranty<sup>1</sup>**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

|                       |   |  |  |  |  |  |  |  |  |  |   |  |  |  |
|-----------------------|---|--|--|--|--|--|--|--|--|--|---|--|--|--|
| Positioning Processor | <b>Mainstream enterprise stability and manageability</b><br><b>Intel® Pentium® Processor E5400 or E5700 with dual-core,</b> 800MHz system bus, and 2MB L2 cache or<br><b>Intel Core™ 2 Duo Processor E7500 with dual-core,</b> 1066MHz system bus, and 3MB L2 cache or<br><b>Intel Core 2 Quad Processor Q9500 with quad-core,</b> 1333MHz system bus, and 6MB L2 cache<br>Processor in LGA775 socket |  |  |  |  |  |  |  |  |  | Small   |   |  |  |
| Implementation        | Processor in LGA775 socket  |  |  |  |  |  |  |  |  |  | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 3.5", 1" high, no access, std disk<br>Bay ③ 3.5", .5" high, access, open (reader)  | Slot 1: Low Profile, PCI Express 2.0 x16<br>Slot 2: Low Profile, 32-bit PCI 2.3<br><ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 12.5" W X 14.0" D X 3.9" H</li><li>• 317mm W X 355mm D X 99mm H</li><li>• 16.5 lb (7.5 kg) in maximum configuration</li><li>• Toolless cover flips up and tilts backward on rear hinges</li><li>• Toolless disk, optical drive removal</li><li>• Toolless adapter retention</li><li>• Toolless systemboard retention</li><li>• System floor stand for vertical orientation</li></ul> |  |  |
| Memory                | <b>2GB or 4GB std,</b> 16GB max <sup>8</sup> , <b>PC3-8500 1066MHz DDR3,</b> non-parity, dual-channel capable, four 240-pin DIMM sockets;<br><i>Italics:</i> standard memory in two sockets; two sockets available;<br><i>Non-italics:</i> standard memory in one socket; 3 sockets available   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Graphics              | <b>Intel Graphics Media Accelerator 4500 (GMA 4500),</b> integrated graphics in Q45, uses main memory (up to 765MB [2GB models] or 1759MB [4GB models]), one analog VGA DB-15 connector, one DisplayPort™ connector (supports single-link DVI-D via cable 45J7915), HDCP, DirectX® 10, supports dual independent display  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| SATA disk             | <b>250GB or 320GB,</b> SATA 3.0Gb/s 7200 rpm, vibration dampening mounts  |  |  |  |  |  |  |  |  |  | <b>Security</b> <ul style="list-style-type: none"><li>• Security chip (see information on left)</li><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable)<ul style="list-style-type: none"><li>- optional cable also locks the cover by deactivating the cover release buttons</li></ul></li><li>• Power-on password</li><li>• Administrator password</li><li>• Hard disk password (user and master)</li><li>• Boot sequence control</li><li>• Boot without diskette, keyboard</li><li>• Serial port I/O control</li><li>• Individual USB port disablement</li></ul>   |  |  |  |
| SATA controller       | Serial ATA, SATA 3.0Gb/s, integrated in ICH10DO, RAID 0/1 support   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| SATA DVD±RW           | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| SATA cables           | Two SATA cables (each 1-drop to device), two SATA connectors on planar  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| eSATA port            | One external SATA (eSATA) port  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Diskette drive        | None  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Media reader          | None  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Chipset               | <b>Intel Q45 Express Chipset</b> (PCI Express® 2.0 x16), I/O Controller Hub 10 Digital Office [ICH10DO] (SATA 3.0Gb/s with RAID 0/1 support, PCI Express x1, ethernet MAC, PCI 2.3, USB, LPC bus), SMSC® SCH5617 Super I/O  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Front ports           | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |  |  |  |  |  |  |  |  |  | Supports ThinkVantage® technologies<br><br>GREENGUARD® certified<br>RoHS-compliant<br><br><b>Limited Warranty<sup>1</sup></b> <ul style="list-style-type: none"><li>⇨ <b>3-year parts and labor</b></li><li>⇨ <b>International Warranty Service<sup>9</sup></b></li><li>⇨ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇨ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li></ul></li><li>⇨ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>⇨ <b>Post warranty maintenance services available</b></li><li>⇨ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |  |  |  |
| Rear ports            | Six USB 2.0, serial (9-pin), ethernet (RJ-45), monitor (VGA DB-15, DisplayPort), eSATA  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Internal connector    | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Rear audio ports      | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone-in (stereo, 3.5mm)  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Audio                 | High Definition (HD) Audio, Analog Devices AD1882 codec   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Speaker               | One internal speaker for business audio   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Ethernet              | Gigabit ethernet on planar, Intel 82567LM, Wake on LAN®, ASF2.0, DASH 1.0   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Intel AMT             | None  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Modem                 | None  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Security chip         | Winbond® WPCT200 SafeKeeper™ Trusted Platform Module, TCG 1.2-compliant   |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Keyboard              | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Mouse                 | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo  |  |  |  |  |  |  |  |  |  |   |  |  |  |
| Power supply          | 280 watts with variable speed fan, autosensing, two diagnostic LEDs   |  |  |  |  |  |  |  |  |  |   |  |  |  |

|  |  |  |
|--|--|--|
| <b>Preloaded operating system<sup>20</sup></b> <ul style="list-style-type: none"><li>- <i>Some:</i> Genuine Windows® 7 Professional 32</li><li>- <i>Some:</i> Genuine Windows 7 Professional 64</li></ul> <b>Preloaded applications<sup>5</sup></b> (all OSes; only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Lenovo Online Data Backup</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Roxio® Creator® Business Edition (DVD±RW)</li><li>• Roxio MyDVD® (DVD±RW)</li></ul> | <b>Accessories</b> <ul style="list-style-type: none"><li>1GB PC3-8500 DDR3 UDIMM 45J5434</li><li>2GB PC3-8500 DDR3 UDIMM 45J5435</li><li>500GB SATA 3.0Gb/s Disk (7200 rpm) 43R1990</li><li>1TB SATA 3.0Gb/s Disk (7200 rpm) 45J7918</li><li>Super Multi-Burner DL DVD±RW SATA Drive 41N5620</li><li>DisplayPort to Single-link DVI-D Cable 45J7915</li><li>DisplayPort to VGA Monitor Cable 57Y4393</li><li>NVIDIA® Quadro® 256MB NVS 290 43R1765</li><li>More accessories on O-M58 sheet</li><li>Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a></li><li>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a></li></ul> |  |
|--|--|--|


See footnotes for important warranty information

<sup>14</sup> US model announced September 28, 2010; previous models on January 12 or February 23, 2010

© Lenovo  
(MLAN4-24) October 2010

|    | Name       | Type-model | Slot x bay | Processor         | GHz  | Cores | Memory <sup>a</sup> | SATA disk          | SATA optical | Graphics | Monitor connectors | DisplayPort dongle | Intel vPro | Win7 preload | Global Educ | Avail date |
|----|------------|------------|------------|-------------------|------|-------|---------------------|--------------------|--------------|----------|--------------------|--------------------|------------|--------------|-------------|------------|
|    | <b>M58</b> | 9960-ALU   | 4x4        | Core 2 Duo E7500  | 2.93 | 2     | 2GB                 | 250GB <sup>2</sup> | DVD±RW       | GMA      | VGA, DP            | None               | None       | Pro 32       | None        | Jan 10     |
| ES | <b>M58</b> | 9960-APU   | 4x4        | Core 2 Quad Q9500 | 2.83 | 4     | 4GB                 | 320GB              | DVD±RW       | GMA      | VGA, DP            | None               | None       | Pro 32       | None        | Mar 10     |
| ES | <b>M58</b> | 9960-AMU   | 4x4        | Core 2 Duo E7500  | 2.93 | 2     | 4GB                 | 320GB              | DVD±RW       | GMA      | VGA, DP            | None               | None       | Pro 64       | None        | Mar 10     |

- These small and medium business (SMB) models are part of the US TopSeller™ Program
- These models have a 3-year limited warranty<sup>1</sup>
- These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)

|   |   |  |  |
|---|---|--|--|
| Positioning Processor   | Mainstream enterprise stability and manageability<br><b>Intel® Core™ 2 Duo Processor E7500</b> with dual-core, 1066MHz system bus, and 3MB L2 cache or<br><b>Intel Core 2 Quad Processor Q9500</b> with quad-core, 1333MHz system bus, and 6MB L2 cache   |  | <b>Tower</b> <ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 6.9" W X 17.3" D X 15.8" H</li><li>• 175mm W X 440mm D X 402mm H</li><li>• 24.2 lb (11.0 kg) in max configuration</li><li>• Handle on top front</li><li>• Toolless cover removal</li><li>• Toolless disk, diskette drive, optical drive removal</li><li>• Toolless adapter retention</li></ul>    |
| Implementation  | Processor in LGA775 socket  |  |  |
| Memory  | <b>2GB</b> or <b>4GB std</b> , 16GB max <sup>8</sup> , <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, four 240-pin DIMM sockets;<br><i>Italics:</i> standard memory in two sockets; two sockets available;<br><i>Non-italics:</i> standard memory in one socket; 3 sockets available                    |  |  |
| Graphics  | <b>Intel Graphics Media Accelerator 4500 (GMA 4500)</b> , integrated graphics in Q45, uses main memory (up to 765MB [2GB models] or 1759MB [4GB models]), one analog VGA DB-15 connector, one DisplayPort™ connector (supports single-link DVI-D via cable 45J7915), HDCP, DirectX® 10, supports dual independent display |  | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 5.25", 1.6" high, access, open<br>Bay ③ 3.5", 1" high, access, open (reader/diskette)<br>Bay ④ 3.5", 1" high, no access, std disk<br>Slot 1: half-length, full-height, PCIe 2.0 x16 (75w max)<br>Slot 2: half-length, full-height, PCIe x1<br>Slot 3: half-length, full-height, 32-bit PCI 2.3<br>Slot 4: half-length, full-height, 32-bit PCI 2.3  |
| SATA disk   | <b>250GB</b> or <b>320GB</b> , SATA 3.0Gb/s 7200 rpm, vibration dampening   |  | <b>Security</b> <ul style="list-style-type: none"><li>• Security chip (see information on left)</li><li>• One lock to secure both cover and entire system to fixed object:<ul style="list-style-type: none"><li>- Padlock loop (in rear for opt padlock)</li><li>- Security slot (in rear for optional Kensington® MicroSaver® cable)</li></ul></li><li>• Power-on password</li><li>• Administrator password</li><li>• Hard disk password (user and master)</li><li>• Boot sequence control</li><li>• Boot without diskette, keyboard</li><li>• Serial port I/O control</li><li>• Individual USB port disablement</li></ul>  |
| SATA controller   | Serial ATA, SATA 3.0Gb/s, integrated in ICH10DO, RAID 0/1   |  |  |
| SATA DVD±RW   | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive   |  |  |
| SATA cables   | Two SATA cables (each 1-drop to device), three SATA connectors and one eSATA connector on planar  |  |  |
| eSATA port  | None  |  | Supports ThinkVantage® technologies  |
| Diskette drive  | None  |  |  |
| Media reader  | None  |  | GREENGUARD® certified<br>RoHS-compliant  |
| Chipset   | <b>Intel Q45 Express Chipset</b> (PCI Express® 2.0 x16), I/O Controller Hub 10 Digital Office [ICH10DO] (SATA 3.0Gb/s with RAID 0/1 support, PCI Express x1, ethernet MAC, PCI 2.3, USB, LPC bus), SMSC® SCH5617 Super I/O  |  |  |
| Front ports   | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |  | <b>Limited Warranty<sup>1</sup></b> <ul style="list-style-type: none"><li>➤ <b>3-year parts and labor</b></li><li>➤ <b>International Warranty Service<sup>9</sup></b></li><li>➤ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>➤ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li></ul></li><li>➤ <b>ThinkPlus services at lenovo.com/thinkplus/warranty</b></li><li>➤ <b>Post warranty maintenance services available</b></li><li>➤ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |
| Rear ports  | Six USB 2.0, serial (9-pin), keyboard (PS/2), mouse (PS/2), ethernet (RJ-45), monitor (VGA DB-15, DisplayPort)  |  |  |
| Internal connector  | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)   |  |  |
| Rear audio ports  | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone-in (stereo, 3.5mm)  |  |  |
| Audio   | High Definition (HD) Audio, Analog Devices AD1882 codec   |  |  |
| Speaker   | One internal speaker for business audio   |  |  |
| Ethernet  | Gigabit ethernet on planar, Intel 82567LM, Wake on LAN®, ASF2.0, DASH 1.0   |  |  |
| Intel AMT   | None  |  |  |
| Modem   | None  |  |  |
| Security chip   | Winbond® WPCT200 SafeKeeper™ Trusted Platform Module, TCG 1.2-compliant   |  |  |
| Keyboard  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo  |  |  |
| Mouse   | Optical Wheel Mouse (USB connector), black, Lenovo logo   |  |  |
| Power supply  | 280 watts with variable speed fan, manual switch, two diagnostic LEDs   |  |  |
| <b>Preloaded operating system<sup>20</sup></b>                      |   |  | <b>Accessories</b>   |
| - <i>Some:</i> Genuine Windows® 7 Professional 32                   |   |  | 1GB PC3-8500 DDR3 UDIMM 45J5434  |
| - <i>Some:</i> Genuine Windows 7 Professional 64                    |   |  | 2GB PC3-8500 DDR3 UDIMM 45J5435  |
|   |   |  | 500GB SATA 3.0Gb/s Disk (7200 rpm) 43R1990   |
|   |   |  | 1TB SATA 3.0Gb/s Disk (7200 rpm) 45J7918   |
|   |   |  | Super Multi-Burner DL DVD±RW SATA Drive 41N5620  |
|   |   |  | Blu-ray™ Burner SATA 1.5Gb/s Drive 45K1675   |
|   |   |  | DisplayPort to Single-link DVI-D Cable 45J7915   |
|   |   |  | DisplayPort to VGA Monitor Cable 57Y4393   |
|   |   |  | NVIDIA® Quadro® 256MB NVS 290 43R1765  |
|   |   |  | NVIDIA Quadro 256MB NVS 295 45K1669  |
|   |   |  | More accessories on O-M58 sheet  |
|   |   |  | Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a>  |
|   |   |  | Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a>  |
| <b>Preloaded applications<sup>5</sup></b> (only some listed)        |   |  |  |
| • Rescue and Recovery™  |   |  |  |
| • Password Manager  |   |  |  |
| • ThinkVantage System Update  |   |  |  |
| • ThinkVantage Power Manager  |   |  |  |
| • ThinkVantage Toolbox  |   |  |  |
| • Lenovo Online Data Backup   |   |  |  |
| • Norton™ Internet Security 2011 (30 days of virus definitions)     |   |  |  |
| • Adobe® Reader®  |   |  |  |
| • Adobe Flash® Player   |   |  |  |
| • Microsoft Office 2010 preloaded; purchase product key to activate |   |  |  |
| • Roxio® Creator® Business Edition (DVD±RW)                         |   |  |  |
| • Roxio MyDVD® (DVD±RW)   |   |  |  |



| Name        | Type-model | Slot x bay | Processor        | GHz  | Cores | Memory <sup>8</sup> | SATA disk          | SATA optical | Graphics | Monitor conn | DisplayPort dongle | ENERGY STAR 5.0 | Intel vPro | Win7 preload | Global Educ | Avail date |
|-------------|------------|------------|------------------|------|-------|---------------------|--------------------|--------------|----------|--------------|--------------------|-----------------|------------|--------------|-------------|------------|
| <b>M58p</b> | 9961-ALU   | 1x2        | Core 2 Duo E8400 | 3.00 | 2     | 2GB                 | 250GB <sup>2</sup> | DVD±RW       | GMA      | VGA, DP      | None               | ES50            | vPro       | Pro 32       | No          | Jan 10     |

- **Intel Core 2 Processor with vPro™ Technology (includes Intel Active Management Technology)**
- **This small and medium business (SMB) model is part of the US TopSeller™ Program**
- **This model has a 3-year limited warranty<sup>1</sup>**
- **This system is Microsoft® Office 2010 Product Key Ready (O10PKR)**

|   |   |   |  |   |  |
|---|---|---|--|---|--|
| Positioning Processor   | Mainstream enterprise stability and manageability<br><b>Intel® Core™ 2 Duo Processor E8400</b> with dual-core, Virtualization Technology, TXT, 1333MHz system bus, and 6MB L2 cache<br>Processor in LGA775 socket   |   | Eco Ultra Small  |   | <div><div>optical</div><div>disk</div><div>□ ○ □</div></div>   |
| Implementation  |   |   | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 3.5", 1" high, no access, std disk<br>Slot 1: Low Profile, 32-bit PCI 2.3   |   |  |
| Memory  | <b>2GB std</b> , 8GB max <sup>8</sup> , <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, two 204-pin SODIMM sockets (notebook); <i>Non-italics</i> : standard memory in one socket; one socket available  |   | • Business black color; metal case<br>• 10.8" W X 9.4" D X 3.1" H<br>• 275mm W X 238mm D X 80mm H<br>• 9.2 lb (4.2 kg) in maximum configuration<br>• Hinged toolless cover for easy serviceability<br>• Toolless disk and optical drive removal<br>• Toolless systemboard retention<br>• System floor stand for vertical orientation |   |  |
| Graphics  | <b>Intel Graphics Media Accelerator 4500 (GMA 4500)</b> , integrated graphics in Q45, uses main memory (up to 765MB), one analog VGA DB-15 connector, one DisplayPort™ connector (supports single-link DVI-D via cable 45J7915), HDCP, DirectX® 10, supports dual independent display |   |  |   |  |
| SATA disk   | <b>250GB</b> , SATA 3.0Gb/s 7200 rpm, vibration dampening mounts  |   |  |   | <b>Security</b> <ul style="list-style-type: none"><li>• Security chip (see information on left)</li><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable)<ul style="list-style-type: none"><li>- security slot and cover release button are combined into one latch for improved chassis security</li></ul></li><li>• Power-on password</li><li>• Administrator password</li><li>• Hard disk password (user and master)</li><li>• Boot sequence control</li><li>• Boot without diskette, keyboard</li><li>• Individual USB port disablement</li></ul> |
| SATA controller   | Serial ATA, SATA 3.0Gb/s, integrated in ICH10DO, RAID 0/1   |   |  |   |  |
| SATA DVD±RW   | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive   |   |  |   |  |
| SATA cables   | Two SATA cables (each 1-drop to device), two SATA connectors and one eSATA connector on planar  |   |  |   |  |
| eSATA port  | None  |   |  |   |  |
| Diskette drive  | None  |   |  |   |  |
| Media reader  | None  |   |  |   |  |
| Chipset   | <b>Intel Q45 Express Chipset</b> (PCI Express® 2.0 x16), I/O Controller Hub 10 Digital Office [ICH10DO] (SATA 3.0Gb/s with RAID 0/1 support, PCI Express x1, ethernet MAC, PCI 2.3, USB, LPC bus), <b>SMSC® SCH5617</b> Super I/O   |   |  |   |  |
| Front ports   | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |   |  |   |  |
| Rear ports  | Six USB 2.0, ethernet (RJ-45), monitor (VGA DB-15, DisplayPort)   |   |  |   |  |
| Internal connector  | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)   |   |  |   |  |
| Rear audio ports  | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone (stereo, 3.5mm)   |   |  |   |  |
| Audio   | High Definition (HD) Audio, Analog Devices AD1882 codec   |   |  |   |  |
| Speaker   | One internal speaker for business audio   |   |  |   |  |
| Ethernet  | Gigabit ethernet on planar, Intel 82567LM, Wake on LAN®, ASF2.0, DASH 1.0   |   |  |   |  |
| Intel AMT   | Intel Active Management Technology (iAMT)   |   |  |   |  |
| Modem   | None  |   |  |   |  |
| Security chip   | Winbond® WPCT200 SafeKeeper™ Trusted Platform Module, TCG 1.2-compliant   |   |  |   | Supports ThinkVantage® technologies  |
| Keyboard  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo  |   |  |   | EPEAT™ Gold rating<br>ENERGY STAR® 5.0-compliant<br>GREENGUARD® certified<br>RoHS-compliant  |
| Mouse   | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo  |   |  |   |  |
| Power supply  | External AC/DC adapter, 130 watts, autosensing, 87% PSU   |   |  |   |  |
| <b>Preloaded operating system</b> <sup>20</sup>                     |   | <b>Accessories</b>  |  | <b>Limited Warranty</b> <sup>1</sup>  |  |
| - Genuine Windows® 7 Professional 32                                |   | 500GB SATA 3.0Gb/s Disk (7200 rpm) 43R1990  |  | ⇒ <b>3-year parts and labor</b>   |  |
| <b>Preloaded applications</b> <sup>5</sup> (only some listed)       |   | 1TB SATA 3.0Gb/s Disk (7200 rpm) 45J7918  |  | ⇒ <b>International Warranty Service</b> <sup>9</sup>  |  |
| • Rescue and Recovery™  |   | Super Multi-Burner DL DVD±RW SATA Drive 41N5620   |  | ⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b> |  |
| • Password Manager  |   | DisplayPort to Single-link DVI-D Cable 45J7915  |  | ⇒ <b>Onsite service upgrade options (in eligible locations):</b> <sup>7</sup>   |  |
| • ThinkVantage System Update  |   | DisplayPort to VGA Monitor Cable 57Y4393  |  | • <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)   |  |
| • ThinkVantage Power Manager  |   | Lenovo Vertical PC and Monitor Stand II 41R4474   |  | • <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)   |  |
| • ThinkVantage Toolbox  |   | ThinkCentre Ultra Small Under Desk Mount 40Y8625  |  | • <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)  |  |
| • Lenovo Online Data Backup   |   | More accessories on O-M58 sheet   |  | • <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)  |  |
| • Norton™ Internet Security 2011 (30 days of virus definitions)     |   | Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a> |  | • <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)   |  |
| • Adobe® Reader®  |   | Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a>       |  | ⇒ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b>   |  |
| • Adobe Flash® Player   |   |   |  | ⇒ <b>Post warranty maintenance services available</b>   |  |
| • Microsoft Office 2010 preloaded; purchase product key to activate |   |   |  | ⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b>   |  |
| • Roxio® Creator® Business Edition (DVD±RW)                         |   |   |  |   |  |
| • Roxio MyDVD® (DVD±RW)   |   |   |  |   |  |

# ThinkCentre® M58p Small (9964) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Name  | Type-model  | Slot x bay | Processor   | GHz  | Cores | Memory <sup>8</sup> | SATA disk          | SATA optical | Graphics   | Monitor connectors | DisplayPort dongle | Intel vPro | Win7 preload | Global Educ | Avail date |
|---|---|------------|---|------|-------|---------------------|--------------------|--------------|--|--------------------|--------------------|------------|--------------|-------------|------------|
|  <b>M58p</b>   | 9964-ABU  | 2x3        | Core 2 Duo E8400  | 3.00 | 2     | 2GB                 | 250GB <sup>2</sup> | DVD±RW       | GMA  | VGA, DP            | None               | vPro       | Pro 32       | None        | Jan 10     |
| <b>M58p</b>   | 9964-ACU  | 2x3        | Core 2 Quad Q9400   | 2.66 | 4     | 4GB                 | 320GB              | DVD±RW       | GMA  | VGA, DP            | None               | vPro       | Pro 32       | None        | Jan 10     |
| <b>M58p</b>   | 9964-ADU  | 2x3        | Core 2 Duo E8400  | 3.00 | 2     | 4GB                 | 320GB              | DVD±RW       | GMA  | VGA, DP            | None               | vPro       | Pro 64       | None        | Mar 10     |
| <ul style="list-style-type: none"><li>• <b>Intel Core 2 Processor with vPro™ Technology (includes Intel Active Management Technology)</b></li><li>• <b>These small and medium business (SMB) models are part of the US TopSeller™ Program</b></li><li>• <b>These models have a 3-year limited warranty<sup>1</sup></b></li><li>• <b>These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)</b></li></ul> |   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Positioning Processor   | Mainstream enterprise stability and manageability<br><b>Intel® Core™ 2 Duo Processor E8400</b> with dual-core, Virtualization Technology, TXT, 1333MHz system bus, and 6MB L2 cache or<br><b>Intel Core 2 Quad Processor Q9400</b> with quad-core, Virtualization Technology, TXT, 1333MHz system bus, and 6MB L2 cache<br>Processor in LGA775 socket |            |   |      |       |                     |                    |              | Small   |                    |                    |            |              |             |            |
| Implementation  |   |            |   |      |       |                     |                    |              | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 3.5", 1" high, no access, std disk<br>Bay ③ 3.5", .5" high, access, open (reader)<br>Slot 1: Low Profile, PCI Express 2.0 x16<br>Slot 2: Low Profile, 32-bit PCI 2.3  |                    |                    |            |              |             |            |
| Memory  | 2GB or 4GB std, 16GB max <sup>8</sup> , PC3-8500 1066MHz DDR3, non-parity, dual-channel capable, four 240-pin DIMM sockets;<br><i>Italics:</i> standard memory in two sockets; two sockets available;<br><i>Non-italics:</i> standard memory in one socket; 3 sockets available   |            |   |      |       |                     |                    |              | <ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 12.5" W X 14.0" D X 3.9" H</li><li>• 317mm W X 355mm D X 99mm H</li><li>• 16.5 lb (7.5 kg) in maximum configuration</li><li>• Toolless cover flips up and tilts backward on rear hinges</li><li>• Toolless disk, optical drive removal</li><li>• Toolless adapter retention</li><li>• Toolless systemboard retention</li><li>• System floor stand for vertical orientation</li></ul>  |                    |                    |            |              |             |            |
| Graphics  | Intel Graphics Media Accelerator 4500 (GMA 4500), integrated graphics in Q45, uses main memory (up to 765MB [2GB models] or 1759MB [4GB models]), one analog VGA DB-15 connector, one DisplayPort™ connector (supports single-link DVI-D via cable 45J7915), HDCP, DirectX® 10, supports dual independent display                                     |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| SATA disk   | 250GB or 320GB, SATA 3.0Gb/s 7200 rpm, vibration dampening mounts   |            |   |      |       |                     |                    |              | <b>Security</b> <ul style="list-style-type: none"><li>• Security chip (see information on left)</li><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable) - optional cable also locks the cover by deactivating the cover release buttons</li><li>• Power-on password</li><li>• Administrator password</li><li>• Hard disk password (user and master)</li><li>• Boot sequence control</li><li>• Boot without diskette, keyboard</li><li>• Serial port I/O control</li><li>• Individual USB port disablement</li></ul>   |                    |                    |            |              |             |            |
| SATA controller   | Serial ATA, SATA 3.0Gb/s, integrated in ICH10DO, RAID 0/1 support   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| SATA DVD±RW   | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| SATA cables   | Two SATA cables (each 1-drop to device), two SATA connectors on planar  |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| eSATA port  | One external SATA (eSATA) port  |            |   |      |       |                     |                    |              | Supports ThinkVantage® technologies  |                    |                    |            |              |             |            |
| Diskette drive  | None  |            |   |      |       |                     |                    |              | GREENGUARD® certified<br>RoHS-compliant  |                    |                    |            |              |             |            |
| Media reader  | None  |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Chipset   | Intel Q45 Express Chipset (PCI Express® 2.0 x16), I/O Controller Hub 10 Digital Office [ICH10DO] (SATA 3.0Gb/s with RAID 0/1 support, PCI Express x1, ethernet MAC, PCI 2.3, USB, LPC bus), SMSC® SCH5617 Super I/O   |            |   |      |       |                     |                    |              | <b>Limited Warranty<sup>1</sup></b> <ul style="list-style-type: none"><li>⇒ <b>3-year parts and labor</b></li><li>⇒ <b>International Warranty Service<sup>9</sup></b></li><li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇒ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li></ul></li><li>⇒ <b>ThinkPlus services at lenovo.com/thinkplus/warranty</b></li><li>⇒ <b>Post warranty maintenance services available</b></li><li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |                    |                    |            |              |             |            |
| Front ports   | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Rear ports  | Six USB 2.0, serial (9-pin), ethernet (RJ-45), monitor (VGA DB-15, DisplayPort), eSATA  |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Internal connector  | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Rear audio ports  | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone-in (stereo, 3.5mm)  |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Audio   | High Definition (HD) Audio, Analog Devices AD1882 codec   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Speaker   | One internal speaker for business audio   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Ethernet  | Gigabit ethernet on planar, Intel 82567LM, Wake on LAN®, ASF2.0, DASH 1.0   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Intel AMT   | Intel Active Management Technology (iAMT)   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Modem   | None  |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Security chip   | Winbond® WPCT200 SafeKeeper™ Trusted Platform Module, TCG 1.2-compliant   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Keyboard  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo  |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Mouse   | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo  |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| Power supply  | 280 watts with variable speed fan, autosensing, two diagnostic LEDs   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| <b>Preloaded operating system<sup>20</sup></b>  |   |            | <b>Accessories</b>  |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| - <i>Some:</i> Genuine Windows® 7 Professional 32   |   |            | 1GB PC3-8500 DDR3 UDIMM 45J5434   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| - <i>Some:</i> Genuine Windows 7 Professional 64  |   |            | 2GB PC3-8500 DDR3 UDIMM 45J5435   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| <b>Preloaded applications<sup>5</sup> (only some listed)</b>  |   |            | 500GB SATA 3.0Gb/s Disk (7200 rpm) 43R1990  |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • Rescue and Recovery™  |   |            | 1TB SATA 3.0Gb/s Disk (7200 rpm) 45J7918  |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • Password Manager  |   |            | Super Multi-Burner DL DVD±RW SATA Drive 41N5620   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • ThinkVantage System Update  |   |            | DisplayPort to Single-link DVI-D Cable 45J7915  |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • ThinkVantage Power Manager  |   |            | DisplayPort to VGA Monitor Cable 57Y4393  |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • ThinkVantage Toolbox  |   |            | NVIDIA® Quadro® 256MB NVS 290 43R1765   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • Lenovo Online Data Backup   |   |            | More accessories on O-M58 sheet   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • Norton™ Internet Security 2011 (30 days of virus definitions)   |   |            | Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a> |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • Adobe® Reader®  |   |            | Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a>       |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • Adobe Flash® Player   |   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • Microsoft Office 2010 preloaded; purchase product key to activate   |   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • Roxio® Creator® Business Edition (DVD±RW)   |   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |
| • Roxio MyDVD® (DVD±RW)   |   |            |   |      |       |                     |                    |              |  |                    |                    |            |              |             |            |

See footnotes for important warranty information

US model announced February 23, 2010; previous models on January 12, 2010

US model withdrawn effective April 2010

© Lenovo


(MLAN4-27) February 2010

# ThinkCentre® M58p Tower (9965) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Name        | Type-model | Slot x bay | Processor         | GHz  | Cores | Memory <sup>8</sup> | SATA disk          | SATA optical | Graphics | Monitor connectors | DisplayPort dongle | Intel vPro | Win7 preload | Global Educ | Avail date |
|-------------|------------|------------|-------------------|------|-------|---------------------|--------------------|--------------|----------|--------------------|--------------------|------------|--------------|-------------|------------|
| <b>M58p</b> | 9965-A9U   | 4x4        | Core 2 Duo E8400  | 3.00 | 2     | 2GB                 | 250GB <sup>2</sup> | DVD±RW       | GMA      | VGA, DP            | None               | vPro       | Pro 32       | None        | Jan 10     |
| <b>M58p</b> | 9965-ABU   | 4x4        | Core 2 Quad Q9400 | 2.66 | 4     | 4GB                 | 320GB              | DVD±RW       | GMA      | VGA, DP            | None               | vPro       | Pro 32       | None        | Jan 10     |
| <b>M58p</b> | 9965-ACU   | 4x4        | Core 2 Duo E8400  | 3.00 | 2     | 4GB                 | 320GB              | DVD±RW       | GMA      | VGA, DP            | None               | vPro       | Pro 64       | None        | Mar 10     |

- **Intel Core 2 Processor with vPro™ Technology (includes Intel Active Management Technology)**
- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a 3-year limited warranty<sup>1</sup>**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

|   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Positioning   | Mainstream enterprise stability and manageability  |  |   |  |  |  |  |  |  |  | <div><b>Tower</b><ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 6.9" W X 17.3" D X 15.8" H</li><li>• 175mm W X 440mm D X 402mm H</li><li>• 24.2 lb (11.0 kg) in max configuration</li><li>• Handle on top front</li><li>• Toolless cover removal</li><li>• Toolless disk, diskette drive, optical drive removal</li><li>• Toolless adapter retention</li></ul></div> <div>Bay ① 5.25", 1.6" high, access, std optical</div> <div>Bay ② 5.25", 1.6" high, access, open</div> <div>Bay ③ 3.5", 1" high, access, open (reader/diskette)</div> <div>Bay ④ 3.5", 1" high, no access, std disk</div> <div>Slot 1: half-length,full-height, PCIe 2.0 x16 (75w max)</div> <div>Slot 2: half-length,full-height, PCIe x1</div> <div>Slot 3: half-length,full-height, 32-bit PCI 2.3</div> <div>Slot 4: half-length,full-height, 32-bit PCI 2.3</div> |  |  |  |  |  |  |  |  |  |
| Processor   | <b>Intel® Core™ 2 Duo Processor E8400 with dual-core,</b> Virtualization Technology, TXT, 1333MHz system bus, and 6MB L2 cache or<br><b>Intel Core 2 Quad Processor Q9400 with quad-core,</b> Virtualization Technology, TXT, 1333MHz system bus, and 6MB L2 cache   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Implementation  | Processor in LGA775 socket   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Memory  | <b>2GB or 4GB std,</b> 16GB max <sup>8</sup> , <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, four 240-pin DIMM sockets;<br><i>Italics:</i> standard memory in two sockets; two sockets available;<br><i>Non-italics:</i> standard memory in one socket; 3 sockets available                           |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Graphics  | <b>Intel Graphics Media Accelerator 4500 (GMA 4500),</b> integrated graphics in Q45, uses main memory (up to 765MB [2GB models] or 1759MB [4GB models]), one analog VGA DB-15 connector, one DisplayPort™ connector (supports single-link DVI-D via cable 45J7915), HDCP, DirectX® 10, supports dual independent display |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| SATA disk   | <b>250GB or 320GB</b> , SATA 3.0Gb/s 7200 rpm, vibration dampening   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| SATA controller   | Serial ATA, SATA 3.0Gb/s, integrated in ICH10DO, RAID 0/1 support  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| SATA DVD±RW   | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| SATA cables   | Two SATA cables (each 1-drop to device), three SATA connectors and one eSATA connector on planar   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| eSATA port  | None   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Diskette drive  | None   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Media reader  | None   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Chipset   | <b>Intel Q45 Express Chipset</b> (PCI Express® 2.0 x16), I/O Controller Hub 10 Digital Office [ICH10DO] (SATA 3.0Gb/s with RAID 0/1 support, PCI Express x1, ethernet MAC, PCI 2.3, USB, LPC bus), SMSC® SCH5617 Super I/O   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Front ports   | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Rear ports  | Six USB 2.0, serial (9-pin), keyboard (PS/2), mouse (PS/2), ethernet (RJ-45), monitor (VGA DB-15, DisplayPort)   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Internal connector  | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Rear audio ports  | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone-in (stereo, 3.5mm)   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Audio   | High Definition (HD) Audio, Analog Devices AD1882 codec  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Speaker   | One internal speaker for business audio  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Ethernet  | Gigabit ethernet on planar, Intel 82567LM, Wake on LAN®, ASF2.0, DASH 1.0  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Intel AMT   | Intel Active Management Technology (iAMT)  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Modem   | None   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Security chip   | Winbond® WPCT200 SafeKeeper™ Trusted Platform Module, TCG 1.2-compliant  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Keyboard  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo   |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Mouse   | Optical Wheel Mouse (USB connector), black, Lenovo logo  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Power supply  | 280 watts with variable speed fan, manual switch, two diagnostic LEDs  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>Preloaded operating system<sup>20</sup></b>                      |  |  | <b>Accessories</b>  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| - <i>Some:</i> Genuine Windows® 7 Professional 32                   |  |  | 1GB PC3-8500 DDR3 UDIMM 45J5434   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| - <i>Some:</i> Genuine Windows 7 Professional 64                    |  |  | 2GB PC3-8500 DDR3 UDIMM 45J5435   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <b>Preloaded applications<sup>5</sup> (only some listed)</b>        |  |  | 500GB SATA 3.0Gb/s Disk (7200 rpm) 43R1990  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| • Rescue and Recovery™  |  |  | 1TB SATA 3.0Gb/s Disk (7200 rpm) 45J7918  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| • Password Manager  |  |  | Super Multi-Burner DL DVD±RW SATA Drive 41N5620   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| • ThinkVantage System Update  |  |  | Blu-ray™ Burner SATA 1.5Gb/s Drive 45K1675  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| • ThinkVantage Power Manager  |  |  | DisplayPort to Single-link DVI-D Cable 45J7915  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| • ThinkVantage Toolbox  |  |  | DisplayPort to VGA Monitor Cable 57Y4393  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| • Norton™ Internet Security 2011 (30 days of virus definitions)     |  |  | NVIDIA® Quadro® 256MB NVS 290 43R1765   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| • Adobe® Reader®  |  |  | NVIDIA Quadro 256MB NVS 295 45K1669   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| • Adobe Flash® Player   |  |  | More accessories on O-M58 sheet   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| • Microsoft Office 2010 preloaded; purchase product key to activate |  |  | Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a> |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| • Roxio® Creator® Business Edition (DVD±RW)                         |  |  | Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a>       |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| • Roxio MyDVD® (DVD±RW)   |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

optical

②

③

disk

**Security**

- Security chip (see information on left)
- One lock to secure both cover and entire system to fixed object:
  - Padlock loop (in rear for opt padlock)
  - Security slot (in rear for optional Kensington® MicroSaver® cable)
- Power-on password
- Administrator password
- Hard disk password (user and master)
- Boot sequence control
- Boot without diskette, keyboard
- Serial port I/O control
- Individual USB port disablement

Supports ThinkVantage® technologies

GREENGUARD® certified  
RoHS-compliant

**Limited Warranty<sup>1</sup>**

- ⇒ **3-year parts and labor**
- ⇒ **International Warranty Service<sup>9</sup>**
- ⇒ **Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)**
- ⇒ **Onsite service upgrade options (in eligible locations):<sup>7</sup>**
  - **3-year LOR 9x5, 4 hour response** (ThinkPlus™ part number 41C9192)
  - **3-year LOR 24x7, 4 hour response** (ThinkPlus part number 41C9193)
  - **4-year LOR 9x5, Next Business Day** (ThinkPlus part number 41C9194)
  - **4-year LOR 9x5, 4 hour response** (ThinkPlus part number 41C9195)
  - **4-year LOR 24x7, 4 hour response** (ThinkPlus part number 41C9196)
- ⇒ **ThinkPlus services at [lenovo.com/thinkplus/warranty](http://lenovo.com/thinkplus/warranty)**
- ⇒ **Post warranty maintenance services available**
- ⇒ **24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378**

See footnotes for important warranty information

US model announced February 23, 2010; previous models on January 12, 2010

US model withdrawn effective April 2010

© Lenovo

(MLAN4-28) February 2010

**Partial list of accessories supported on ThinkCentre M58 and M58p****Memory**

*Eco Ultra Small 8820/7359/7637/9961/7479/6136 use notebook memory:*

1GB PC3-8500 DDR3 Low-Halogen SODIMM 55Y3706 ann 06/23/09  
 1GB PC3-8500 DDR3 L-H SODIMM (25-Pack) 57Y4385 ann 06/23/09  
 2GB PC3-8500 DDR3 Low-Halogen SODIMM 55Y3707 ann 06/23/09  
 2GB PC3-8500 DDR3 L-H SODIMM (25-Pack) 57Y4386 ann 06/23/09

*Small 8910/7360/6258/7638/9964/7483/7220/6137/6234, and Tower 9960/7373/6239/9965/7484/7188/6138/6209/3063/3285/9728/7639 use desktop memory:*

1GB PC3-8500 DDR3 UDIMM 45J5434 ann 11/18/08  
 1GB PC3-8500 DDR3 UDIMM (25-Pack) 57Y4421 ann 11/10/09  
 2GB PC3-8500 DDR3 UDIMM 45J5435 ann 11/18/08  
 2GB PC3-8500 DDR3 UDIMM (25-Pack) 57Y4422 ann 11/10/09

More information at

[www.lenovo.com/support/desktopmemorycompatibility](http://www.lenovo.com/support/desktopmemorycompatibility)

**Optical**

*All:*

DVD-ROM DL SATA 1.5Gb/s 16X-48X Max<sup>4</sup> 41N5618 ann 09/26/06  
 Super Multi-Burner DL DVD±RW SATA Drive 41N5620 ann 09/26/06

*Tower 9960/7373/6239/9965/7484/7188/6138/6209/3063/3285/9728/7639 support:*

Blu-ray™ Burner SATA 1.5Gb/s Drive 45K1675 ann 03/31/09

**Storage and removable storage**

250GB SATA 3.0Gb/s Disk (7200 rpm) 41N3015 ann 01/24/06  
 500GB SATA 3.0Gb/s Disk (7200 rpm) 43R1990 ann 11/06/07  
 1TB SATA 3.0Gb/s Disk (7200 rpm) 45J7918 ann 08/19/08

USB 2.0 Portable 320GB Hard Disk 45K1689 ann 03/17/09  
 USB 2.0 Portable 500GB Hard Disk 45K1690 ann 05/26/09  
 USB 2.0 Portable Secure 160GB Hard Disk 43R2018 ann 11/18/08  
 USB 2.0 Portable Secure 320GB Hard Disk 43R2019 ann 11/18/08  
 eSATA/USB 2.0 Secure 500GB Hard Drive 57Y4400 ann 01/07/10  
 USB 2.0 Portable DVD Burner 43N3264 ann 01/05/10

**Graphics**

*Small 8910/7360/6258/7638/9964/7483/7220/6137/6234 support Low Profile:*

ADD2 DVI-D Monitor Connection (HDCP) 43R1985 ann 11/06/07  
 NVIDIA® Quadro® 256MB NVS 290 (2-DVI or 2-VGA via DMS59 dongles) 43R1765 ann 12/18/07  
 NVIDIA GeForce® 310 512MB DMS59 (2-DVI or 2-VGA via DMS59 dongles) 57Y4167 ann 03/02/10

*Tower 9960/7373/6239/9965/7484/7188/6138/6209/3063/3285/9728/7639 support 75 watts max:*

ADD2 DVI-D Monitor Connection (HDCP) 43R1985 ann 11/06/07  
 NVIDIA Quadro 256MB NVS 290 43R1765 ann 12/18/07  
 NVIDIA Quadro 256MB NVS 295 (2-DP) 45K1669 ann 04/21/09  
 NVIDIA GeForce 310 512MB DMS59 57Y4167 ann 03/02/10

More information at [www.lenovo.com/support/graphiccards](http://www.lenovo.com/support/graphiccards)

**Keyboard**

Preferred Pro USB Keyboard 73P5220 ann 06/21/05  
 Preferred Pro Full Size PS/2 Keyboard 31P7415 ann 06/04/02  
 Enhanced Performance USB Keyboard 73P2620 ann 03/23/04  
 Ultraslim Wireless Keyboard and Mouse<sup>52</sup> 57Y4700 ann 09/15/09  
 Lenovo® USB Fingerprint Keyboard 73P4730 ann 02/22/05  
 Lenovo USB Smartcard Keyboard 51J0155 ann 03/24/09

<sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver.

More information at [www.lenovo.com/support/keyboards](http://www.lenovo.com/support/keyboards)

**Mouse**

Lenovo Optical Mouse (USB) 06P4069 ann 05/21/03  
 Lenovo ScrollPoint® Mouse(USB, Optical) 31P7405 ann 08/27/02  
 Lenovo Laser Mouse (USB) 41U3074 ann 01/23/07  
 Lenovo Wireless Laser Mouse - Black<sup>52</sup> 45K1696 ann 11/25/08  
 Lenovo Wireless Laser Mouse - Red/Black<sup>52</sup> 51J0198 ann 11/25/08

More information at [www.lenovo.com/support/mice](http://www.lenovo.com/support/mice)

**Multimedia**

ThinkPad® In-Ear Headphones<sup>60</sup> 57Y4488 ann 01/07/10  
<sup>60</sup> Has a 1.2 meter (3.9-foot) cable. Best when systems are in close proximity. Example: SFF placed on a desk.

**Security**

Kensington® MicroSaver® Cable Lock<sup>56</sup> 73P2582 ann 12/29/03  
 Kensington Twin Head Cable Lock<sup>56</sup> 45K1620 ann 09/30/08  
 Lenovo Security Cable Lock 57Y4303 ann 08/24/10  
 USB Gemplus GemPC Smart Card Reader 41N3040 ann 02/21/06  
<sup>56</sup> Attaching to any form factor not only secures the ThinkCentre to the work area, but it also prevents users from opening the chassis itself.

**Mounting Device**

*Eco Ultra Small 8820/7359/7637/9961/7479/6136 support under desk mounting device:*

ThinkCentre Ultra Small Under Desk Mount 40Y8625 ann 09/06/05

**Monitors**

Lenovo L2230x Wide 21.5" Monitor 5453HB1 ann 06/10/10  
 ThinkVision® L1711p 17" Monitor 5047HB2 ann 10/20/09  
 ThinkVision L1900p 19" Monitor 4431HE1 ann 11/11/08  
 ThinkVision L1951p Wide 19" Monitor 2448HB6 ann 10/20/09  
 ThinkVision L2250p Wide 22" Monitor 2572HB6 ann 10/20/09  
 ThinkVision L2251p Wide 22" Monitor 2572HD6 ann 10/20/09  
 ThinkVision L2251x Wide 22" Monitor 2578HB6 ann 10/20/09  
 ThinkVision L2321x Wide 23" Monitor 4014HB6 ann 06/10/10  
 ThinkVision L2440p Wide 24" Monitor 4420HB2 ann 09/17/08

More information at [www.lenovo.com/thinkvision](http://www.lenovo.com/thinkvision)

**Monitor Accessories<sup>46</sup>**

*Eco Ultra Small 8820/7359/7637/9961/7479/6136 support:*

Lenovo Vertical PC and Monitor Stand II 41R4474 ann 01/27/09

*All:*

Lenovo USB-to-DVI Monitor Adapter 45K5296 ann 05/12/09  
 DisplayPort™ to Single-link DVI-D Cable 45J7915 ann 08/05/08  
 DisplayPort to VGA Monitor Cable 57Y4393 ann 08/04/09  
 ThinkVision USB Soundbar 40Y7616 ann 08/23/05  
 ThinkVision Soundbar 45K1263 ann 09/16/08  
 Kensington MicroSaver Cable Lock<sup>56</sup> 73P2582 ann 12/29/03  
 Kensington Twin Head Cable Lock<sup>56</sup> 45K1620 ann 09/30/08  
 Lenovo Security Cable Lock 57Y4303 ann 08/24/10  
 ThinkCentre Extend Arm 57Y4352 ann 07/06/10

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.

More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on desktop accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/desktopaccessories](http://www.lenovo.com/support/desktopaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)

Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)



Lenovo ThinkCentre M70e Small and  
Lenovo ThinkCentre M70e Tower



Lenovo ThinkCentre M70e Tower  
with Lenovo ThinkVision monitor



Lenovo ThinkCentre M70e Small  
with optional PS/2 keyboard and mouse ports



Lenovo ThinkCentre M70e Small  
with Lenovo ThinkVision monitor



Lenovo ThinkCentre M70e Tower  
with optional PS/2 keyboard and mouse ports



Lenovo ThinkCentre M70e Tower

| Type-model | Slot x bay | Processor        | GHz  | L2 cache | Cores | Memory <sup>8</sup> | SATA disk          | SATA optical | Graphics | Win7 preload | Global Educ | Avail date |
|------------|------------|------------------|------|----------|-------|---------------------|--------------------|--------------|----------|--------------|-------------|------------|
| 0809-C5U   | 4x3        | Pentium E5500    | 2.80 | 2MB      | 2     | 2GB                 | 320GB <sup>2</sup> | DVD±RW       | GMA      | Pro 32       | None        | Aug 10     |
| 0809-B3U   | 4x3        | Core 2 Duo E7500 | 2.93 | 3MB      | 2     | 3GB                 | 320GB              | DVD±RW       | GMA      | Pro 32       | None        | Aug 10     |
| 0809-C6U   | 4x3        | Core 2 Duo E8400 | 3.00 | 6MB      | 2     | 4GB                 | 500GB              | DVD±RW       | GMA      | Pro 64       | None        | Aug 10     |

- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a 3-year limited warranty<sup>1</sup>**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

|  |   |   |   |  |   |  |
|--|---|---|---|--|---|--|
| Positioning Processor  | Essential business features, exceptional value<br><b>Intel® Pentium® Processor E5500</b> with dual-core, 800MHz system bus, and 2MB L2 cache or<br><b>Intel Core™ 2 Duo Processor E7500</b> with dual-core, 1066MHz system bus, and 3MB L2 cache or<br><b>Intel Core 2 Duo Processor E8400</b> with dual-core, 1333MHz system bus, and 6MB L2 cache<br>Processor in LGA775 socket |   | <b>Small</b> <div><div>disk</div><div>optical</div></div>   |  |   |  |
| Implementation   | Processor in LGA775 socket  |   | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 3.5", 1" high, no access, std disk<br>Bay ③ 1.5", .35" high, access, opt reader*<br>* bay only available on models with media reader installed   |  |   |  |
| Memory   | <b>2GB, 3GB, or 4GB std</b> , 4GB max <sup>8</sup> , <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, two 240-pin DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets avail;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |   | Slot 1: Low Profile, PCI Express x16 (40w max)<br>Slot 2: Low Profile, PCI Express x1<br>Slot 3: Low Profile, 32-bit PCI 2.3<br>Slot 4: Low Profile, 32-bit PCI 2.3   |  |   |  |
| Graphics   | <b>Intel Graphics Media Accelerator X4500 (GMA X4500)</b> , integrated graphics in G41, uses main memory (up to 765MB [2GB models], 1277MB [3GB models], or 1759MB [4GB models]), one analog VGA DB-15 connector, DirectX® 10, supports dual independent display with optional ADD2 adapter   |   | <ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 13.2" W X 15.0" D X 3.9" H</li><li>• 335mm W X 382mm D X 99mm H</li><li>• 14.5 lb (6.6 kg) in maximum configuration</li><li>• Highlighted optical drive button for easy access</li><li>• System floor stand for vertical orientation</li></ul>   |  |   |  |
| SATA disk  | <b>320GB or 500GB</b> , SATA 3.0Gb/s 7200 rpm, vibration dampening  |   | <div><b>Security</b><ul style="list-style-type: none"><li>• One lock to secure both cover and entire system to fixed object:<ul style="list-style-type: none"><li>- Padlock loop (in rear for opt padlock)</li><li>- Security slot (in rear for optional Kensington® Microsaver® cable)</li></ul></li><li>• Power-on password</li><li>• Administrator password</li><li>• Hard disk password</li><li>• Boot sequence control</li><li>• Boot without keyboard, mouse</li><li>• Serial port I/O control</li><li>• USB port disablement</li></ul></div> |  |   |  |
| SATA controller  | Serial ATA, SATA 3.0Gb/s, integrated in ICH7  |   |   |  |   |  |
| SATA DVD±RW  | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive   |   |   |  |   |  |
| SATA cables  | Two SATA cables (each 1-drop to device), three SATA connectors on planar  |   |   |  |   |  |
| eSATA port   | None  |   |   |  |   |  |
| Diskette drive   | None  |   | Supports ThinkVantage® technologies   |  |   |  |
| Media reader   | None  |   |   |  |   |  |
| Chipset  | <b>Intel G41 Express Chipset</b> (PCI Express® x16), I/O Controller Hub 7 [ICH7] (SATA 3.0Gb/s, PCI Express x1, PCI 2.3, USB, LPC bus)  |   |   |  | GREENGUARD® certified<br>RoHS-compliant   |  |
| Front ports  | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |   |   |  | <div><b>Limited Warranty<sup>1</sup></b><ul style="list-style-type: none"><li>⇒ <b>3-year parts and labor</b></li><li>⇒ <b>International Warranty Service<sup>9</sup></b></li><li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇒ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li></ul></li><li>⇒ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>⇒ <b>Post warranty maintenance services available</b></li><li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul></div> |  |
| Rear ports   | Four USB 2.0, serial (9-pin), ethernet (RJ-45), monitor (VGA DB-15)   |   |   |  |   |  |
| Rear audio ports   | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone (stereo, 3.5mm)   |   |   |  |   |  |
| Audio  | High Definition (HD) Audio, Realtek® ALC662 codec   |   |   |  |   |  |
| Speaker  | One internal speaker for business audio   |   |   |  |   |  |
| IEEE 1394  | None  |   |   |  |   |  |
| Ethernet   | Gigabit ethernet on planar, Marvell® 88E8057, Wake on LAN®  |   |   |  |   |  |
| Intel AMT  | None  |   |   |  |   |  |
| Modem  | None  |   |   |  |   |  |
| Security chip  | None  |   |   |  |   |  |
| Keyboard   | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo  |   |   |  |   |  |
| Mouse  | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo  |   |   |  |   |  |
| Power supply   | 240 watts, autosensing, active Power Factor Correction  |   |   |  |   |  |
| <b>Preloaded operating system<sup>20</sup></b>                         |   | <b>Accessories</b>  |   |  |   |  |
| - <i>Some:</i> Genuine Windows® 7 Professional 32                      |   | 1GB PC3-8500 DDR3 UDIMM 45J5434   |   |  |   |  |
| - <i>Some:</i> Genuine Windows 7 Professional 64                       |   | 2GB PC3-8500 DDR3 UDIMM 45J5435   |   |  |   |  |
| <b>Preloaded applications<sup>5</sup></b> (all OSes; only some listed) |   | Super Multi-Burner DL DVD±RW SATA Drive 41N5620   |   |  |   |  |
| • Rescue and Recovery™   |   | DisplayPort™ to Single-link DVI-D Cable 45J7915   |   |  |   |  |
| • Password Manager   |   | DisplayPort to VGA Monitor Cable 57Y4393  |   |  |   |  |
| • ThinkVantage System Update   |   | ADD2 DVI-D Monitor Connection (HDCP) 43R1985  |   |  |   |  |
| • ThinkVantage Power Manager   |   | NVIDIA® GeForce® 310 512MB (DP, VGA) 57Y4397  |   |  |   |  |
| • ThinkVantage Toolbox   |   | NVIDIA Quadro® 512MB FX 380 LP (DP,DVI) 57Y4396   |   |  |   |  |
| • Norton™ Internet Security 2011 (30 days of virus definitions)        |   | More accessories on O-M70E sheet  |   |  |   |  |
| • Adobe® Reader®   |   | Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a> |   |  |   |  |
| • Adobe Flash® Player  |   | Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a>       |   |  |   |  |
| • Skype™ for Windows   |   |   |   |  |   |  |
| • Microsoft Office 2010 preloaded; purchase product key to activate    |   |   |   |  |   |  |
| • Corel® Burn.Now™ (DVD±RW)  |   |   |   |  |   |  |
| • Corel DVD MovieFactory® (DVD±RW)                                     |   |   |   |  |   |  |

---

*Personal Systems Reference (PSREF)*

- *These small and medium business (SMB) models are part of the US TopSeller™ Program*
- *These models have a 3-year limited warranty<sup>1</sup>*
- *These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)*

See footnotes for important warranty information  
US models announced August 3, 2010

© Lenovo  
(MANL1-6) November 2010

## Partial list of accessories supported on ThinkCentre M70e

## Memory

|                                   |         |              |
|-----------------------------------|---------|--------------|
| 1GB PC3-8500 DDR3 UDIMM           | 45J5434 | ann 11/18/08 |
| 1GB PC3-8500 DDR3 UDIMM (25-Pack) | 57Y4421 | ann 11/10/09 |
| 2GB PC3-8500 DDR3 UDIMM           | 45J5435 | ann 11/18/08 |
| 2GB PC3-8500 DDR3 UDIMM (25-Pack) | 57Y4422 | ann 11/10/09 |

More information at

[www.lenovo.com/support/desktopmemorycompatibility](http://www.lenovo.com/support/desktopmemorycompatibility)

## Optical

|  |         |              |
|--|---------|--------------|
| DVD-ROM DL SATA 1.5Gb/s 16X-48X Max <sup>4</sup> | 41N5618 | ann 09/26/06 |
| Super Multi-Burner DL DVD±RW SATA Drive          | 41N5620 | ann 09/26/06 |

## Storage and removable storage

|   |         |              |
|---|---------|--------------|
| 250GB SATA 3.0Gb/s Disk (7200 rpm)                  | 41N3015 | ann 01/24/06 |
| 500GB SATA 3.0Gb/s Disk (7200 rpm)                  | 43R1990 | ann 11/06/07 |
| USB 2.0 Portable 320GB Hard Disk                    | 45K1689 | ann 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk                    | 45K1690 | ann 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk             | 43R2018 | ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk             | 43R2019 | ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive <sup>53</sup> | 57Y4400 | ann 01/07/10 |
| USB 2.0 Portable DVD Burner                         | 43N3264 | ann 01/05/10 |

<sup>53</sup> USB-only attach.

## Graphics

Small 0809/0822/0830/0833/0843 support Low Profile:

|   |         |              |
|---|---------|--------------|
| DisplayPort™ to Single-link DVI-D Cable <sup>50</sup> | 45J7915 | ann 08/05/08 |
| DisplayPort to VGA Monitor Cable <sup>50</sup>        | 57Y4393 | ann 08/04/09 |
| ADD2 DVI-D Monitor Connection (HDCP)                  | 43R1985 | ann 11/06/07 |
| NVIDIA® Quadro® 512MB FX 380 LP                       |         |              |
| (DP, DVI with a DVI to VGA converter)                 | 57Y4396 | ann 02/02/10 |
| NVIDIA GeForce® 310 512MB (DP, VGA)                   | 57Y4397 | ann 02/02/10 |
| NVIDIA GeForce 310 512MB DMS59                        |         |              |
| (2-DVI or 2-VGA via DMS59 dongles)                    | 57Y4167 | ann 03/02/10 |

Tower 0806/0829/0832/0842 support:

|  |         |              |
|--|---------|--------------|
| DisplayPort to Single-link DVI-D Cable <sup>50</sup> | 45J7915 | ann 08/05/08 |
| DisplayPort to VGA Monitor Cable <sup>50</sup>       | 57Y4393 | ann 08/04/09 |
| ADD2 DVI-D Monitor Connection (HDCP)                 | 43R1985 | ann 11/06/07 |
| NVIDIA GeForce 310 512MB (DP, VGA)                   | 57Y4397 | ann 02/02/10 |
| NVIDIA GeForce 310 512MB DMS59                       | 57Y4167 | ann 03/02/10 |

<sup>50</sup> Attaches to the ThinkCentre compatible DisplayPort graphics card.More information at [www.lenovo.com/support/graphiccards](http://www.lenovo.com/support/graphiccards)

## Keyboard

|   |         |              |
|---|---------|--------------|
| Preferred Pro USB Keyboard                          | 73P5220 | ann 06/21/05 |
| Preferred Pro Full Size PS/2 Keyboard               | 31P7415 | ann 06/04/02 |
| Enhanced Performance USB Keyboard                   | 73P2620 | ann 03/23/04 |
| Ultraslim Wireless Keyboard and Mouse <sup>52</sup> | 57Y4700 | ann 09/15/09 |
| ThinkPad USB Keyboard with TrackPoint               | 55Y9003 | ann 08/18/09 |
| Lenovo® USB Fingerprint Keyboard                    | 73P4730 | ann 02/22/05 |
| Lenovo USB Smartcard Keyboard                       | 51J0155 | ann 03/24/09 |

<sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver.More information at [www.lenovo.com/support/keyboards](http://www.lenovo.com/support/keyboards)

## Mouse

|   |         |              |
|---|---------|--------------|
| Lenovo Optical Mouse (USB)                            | 06P4069 | ann 05/21/03 |
| ThinkPad® USB Laser Mouse                             | 57Y4635 | ann 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical)              | 31P7405 | ann 08/27/02 |
| Lenovo Laser Mouse (USB)                              | 41U3074 | ann 01/23/07 |
| Lenovo Wireless Laser Mouse - Black <sup>52</sup>     | 45K1696 | ann 11/25/08 |
| Lenovo Wireless Laser Mouse - Red/Black <sup>52</sup> | 51J0198 | ann 11/25/08 |

More information at [www.lenovo.com/support/mice](http://www.lenovo.com/support/mice)

## Multimedia

|  |         |              |
|--|---------|--------------|
| ThinkPad In-Ear Headphones <sup>60</sup> | 57Y4488 | ann 01/07/10 |
|--|---------|--------------|

<sup>60</sup> Has a 1.2 meter (3.9-foot) cable. Best when systems are in close proximity. Example: SFF placed on a desk.

## Modem

|                      |         |              |
|----------------------|---------|--------------|
| USB 2.0 Lenovo Modem | 43R1814 | ann 02/26/08 |
|----------------------|---------|--------------|

## Security

|  |         |              |
|--|---------|--------------|
| Kensington® MicroSaver® Cable Lock <sup>56</sup> | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock <sup>56</sup>    | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock                       | 57Y4303 | ann 08/24/10 |
| USB Gemplus GemPC Smart Card Reader              | 41N3040 | ann 02/21/06 |

<sup>56</sup> Attaching to any form factor not only secures the ThinkCentre to the work area, but it also prevents users from opening the chassis itself.

## Monitors

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Lenovo D186 Wide 18.5" Monitor      | 2580AB1 | ann 01/12/10 |
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann 09/17/08 |

More information at [www.lenovo.com/thinkvision](http://www.lenovo.com/thinkvision)Monitor Accessories<sup>46</sup>

|  |         |              |
|--|---------|--------------|
| Lenovo USB-to-DVI Monitor Adapter              | 45K5296 | ann 05/12/09 |
| ThinkVision USB Soundbar                       | 40Y7616 | ann 08/23/05 |
| ThinkVision Soundbar                           | 45K1263 | ann 09/16/08 |
| Kensington MicroSaver Cable Lock <sup>56</sup> | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock <sup>56</sup>  | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock                     | 57Y4303 | ann 08/24/10 |
| ThinkCentre Extend Arm                         | 57Y4352 | ann 07/06/10 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on desktop accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/desktopaccessories](http://www.lenovo.com/support/desktopaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)



Lenovo ThinkCentre M75e Small and  
Lenovo ThinkCentre M75e Tower



Lenovo ThinkCentre M75e Tower  
with Lenovo ThinkVision monitor



Lenovo ThinkCentre M75e Small




Lenovo ThinkCentre M75e Small  
with Lenovo ThinkVision monitor



Lenovo ThinkCentre M75e Tower



Lenovo ThinkCentre M75e Tower


| Type-model  | Slot x bay   | Processor   | GHz   | Memory <sup>a</sup> | SATA disk          | SATA optical | Media reader | Integrated graphics   | Monitor connectors | Win7 preload  | Global Educ | Avail date |
|---|--|-------------|---|---------------------|--------------------|--------------|--------------|---|--------------------|---|-------------|------------|
| 4163-B2U  | 4x3  | Sempron 145 | 2.80  | 1GB                 | 250GB <sup>2</sup> | DVD          | None         | 3000  | VGA, DVI-D         | Prem 32   | None        | Oct 10     |
| <ul style="list-style-type: none"><li>• <b>This small and medium business (SMB) model is part of the US TopSeller™ Program</b></li><li>• <b>This model has a 1-year limited warranty<sup>1</sup></b></li><li>• <b>This system is Microsoft® Office 2010 Product Key Ready (O10PKR)</b></li></ul>  |  |             |   |                     |                    |              |              |   |                    |   |             |            |
| Positioning Processor   | Essential business features, exceptional value<br><b>AMD® Sempron™ Processor 145</b> with single-core, integrated 1066MHz DDR3 memory controller, and 1MB L2 cache Processor in Socket AM3   |             |   |                     |                    |              |              | Small   |                    |  |             |            |
| Implementation  |  |             |   |                     |                    |              |              |   |                    |   |             |            |
| Memory  | <b>1GB std</b> , 16GB max <sup>a</sup> , <b>UDIMM, PC3-10600 1333MHz DDR3*</b> , four 240-pin DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; three sockets avail<br>* System automatically clocks down for processors with 1066MHz DDR3 memory controller                           |             |   |                     |                    |              |              | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 3.5", 1" high, no access, std disk<br>Bay ③ 1.5", .35" high, access, opt reader*<br>* bay only available on models with media reader installed   |                    |   |             |            |
| Graphics  | <b>ATI™ Radeon™ 3000</b> , integrated in chipset, uses main memory (up to 256MB), one analog VGA DB-15 connector, one DVI-D connector, DirectX® 10, ATI Avivo™, SurroundView™, supports dual independent display; supports up to 4 monitors with optional dual-head ATI Radeon discrete graphics adapter |             |   |                     |                    |              |              | Slot 1: Low Profile, PCIe 2.0 x16 (40w max)<br>Slot 2: Low Profile, PCIe 2.0 x1<br>Slot 3: Low Profile, PCIe 2.0 x1<br>Slot 4: Low Profile, 32-bit PCI 2.3<br><ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 13.2" W X 15.0" D X 3.9" H</li><li>• 335mm W X 382mm D X 99mm H</li><li>• 14.9 lb (6.8 kg) in maximum configuration</li><li>• Highlighted optical drive button for easy access</li><li>• System floor stand for vertical orientation</li></ul>   |                    |   |             |            |
| SATA disk   | <b>250GB</b> , SATA 3.0Gb/s 7200 rpm, vibration dampening mounts   |             |   |                     |                    |              |              | <b>Security</b> <ul style="list-style-type: none"><li>• One lock to secure both cover and entire system to fixed object:<ul style="list-style-type: none"><li>- Padlock loop (in rear for opt padlock)</li><li>- Security slot (in rear for optional Kensington® Microsaver® cable)</li></ul></li><li>• Power-on password</li><li>• Administrator password</li><li>• Hard disk password</li><li>• Boot sequence control</li><li>• Boot without keyboard, mouse</li><li>• Serial port I/O control</li><li>• USB port disablement</li></ul>   |                    |   |             |            |
| SATA controller   | Serial ATA, SATA 3.0Gb/s, integrated in SB710  |             |   |                     |                    |              |              |   |                    |   |             |            |
| SATA DVD  | DVD-ROM DL SATA 1.5Gb/s 16-48X Max <sup>4</sup> Drive  |             |   |                     |                    |              |              |   |                    |   |             |            |
| SATA cables   | Two SATA cables (each 1-drop to device), four SATA connectors  |             |   |                     |                    |              |              |   |                    |   |             |            |
| eSATA port  | None   |             |   |                     |                    |              |              |   |                    |   |             |            |
| Diskette drive  | None   |             |   |                     |                    |              |              | Supports ThinkVantage® technologies   |                    |   |             |            |
| Media reader  | None   |             |   |                     |                    |              |              |   |                    |   |             |            |
| Chipset   | <b>AMD 760G Chipset</b> with HyperTransport 3.0 and PCI Express® 2.0 support; SB710 south bridge / ITE Tech® IT8720 Super I/O  |             |   |                     |                    |              |              |   |                    |   |             |            |
| Front ports   | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)   |             |   |                     |                    |              |              |   |                    |   |             |            |
| Rear ports  | Four USB 2.0, serial (9-pin), keyboard (PS/2), mouse (PS/2), ethernet (RJ-45), monitor (VGA DB-15, DVI-D)  |             |   |                     |                    |              |              |   |                    |   |             |            |
| Rear audio ports  | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone (stereo, 3.5mm)  |             |   |                     |                    |              |              | GREENGUARD® certified<br>RoHS-compliant   |                    |   |             |            |
| Internal connector  | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)  |             |   |                     |                    |              |              |   |                    |   |             |            |
| Audio   | High Definition (HD) Audio, Realtek® ALC662 codec  |             |   |                     |                    |              |              |   |                    |   |             |            |
| Speaker   | One internal speaker for business audio  |             |   |                     |                    |              |              |   |                    |   |             |            |
| IEEE 1394   | None   |             |   |                     |                    |              |              |   |                    |   |             |            |
| Ethernet  | Gigabit ethernet on planar, Marvell® 88E8057, Wake on LAN®   |             |   |                     |                    |              |              | <b>Limited Warranty<sup>1</sup></b> <ul style="list-style-type: none"><li>⇒ <b>1-year parts and labor</b></li><li>⇒ <b>International Warranty Service<sup>9</sup></b></li><li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇒ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>1-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9189)</li><li>• <b>2-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9187)</li><li>• <b>2-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9190)</li><li>• <b>3-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9188)</li><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9191)</li></ul></li><li>⇒ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>⇒ <b>Post warranty maintenance services available</b></li><li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |                    |   |             |            |
| Modem   | None   |             |   |                     |                    |              |              |   |                    |   |             |            |
| Security chip   | Winbond® WPCT210 SafeKeeper™ Trusted Platform Module, TCG 1.2-compliant  |             |   |                     |                    |              |              |   |                    |   |             |            |
| Keyboard  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo   |             |   |                     |                    |              |              |   |                    |   |             |            |
| Mouse   | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo   |             |   |                     |                    |              |              |   |                    |   |             |            |
| Power supply  | 240 watts, autosensing, active Power Factor Correction   |             |   |                     |                    |              |              |   |                    |   |             |            |
| <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Home Premium 32  |  |             | <b>Accessories</b><br>1GB PC3-10600 DDR3 UDIMM 57Y4389<br>2GB PC3-10600 DDR3 UDIMM 57Y4390<br>Super Multi-Burner DL DVD±RW SATA Drive 41N5620<br>DisplayPort™ to Single-link DVI-D Cable 45J7915<br>NVIDIA® Quadro® 512MB FX 380 LP 57Y4396<br>NVIDIA GeForce® 310 512MB (DP, VGA) 57Y4397<br>NVIDIA GeForce 310 DMS59 (2-DVI, 2-VGA) 57Y4167<br>More accessories on O-M75E sheet<br>Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a><br>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a> |                     |                    |              |              |   |                    |   |             |            |
| <b>Preloaded applications<sup>5</sup></b> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li></ul> |  |             |   |                     |                    |              |              |   |                    |   |             |            |

# ThinkCentre® M75e Small (5042) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Slot x bay | Processor        | GHz  | Memory <sup>a</sup> | SATA disk          | SATA optical | Media reader | Integrated graphics | Monitor connectors | Win7 preload | Global Educ | Avail date |
|------------|------------|------------------|------|---------------------|--------------------|--------------|--------------|---------------------|--------------------|--------------|-------------|------------|
| 5042-A5U   | 4x3        | Athlon II X2 B22 | 2.80 | 2GB                 | 320GB <sup>2</sup> | DVD±RW       | None         | 3000                | VGA, DVI-D         | Pro 32       | None        | Oct 10     |
| 5042-A6U   | 4x3        | Phenom II X2 B53 | 2.80 | 3GB                 | 320GB              | DVD±RW       | None         | 3000                | VGA, DVI-D         | Pro 32       | None        | Oct 10     |
| 5042-A7U   | 4x3        | Athlon II X4 640 | 3.00 | 4GB                 | 500GB              | DVD±RW       | None         | 3000                | VGA, DVI-D         | Pro 64       | None        | Oct 10     |

- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a 3-year limited warranty<sup>1</sup>**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

|                       |  |   |
|-----------------------|--|---|
| Positioning Processor | <p><i>Essential business features, exceptional value</i></p> <p><b>AMD® Athlon™ II X2 Processor B22</b> with <b>dual-core</b>, integrated 1066MHz DDR3 memory controller, and 2MB L2 cache (1MB per core) or</p> <p><b>AMD Phenom™ II X2 Processor B53</b> with <b>dual-core</b>, integrated 1066MHz DDR3 memory controller, and 1MB L2 cache (512KB per core), and 6MB shared L3 cache or</p> <p><b>AMD Athlon II X4 Processor 640</b> with <b>quad-core</b>, integrated 1333MHz DDR3 memory controller, and 2MB L2 cache (512KB per core)</p> <p>Processor in Socket AM3</p> | <p><b>Small</b></p>  <p>Bay ① 5.25", 1.6" high, access, std optical<br/>           Bay ② 3.5", 1" high, no access, std disk<br/>           Bay ③ 1.5", .35" high, access, opt reader*</p> <p>* bay only available on models with media reader installed</p> <p>Slot 1: Low Profile, PCIe 2.0 x16 (40w max)<br/>           Slot 2: Low Profile, PCIe 2.0 x1<br/>           Slot 3: Low Profile, PCIe 2.0 x1<br/>           Slot 4: Low Profile, 32-bit PCI 2.3</p> <ul style="list-style-type: none"> <li>• Business black color; metal case</li> <li>• 13.2" W X 15.0" D X 3.9" H</li> <li>• 335mm W X 382mm D X 99mm H</li> <li>• 14.9 lb (6.8 kg) in maximum configuration</li> <li>• Highlighted optical drive button for easy access</li> <li>• System floor stand for vertical orientation</li> </ul> |
| Memory                | <p><b>2GB, 3GB, or 4GB std, 16GB max<sup>a</sup>, UDIMM, PC3-10600 1333MHz DDR3*</b>, four 240-pin DIMM sockets;</p> <p><i>Italics:</i> standard memory in two sockets; two sockets avail;<br/> <i>Non-italics:</i> standard memory in one socket; three sockets avail</p> <p>* System automatically clocks down for processors with 1066MHz DDR3 memory controller</p>  |   |
| Graphics              | <p><b>ATI™ Radeon™ 3000</b>, integrated in chipset, uses main memory (up to 256MB), one analog VGA DB-15 connector, one DVI-D connector, DirectX® 10, ATI Avivo™, SurroundView™, supports dual independent display;</p> <p>supports up to 4 monitors with optional dual-head ATI Radeon discrete graphics adapter</p>  | <p><b>Security</b></p> <ul style="list-style-type: none"> <li>• One lock to secure both cover and entire system to fixed object:               <ul style="list-style-type: none"> <li>- Padlock loop (in rear for opt padlock)</li> <li>- Security slot (in rear for optional Kensington® Microsaver® cable)</li> </ul> </li> <li>• Power-on password</li> <li>• Administrator password</li> <li>• Hard disk password</li> <li>• Boot sequence control</li> <li>• Boot without keyboard, mouse</li> <li>• Serial port I/O control</li> <li>• USB port disablement</li> </ul>  |
| SATA disk             | <b>320GB or 500GB</b> , SATA 3.0Gb/s 7200 rpm, vibration dampening mounts  |   |
| SATA controller       | Serial ATA, SATA 3.0Gb/s, integrated in SB710  |   |
| SATA DVD±RW           | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive  |   |
| SATA cables           | Two SATA cables (each 1-drop to device), four SATA connectors on planar  |   |
| eSATA port            | None   |   |
| Diskette drive        | None   |   |
| Media reader          | None   |   |
| Chipset               | <p><b>AMD 760G Chipset</b> with HyperTransport 3.0 and PCI Express® 2.0 support;</p> <p>SB710 south bridge / ITE Tech® IT8720 Super I/O</p>  |   |
| Front ports           | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)   |   |
| Rear ports            | Four USB 2.0, serial (9-pin), keyboard (PS/2), mouse (PS/2), ethernet (RJ-45), monitor (VGA DB-15, DVI-D)  |   |
| Rear audio ports      | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone (stereo, 3.5mm)  |   |
| Internal connector    | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)  |   |
| Audio                 | High Definition (HD) Audio, Realtek® ALC662 codec  |   |
| Speaker               | One internal speaker for business audio  |   |
| IEEE 1394             | None   |   |
| Ethernet              | Gigabit ethernet on planar, Marvell® 88E8057, Wake on LAN®   |   |
| Modem                 | None   |   |
| Security chip         | Winbond® WPCT210 SafeKeeper™ Trusted Platform Module, TCG 1.2-compliant  |   |
| Keyboard              | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo   |   |
| Mouse                 | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo   |   |
| Power supply          | 240 watts, autosensing, active Power Factor Correction   |   |

**Preloaded operating system<sup>20</sup>**

- *Some:* Genuine Windows® 7 Professional 32
- *Some:* Genuine Windows 7 Professional 64

**Preloaded applications<sup>5</sup>** (all OSes; only some listed)

- Rescue and Recovery™
- Password Manager
- ThinkVantage System Update
- ThinkVantage Power Manager
- ThinkVantage Toolbox
- Norton™ Internet Security 2011 (30 days of virus definitions)
- Adobe® Reader®
- Skype™ for Windows
- Microsoft Office 2010 preloaded; purchase product key to activate
- Corel® Burn.Now™ (DVD±RW)
- Corel DVD MovieFactory® (DVD±RW)

**Accessories**

|   |         |
|---|---------|
| 1GB PC3-10600 DDR3 UDIMM                | 57Y4389 |
| 2GB PC3-10600 DDR3 UDIMM                | 57Y4390 |
| Super Multi-Burner DL DVD±RW SATA Drive | 41N5620 |
| DisplayPort™ to Single-link DVI-D Cable | 45J7915 |
| NVIDIA® Quadro® 512MB FX 380 LP         | 57Y4396 |
| NVIDIA GeForce® 310 512MB (DP, VGA)     | 57Y4397 |
| NVIDIA GeForce 310 DMS59 (2-DVI, 2-VGA) | 57Y4167 |

More accessories on O-M75E sheet

Acc Guide in pdf [lenovo.com/accessoriesguide](http://lenovo.com/accessoriesguide)

Other accessories at [lenovo.com/accessories](http://lenovo.com/accessories)

**Limited Warranty<sup>1</sup>**

- ⇒ **3-year parts and labor**
- ⇒ **International Warranty Service<sup>9</sup>**
- ⇒ **Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)**
- ⇒ **Onsite service upgrade options (in eligible locations):<sup>7</sup>**
  - **3-year LOR 9x5, 4 hour response** (ThinkPlus™ part number 41C9192)
  - **3-year LOR 24x7, 4 hour response** (ThinkPlus part number 41C9193)
  - **4-year LOR 9x5, Next Business Day** (ThinkPlus part number 41C9194)
  - **4-year LOR 9x5, 4 hour response** (ThinkPlus part number 41C9195)
  - **4-year LOR 24x7, 4 hour response** (ThinkPlus part number 41C9196)
- ⇒ **ThinkPlus services at [lenovo.com/thinkplus/warranty](http://lenovo.com/thinkplus/warranty)**
- ⇒ **Post warranty maintenance services available**
- ⇒ **24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378**

See footnotes for important warranty information  
 US models announced September 21, 2010


© Lenovo  
 (ASPN1-2) October 2010


# ThinkCentre® M75e Tower (4162) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Slot x bay | Processor   | GHz  | Memory <sup>8</sup> | SATA disk          | 2nd Disk Bay | SATA optical | Media reader | Integrated graphics | Monitor connectors | Win7 preload | Global Educ | Avail date |
|------------|------------|-------------|------|---------------------|--------------------|--------------|--------------|--------------|---------------------|--------------------|--------------|-------------|------------|
| 4162-A3U   | 4x3        | Sempron 145 | 2.80 | 1GB                 | 250GB <sup>2</sup> | None         | DVD          | None         | 3000                | VGA, DVI-D         | Prem 32      | None        | Oct 10     |

- **This small and medium business (SMB) model is part of the US TopSeller™ Program**
- **This model has a 1-year limited warranty<sup>1</sup>**
- **This system is Microsoft® Office 2010 Product Key Ready (O10PKR)**

|   |   |  |  |  |   |  |  |
|---|---|--|--|--|---|--|--|
| Positioning Processor   | <i>Essential business features, exceptional value</i><br><b>AMD® Sempron™ Processor 145</b> with single-core, integrated 1066 MHz DDR3 memory controller, and 1MB L2 cache Processor in Socket AM3  |  | <b>Tower</b> <ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 6.3" W X 16.6" D X 15.3" H</li><li>• 160mm W X 422mm D X 388mm H</li><li>• 21.2 lb (9.6 kg) in max configuration</li><li>• Handle on top front</li><li>• Highlighted optical drive button for easy access</li></ul>  |  |  |  |  |
| Implementation  | Processor in Socket AM3   |  | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 1.5", .35" high, access, opt reader*<br>Bay ③ 3.5", 1" high, no access, std disk<br>* bay only available on models with media reader installed  |  |   |  |  |
| Memory  | <b>1GB std, 16GB max<sup>8</sup>, UDIMM, PC3-10600 1333MHz DDR3<sup>*</sup></b> , four 240-pin DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; three sockets avail<br><sup>*</sup> System automatically clocks down for processors with 1066MHz DDR3 memory controller                  |  | Slot 1: half-length,full-height, PCIe 2.0 x16 (60w max)<br>Slot 2: half-length,full-height, PCIe 2.0 x1<br>Slot 3: half-length,full-height, PCIe 2.0 x1<br>Slot 4: half-length,full-height, 32-bit PCI 2.3   |  |   |  |  |
| Graphics  | <b>ATI™ Radeon™ 3000</b> , integrated in chipset, uses main memory (up to 256MB), one analog VGA DB-15 connector, one DVI-D connector, DirectX® 10, ATI Avivo™, SurroundView™, supports dual independent display;<br>supports up to 4 monitors with optional dual-head ATI Radeon discrete graphics adapter |  |  |  |   |  |  |
| SATA disk   | <b>250GB</b> , SATA 3.0Gb/s 7200 rpm, vibration dampening mounts  |  |  |  |   |  |  |
| SATA controller   | Serial ATA, SATA 3.0Gb/s, integrated in SB710   |  |  |  |   |  |  |
| SATA DVD  | DVD-ROM DL SATA 1.5Gb/s 16-48X Max <sup>4</sup> Drive   |  |  |  |   |  |  |
| SATA cables   | Two SATA cables (each 1-drop to device), four SATA connectors   |  |  |  |   |  |  |
| eSATA port  | None  |  |  |  |   |  |  |
| Diskette drive  | None  |  |  |  |   |  |  |
| Media reader  | None  |  |  |  |   |  |  |
| Chipset   | <b>AMD 760G Chipset</b> with HyperTransport 3.0 and PCI Express® 2.0 support;<br>SB710 south bridge / ITE Tech® IT8720 Super I/O  |  |  |  |   |  |  |
| Front ports   | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |  |  |  |   |  |  |
| Rear ports  | Four USB 2.0, serial (9-pin), keyboard (PS/2), mouse (PS/2), ethernet (RJ-45), monitor (VGA DB-15, DVI-D)   |  |  |  |   |  |  |
| Rear audio ports  | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone (stereo, 3.5mm)   |  |  |  |   |  |  |
| Internal connector  | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)   |  |  |  |   |  |  |
| Audio   | High Definition (HD) Audio, Realtek® ALC662 codec   |  |  |  |   |  |  |
| Speaker   | One internal speaker for business audio   |  |  |  |   |  |  |
| IEEE 1394   | None  |  |  |  |   |  |  |
| Ethernet  | Gigabit ethernet on planar, Marvell® 88E8057, Wake on LAN®  |  |  |  |   |  |  |
| Modem   | None  |  |  |  |   |  |  |
| Security chip   | Winbond® WPCT210 SafeKeeper™ Trusted Platform Module, TCG 1.2-compliant   |  |  |  |   |  |  |
| Keyboard  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo  |  |  |  |   |  |  |
| Mouse   | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo  |  |  |  |   |  |  |
| Power supply  | 280 watts with variable speed fan, manual switch  |  |  |  |   |  |  |
| <b>Preloaded operating system<sup>20</sup></b><br>- Genuine Windows® 7 Home Premium 32  |   |  | <b>Accessories</b><br>1GB PC3-10600 DDR3 UDIMM 57Y4389<br>2GB PC3-10600 DDR3 UDIMM 57Y4390<br>DVD-ROM DL SATA 1.5Gb/s 16-48X Max 41N5618<br>DisplayPort™ to Single-link DVI-D Cable 45J7915<br>NVIDIA® GeForce® 310 512MB (DP, VGA) 57Y4397<br>NVIDIA GeForce 310 DMS59 (2-DVI, 2-VGA) 57Y4167<br>More accessories on O-M75E sheet<br>Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a><br>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a> |  |   |  |  |
| <b>Preloaded applications<sup>5</sup></b> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li></ul> |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |
|   |   |  |  |  |   |  |  |

| Type-model  | Slot x bay  | Processor        | GHz  | Memory <sup>a</sup>  | SATA disk          | 2nd Disk Bay | SATA optical | Media reader  | Integrated graphics | Monitor connectors  | Win7 preload | Global Educ | Avail date |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
|---|---|------------------|------|--|--------------------|--------------|--------------|---|---------------------|---|--------------|-------------|------------|--|--|--|--|--|--|--|--|---|--|--|--|--|--|
| 5041-A1U  | 4x3   | Athlon II X2 B22 | 2.80 | 2GB  | 320GB <sup>2</sup> | None         | DVD±RW       | None  | 3000                | VGA, DVI-D  | Pro 32       | None        | Oct 10     |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| 5041-A2U  | 4x3   | Phenom II X2 B53 | 2.80 | 3GB  | 320GB              | None         | DVD±RW       | None  | 3000                | VGA, DVI-D  | Pro 32       | None        | Oct 10     |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| 5041-A3U  | 4x3   | Athlon II X4 640 | 3.00 | 4GB  | 500GB              | None         | DVD±RW       | None  | 3000                | VGA, DVI-D  | Pro 64       | None        | Oct 10     |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| <ul style="list-style-type: none"><li>• <b>These small and medium business (SMB) models are part of the US TopSeller™ Program</b></li><li>• <b>These models have a 3-year limited warranty<sup>1</sup></b></li><li>• <b>These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)</b></li></ul>   |   |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Positioning Processor   | <i>Essential business features, exceptional value</i><br><b>AMD® Athlon™ II X2 Processor B22</b> with <b>dual-core</b> , integrated 1066 MHz DDR3 memory controller, and 2MB L2 cache (1MB per core) or<br><b>AMD Phenom™ II X2 Processor B53</b> with <b>dual-core</b> , integrated 1066 MHz DDR3 memory controller, and 1MB L2 cache (512KB per core), and 6MB shared L3 cache or<br><b>AMD Athlon II X4 Processor 640</b> with <b>quad-core</b> , integrated 1333 MHz DDR3 memory controller, and 2MB L2 cache (512KB per core)<br>Processor in Socket AM3 |                  |      |  |                    |              |              | <b>Tower</b> <ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 6.3" W X 16.6" D X 15.3" H</li><li>• 160mm W X 422mm D X 388mm H</li><li>• 21.2 lb (9.6 kg) in max configuration</li><li>• Handle on top front</li><li>• Highlighted optical drive button for easy access</li></ul>    |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Implementation  |   |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Memory  | <b>2GB, 3GB, or 4GB std, 16GB max<sup>a</sup>, UDIMM, PC3-10600 1333MHz DDR3*</b> , four 240-pin DIMM sockets;<br><i>Italics:</i> standard memory in two sockets; two sockets avail;<br><i>Non-italics:</i> standard memory in one socket; three sockets avail<br>* System automatically clocks down for processors with 1066MHz DDR3 memory controller   |                  |      |  |                    |              |              | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 1.5", .35" high, access, opt reader*<br>Bay ③ 3.5", 1" high, no access, std disk<br>* bay only available on models with media reader installed   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Graphics  | <b>ATI™ Radeon™ 3000</b> , integrated in chipset, uses main memory (up to 256MB), one analog VGA DB-15 connector, one DVI-D connector, DirectX® 10, ATI Avivo™, SurroundView™, supports dual independent display; supports up to 4 monitors with optional dual-head ATI Radeon discrete graphics adapter  |                  |      |  |                    |              |              | Slot 1: half-length,full-height, PCIe 2.0 x16 (60w max)<br>Slot 2: half-length,full-height, PCIe 2.0 x1<br>Slot 3: half-length,full-height, PCIe 2.0 x1<br>Slot 4: half-length,full-height, 32-bit PCI 2.3  |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| SATA disk   | <b>320GB or 500GB</b> , SATA 3.0Gb/s 7200 rpm, vibration dampening mounts   |                  |      |  |                    |              |              |   |                     | <b>Security</b> <ul style="list-style-type: none"><li>• One lock to secure both cover and entire system to fixed object:<ul style="list-style-type: none"><li>- Padlock loop (in rear for opt padlock)</li><li>- Security slot (in rear for optional Kensington® Microsaver® cable)</li></ul></li><li>• Power-on password</li><li>• Administrator password</li><li>• Hard disk password</li><li>• Boot sequence control</li><li>• Boot without keyboard, mouse</li><li>• Serial port I/O control</li><li>• USB port disablement</li></ul> |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| SATA controller   | Serial ATA, SATA 3.0Gb/s, integrated in SB710   |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| SATA DVD±RW   | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive   |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| SATA cables   | Two SATA cables (each 1-drop to device), four SATA connectors on planar   |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| eSATA port  | None  |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Diskette drive  | None  |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Media reader  | None  |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Chipset   | <b>AMD 760G Chipset</b> with HyperTransport 3.0 and PCI Express® 2.0 support; SB710 south bridge / ITE Tech® IT8720 Super I/O   |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Front ports   | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Rear ports  | Four USB 2.0, serial (9-pin), keyboard (PS/2), mouse (PS/2), ethernet (RJ-45), monitor (VGA DB-15, DVI-D)   |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Rear audio ports  | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone (stereo, 3.5mm)   |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Internal connector  | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)   |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Audio   | High Definition (HD) Audio, Realtek® ALC662 codec   |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Speaker   | One internal speaker for business audio   |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| IEEE 1394   | None  |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Ethernet  | Gigabit ethernet on planar, Marvell® 88E8057, Wake on LAN®  |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Modem   | None  |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Security chip   | Winbond® WPCT210 SafeKeeper™ Trusted Platform Module, TCG 1.2-compliant   |                  |      |  |                    |              |              |   |                     | Supports ThinkVantage® technologies   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Keyboard  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo  |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Mouse   | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo  |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| Power supply  | 280 watts with variable speed fan, manual switch  |                  |      |  |                    |              |              |   |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |
| <table><tr><td colspan="4"><b>Preloaded operating system<sup>20</sup></b><ul style="list-style-type: none"><li>- <i>Some:</i> Genuine Windows® 7 Professional 32</li><li>- <i>Some:</i> Genuine Windows 7 Professional 64</li></ul><b>Preloaded applications<sup>5</sup></b> (all OSeS; only some listed)<ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul></td><td colspan="4"><b>Accessories</b><ul style="list-style-type: none"><li>1GB PC3-10600 DDR3 UDIMM 57Y4389</li><li>2GB PC3-10600 DDR3 UDIMM 57Y4390</li><li>Super Multi-Burner DL DVD±RW SATA Drive 41N5620</li><li>DisplayPort™ to Single-link DVI-D Cable 45J7915</li><li>NVIDIA® GeForce® 310 512MB (DP, VGA) 57Y4397</li><li>NVIDIA GeForce 310 DMS59 (2-DVI, 2-VGA) 57Y4167</li><li>More accessories on O-M75E sheet</li><li>Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a></li><li>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a></li></ul></td><td colspan="6"><b>Limited Warranty<sup>1</sup></b><ul style="list-style-type: none"><li>➤ <b>3-year parts and labor</b></li><li>➤ <b>International Warranty Service<sup>9</sup></b></li><li>➤ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>➤ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li></ul></li><li>➤ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>➤ <b>Post warranty maintenance services available</b></li><li>➤ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul></td></tr></table> |   |                  |      |  |                    |              |              |   |                     |   |              |             |            | <b>Preloaded operating system<sup>20</sup></b> <ul style="list-style-type: none"><li>- <i>Some:</i> Genuine Windows® 7 Professional 32</li><li>- <i>Some:</i> Genuine Windows 7 Professional 64</li></ul> <b>Preloaded applications<sup>5</sup></b> (all OSeS; only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul> |  |  |  | <b>Accessories</b> <ul style="list-style-type: none"><li>1GB PC3-10600 DDR3 UDIMM 57Y4389</li><li>2GB PC3-10600 DDR3 UDIMM 57Y4390</li><li>Super Multi-Burner DL DVD±RW SATA Drive 41N5620</li><li>DisplayPort™ to Single-link DVI-D Cable 45J7915</li><li>NVIDIA® GeForce® 310 512MB (DP, VGA) 57Y4397</li><li>NVIDIA GeForce 310 DMS59 (2-DVI, 2-VGA) 57Y4167</li><li>More accessories on O-M75E sheet</li><li>Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a></li><li>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a></li></ul> |  |  |  | <b>Limited Warranty<sup>1</sup></b> <ul style="list-style-type: none"><li>➤ <b>3-year parts and labor</b></li><li>➤ <b>International Warranty Service<sup>9</sup></b></li><li>➤ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>➤ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li></ul></li><li>➤ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>➤ <b>Post warranty maintenance services available</b></li><li>➤ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |  |  |  |  |  |
| <b>Preloaded operating system<sup>20</sup></b> <ul style="list-style-type: none"><li>- <i>Some:</i> Genuine Windows® 7 Professional 32</li><li>- <i>Some:</i> Genuine Windows 7 Professional 64</li></ul> <b>Preloaded applications<sup>5</sup></b> (all OSeS; only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul>  |   |                  |      | <b>Accessories</b> <ul style="list-style-type: none"><li>1GB PC3-10600 DDR3 UDIMM 57Y4389</li><li>2GB PC3-10600 DDR3 UDIMM 57Y4390</li><li>Super Multi-Burner DL DVD±RW SATA Drive 41N5620</li><li>DisplayPort™ to Single-link DVI-D Cable 45J7915</li><li>NVIDIA® GeForce® 310 512MB (DP, VGA) 57Y4397</li><li>NVIDIA GeForce 310 DMS59 (2-DVI, 2-VGA) 57Y4167</li><li>More accessories on O-M75E sheet</li><li>Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a></li><li>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a></li></ul> |                    |              |              | <b>Limited Warranty<sup>1</sup></b> <ul style="list-style-type: none"><li>➤ <b>3-year parts and labor</b></li><li>➤ <b>International Warranty Service<sup>9</sup></b></li><li>➤ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>➤ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li></ul></li><li>➤ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>➤ <b>Post warranty maintenance services available</b></li><li>➤ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |                     |   |              |             |            |  |  |  |  |  |  |  |  |   |  |  |  |  |  |

## Partial list of accessories supported on ThinkCentre M75e

## Memory

|  |         |              |
|--|---------|--------------|
| 1GB PC3-10600 DDR3 Low-Halogen UDIMM   | 57Y4389 | ann 01/12/10 |
| 1GB PC3-10600 DDR3 L-H UDIMM (25-Pack) | 57Y4419 | ann 01/12/10 |
| 2GB PC3-10600 DDR3 Low-Halogen UDIMM   | 57Y4390 | ann 01/12/10 |
| 2GB PC3-10600 DDR3 L-H UDIMM (25-Pack) | 57Y4420 | ann 01/12/10 |

More information at

[www.lenovo.com/support/desktopmemorycompatibility](http://www.lenovo.com/support/desktopmemorycompatibility)

## Optical

|  |         |              |
|--|---------|--------------|
| DVD-ROM DL SATA 1.5Gb/s 16X-48X Max <sup>4</sup> | 41N5618 | ann 09/26/06 |
| Super Multi-Burner DL DVD±RW SATA Drive          | 41N5620 | ann 09/26/06 |

## Storage and removable storage

|   |         |              |
|---|---------|--------------|
| 250GB SATA 3.0Gb/s Disk (7200 rpm)                  | 41N3015 | ann 01/24/06 |
| 500GB SATA 3.0Gb/s Disk (7200 rpm)                  | 43R1990 | ann 11/06/07 |
| USB 2.0 Portable 320GB Hard Disk                    | 45K1689 | ann 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk                    | 45K1690 | ann 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk             | 43R2018 | ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk             | 43R2019 | ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive <sup>53</sup> | 57Y4400 | ann 01/07/10 |
| USB 2.0 Portable DVD Burner                         | 43N3264 | ann 01/05/10 |
| <sup>53</sup> USB-only attach.                      |         |              |

## Graphics

Small 4163/5042/5046/5054/5062/5058/5064 support Low Profile:

|  |         |              |
|--|---------|--------------|
| DisplayPort™ to Single-link DVI-D Cable <sup>50</sup>                    | 45J7915 | ann 08/05/08 |
| DisplayPort to VGA Monitor Cable <sup>50</sup>                           | 57Y4393 | ann 08/04/09 |
| NVIDIA® Quadro® 512MB FX 380 LP<br>(DP, DVI with a DVI to VGA converter) | 57Y4396 | ann 02/02/10 |
| NVIDIA GeForce® 310 512MB (DP, VGA)                                      | 57Y4397 | ann 02/02/10 |
| NVIDIA GeForce 310 512MB DMS59<br>(2-DVI or 2-VGA via DMS59 dongles)     | 57Y4167 | ann 03/02/10 |

Tower 4162/5041/5044/5053/5061/5057/5063 support:

|  |         |              |
|--|---------|--------------|
| DisplayPort to Single-link DVI-D Cable <sup>50</sup> | 45J7915 | ann 08/05/08 |
| DisplayPort to VGA Monitor Cable <sup>50</sup>       | 57Y4393 | ann 08/04/09 |
| NVIDIA GeForce 310 512MB (DP, VGA)                   | 57Y4397 | ann 02/02/10 |
| NVIDIA GeForce 310 512MB DMS59                       | 57Y4167 | ann 03/02/10 |

<sup>50</sup> Attaches to the ThinkCentre compatible DisplayPort graphics card.More information at [www.lenovo.com/support/graphiccards](http://www.lenovo.com/support/graphiccards)

## Keyboard

|   |         |              |
|---|---------|--------------|
| Preferred Pro USB Keyboard  | 73P5220 | ann 06/21/05 |
| Preferred Pro Full Size PS/2 Keyboard   | 31P7415 | ann 06/04/02 |
| Enhanced Performance USB Keyboard   | 73P2620 | ann 03/23/04 |
| Ultraslim Wireless Keyboard and Mouse <sup>52</sup>                           | 57Y4700 | ann 09/15/09 |
| ThinkPad USB Keyboard with TrackPoint   | 55Y9003 | ann 08/18/09 |
| Lenovo® USB Fingerprint Keyboard  | 73P4730 | ann 02/22/05 |
| Lenovo USB Smartcard Keyboard   | 51J0155 | ann 03/24/09 |
| <sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver. |         |              |

More information at [www.lenovo.com/support/keyboards](http://www.lenovo.com/support/keyboards)

## Mouse

|   |         |              |
|---|---------|--------------|
| Lenovo Optical Mouse (USB)                            | 06P4069 | ann 05/21/03 |
| ThinkPad® USB Laser Mouse                             | 57Y4635 | ann 12/15/09 |
| Lenovo ScrollPoint® Mouse (USB, Optical)              | 31P7405 | ann 08/27/02 |
| Lenovo Laser Mouse (USB)                              | 41U3074 | ann 01/23/07 |
| Lenovo Wireless Laser Mouse - Black <sup>52</sup>     | 45K1696 | ann 11/25/08 |
| Lenovo Wireless Laser Mouse - Red/Black <sup>52</sup> | 51J0198 | ann 11/25/08 |
| Lenovo Mini Optical Mouse - Black                     | 55Y9308 | ann 05/19/09 |
| Lenovo Mini Optical Mouse - White                     | 55Y9309 | ann 05/19/09 |

More information at [www.lenovo.com/support/mice](http://www.lenovo.com/support/mice)

## Multimedia

|  |         |              |
|--|---------|--------------|
| ThinkPad In-Ear Headphones <sup>60</sup>   | 57Y4488 | ann 01/07/10 |
| <sup>60</sup> Has a 1.2 meter (3.9-foot) cable. Best when systems are in close proximity. Example: SFF placed on a desk. |         |              |

## Modem

|                      |         |              |
|----------------------|---------|--------------|
| USB 2.0 Lenovo Modem | 43R1814 | ann 02/26/08 |
|----------------------|---------|--------------|

## Security

|   |         |              |
|---|---------|--------------|
| Kensington® MicroSaver® Cable Lock <sup>56</sup>  | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock <sup>56</sup>   | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock  | 57Y4303 | ann 08/24/10 |
| USB Gemplus GemPC Smart Card Reader   | 41N3040 | ann 02/21/06 |
| <sup>56</sup> Attaching to any form factor not only secures the ThinkCentre to the work area, but it also prevents users from opening the chassis itself. |         |              |

## Monitors

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Lenovo D186 Wide 18.5" Monitor      | 2580AB1 | ann 01/12/10 |
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann 09/17/08 |

More information at [www.lenovo.com/thinkvision](http://www.lenovo.com/thinkvision)Monitor Accessories<sup>46</sup>

|  |         |              |
|--|---------|--------------|
| Lenovo USB-to-DVI Monitor Adapter              | 45K5296 | ann 05/12/09 |
| ThinkVision USB Soundbar                       | 40Y7616 | ann 08/23/05 |
| ThinkVision Soundbar                           | 45K1263 | ann 09/16/08 |
| Kensington MicroSaver Cable Lock <sup>56</sup> | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock <sup>56</sup>  | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock                     | 57Y4303 | ann 08/24/10 |
| ThinkCentre Extend Arm                         | 57Y4352 | ann 07/06/10 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on desktop accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/desktopaccessories](http://www.lenovo.com/support/desktopaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)



Lenovo ThinkCentre M90/M90p Eco USFF



Lenovo ThinkCentre M90/M90p Eco USFF



Lenovo ThinkCentre M90/M90p SFF



Lenovo ThinkCentre M90/M90p SFF  
with ThinkVision L2251x (2578-HB6)



Lenovo ThinkCentre M90/M90p Tower



Lenovo ThinkCentre M90/M90p Tower

| Type-model | Slot x bay | Processor   | GHz  | Cores | Memory <sup>a</sup> | SATA disk          | SATA optical | Integrated graphics | Monitor conn | ENERGY STAR 5.0 | Intel vPro | Win7 preload | Global Educ | Avail date |
|------------|------------|-------------|------|-------|---------------------|--------------------|--------------|---------------------|--------------|-----------------|------------|--------------|-------------|------------|
| 3244-A8U   | 1x2        | Core i3-530 | 2.93 | 2     | 2GB                 | 250GB <sup>b</sup> | DVD±RW       | Intel HD            | VGA, DP      | ES50            | None       | Pro 32       | None        | Mar 10     |
| 3244-B4U   | 1x2        | Core i3-550 | 3.20 | 2     | 2GB                 | 320GB              | DVD±RW       | Intel HD            | VGA, DP      | ES50            | None       | Pro 64       | None        | Jan 11     |

- **The most powerful, stable, and manageable desktop with next generation Intel platform**
- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a 3-year limited warranty<sup>1</sup>**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

|  |  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
|--|--|---|---|--|------------------------------------|---------|----------------------------------|---------|---|---------|--|---------|----------------------------------|---------|---|---------|--|---------|---------------------------------|--|---|--|---|--|
| Positioning Processor  | Ultimate security, stability, and manageability for the enterprise<br><b>Intel® Core™ i3 Processor i3-530 or i3-550 with dual-core.</b><br>Intel 64, Hyper-Threading Technology, Virtualization Technology,<br>integrated 1333MHz dual-channel DDR3 memory controller,<br>and 4MB cache<br>Processor in LGA1156 socket   |   | <div>Eco Ultra Small<div><div>optical</div><div>disk</div></div><div><div></div><div></div><div></div></div></div>  |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| Implementation   |  |   | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 3.5", 1" high, no access, std disk<br>Slot 1: Low Profile, 32-bit PCI 2.3  |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| Memory   | <b>2GB std, 8GB max, PC3-10600 1333MHz DDR3,</b><br>two 204-pin SODIMM sockets (notebook);<br><i>Non-italics:</i> standard memory in one socket; one socket available  |   | <ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 11.0" W X 9.4" D X 3.1" H</li><li>• 279mm W X 238mm D X 79mm H</li><li>• 9.2 lb (4.2 kg) in maximum configuration</li><li>• Hinged toolless cover for easy serviceability</li><li>• Toolless disk and optical drive removal</li><li>• System floor stand for vertical orientation</li></ul>  |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| Graphics   | <b>Intel HD Graphics</b> in processor,<br>HDCP, DirectX® 10, uses main memory (up to 765MB),<br>one analog VGA DB-15 connector, one DisplayPort™ connector,<br>supports dual independent display   |   | <div><b>Security</b><ul style="list-style-type: none"><li>• Security chip (see information on left)</li><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable)</li><li>• Power-on password</li><li>• Hard disk password</li><li>• Boot sequence control</li><li>• Boot without keyboard and mouse</li><li>• Individual USB port disablement</li></ul></div> <div><b>Environmental Features</b><ul style="list-style-type: none"><li>• EPEAT™ Gold rating</li><li>• ENERGY STAR® 5.0-compliant</li><li>• GREENGUARD® certified</li><li>• RoHS-compliant</li></ul></div> <div>Supports ThinkVantage® technologies</div> <div><div><b>Limited Warranty<sup>1</sup></b><ul style="list-style-type: none"><li>⇒ <b>3-year parts and labor</b></li><li>⇒ <b>International Warranty Service<sup>9</sup></b></li><li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇒ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li></ul></li><li>⇒ <b>ThinkPlus services at lenovo.com/thinkplus/warranty</b></li><li>⇒ <b>Post warranty maintenance services available</b></li><li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul></div></div> |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| DP dongle  | None   |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| SATA disk<br>SATA DVD±RW<br>SATA Controller  | <b>250GB or 320GB,</b> SATA 3.0Gb/s 7200 rpm<br>Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive<br>Serial ATA, SATA 3.0Gb/s, integrated in chipset, RAID 0/1,<br>two SATA connectors for disk and optical  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| eSATA port<br>Diskette drive<br>Media reader   | None<br>None<br>None   |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| Chipset  | <b>Intel Q57 Express Chipset,</b><br>Platform Controller Hub [PCH] (SATA 3.0Gb/s with RAID 0/1 support, PCI,<br>ethernet, and USB), SMSC® SCH5147 Super I/O  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| Front ports<br>Rear ports<br>Rear audio ports<br>Audio<br>Speaker<br>Ethernet<br>Intel AMT<br>Modem<br>Security chip   | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)<br>Six USB 2.0, ethernet (RJ-45), monitor (VGA DB-15, DisplayPort)<br>Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone-in (stereo, 3.5mm)<br>High Definition (HD) Audio, Realtek® ALC662 codec<br>Internal speaker for business audio<br>One gigabit ethernet port, Intel 82578DM, Wake on LAN®<br>None<br>None<br>STMicroelectronics ST19NP18 Trusted Platform Module (TPM),<br>TCG 1.2-compliant |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| Keyboard<br>Mouse<br>Power supply  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo<br>Optical Wheel Mouse (USB connector), black, Lenovo logo<br>External AC/DC adapter, 130 watts, autosensing, 87% PSU   |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| <b>Preloaded operating system<sup>20</sup></b> <ul style="list-style-type: none"><li>- <i>Some:</i> Genuine Windows® 7 Professional 32</li><li>- <i>Some:</i> Genuine Windows 7 Professional 64</li></ul> <b>Preloaded applications<sup>5</sup></b> (all OSes; only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul> |  | <b>Accessories</b> <table><tr><td>500GB SATA 3.0Gb/s Disk (7200 rpm)</td><td>43R1990</td></tr><tr><td>1TB SATA 3.0Gb/s Disk (7200 rpm)</td><td>45J7918</td></tr><tr><td>Super Multi-Burner DL DVD±RW SATA Drive</td><td>41N5620</td></tr><tr><td>DisplayPort to Single-link DVI-D Cable</td><td>45J7915</td></tr><tr><td>DisplayPort to VGA Monitor Cable</td><td>57Y4393</td></tr><tr><td>Lenovo Vertical PC and Monitor Stand II</td><td>41R4474</td></tr><tr><td>ThinkCentre Ultra Small Under Desk Mount</td><td>40Y8625</td></tr><tr><td colspan="2">More accessories on O-M90 sheet</td></tr><tr><td colspan="2">Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a></td></tr><tr><td colspan="2">Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a></td></tr></table> |   |  | 500GB SATA 3.0Gb/s Disk (7200 rpm) | 43R1990 | 1TB SATA 3.0Gb/s Disk (7200 rpm) | 45J7918 | Super Multi-Burner DL DVD±RW SATA Drive | 41N5620 | DisplayPort to Single-link DVI-D Cable | 45J7915 | DisplayPort to VGA Monitor Cable | 57Y4393 | Lenovo Vertical PC and Monitor Stand II | 41R4474 | ThinkCentre Ultra Small Under Desk Mount | 40Y8625 | More accessories on O-M90 sheet |  | Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a> |  | Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a> |  |
| 500GB SATA 3.0Gb/s Disk (7200 rpm)   | 43R1990  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| 1TB SATA 3.0Gb/s Disk (7200 rpm)   | 45J7918  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| Super Multi-Burner DL DVD±RW SATA Drive  | 41N5620  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| DisplayPort to Single-link DVI-D Cable   | 45J7915  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| DisplayPort to VGA Monitor Cable   | 57Y4393  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| Lenovo Vertical PC and Monitor Stand II  | 41R4474  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| ThinkCentre Ultra Small Under Desk Mount   | 40Y8625  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| More accessories on O-M90 sheet  |  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a>  |  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |
| Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a>  |  |   |   |  |                                    |         |                                  |         |   |         |  |         |                                  |         |   |         |  |         |                                 |  |   |  |   |  |


See footnotes for important warranty information

US model announced December 28, 2010; previous model on March 2, 2010

© Lenovo  
(MELB1-24) January 2011

| Type-model | Slot x bay | Processor   | GHz  | Cores | Memory <sup>8</sup> | SATA disk          | SATA optical | Graphics   | Monitor conn | ENERGY STAR 5.0 | Intel vPro | Win7 preload | Global Educ | Avail date |
|------------|------------|-------------|------|-------|---------------------|--------------------|--------------|------------|--------------|-----------------|------------|--------------|-------------|------------|
| 3245-A9U   | 2x3        | Core i3-530 | 2.93 | 2     | 2GB                 | 250GB <sup>2</sup> | DVD±RW       | Intel HD   | VGA, DP      | ES50            | None       | Pro 32       | None        | Mar 10     |
| 3245-B3U   | 2x3        | Core i3-530 | 2.93 | 2     | 4GB                 | 320GB              | DVD±RW       | Intel HD   | VGA, DP      | ES50            | None       | Pro 64       | None        | Mar 10     |
| 3245-B7U   | 2x3        | Core i3-550 | 3.20 | 2     | 2GB                 | 320GB              | DVD±RW       | Intel HD   | VGA, DP      | ES50            | None       | Pro 64       | None        | Dec 10     |
| 3245-B1U   | 2x3        | Core i5-750 | 2.66 | 4     | 3GB                 | 500GB              | DVD±RW       | <b>310</b> | VGA, DP      | ES50            | None       | Pro 32       | None        | Mar 10     |

- **The most powerful, stable, and manageable desktop with next generation Intel platform**
- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a 3-year limited warranty<sup>1</sup>**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

|  |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
|--|--|--|---|--|--|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|
| Positioning Processor  | <i>Ultimate security, stability, and manageability for the enterprise</i><br><b>Intel® Core™ i3 Processor i3-530 or i3-550</b> with <b>dual-core</b> , Intel 64, Intel Hyper-Threading Technology, Virtualization Technology, integrated 1333MHz dual-channel DDR3 memory controller, and 4MB cache or <b>Intel Core i5 Processor i5-750</b> with <b>quad-core</b> , Intel 64, Virtualization Technology, Turbo Boost Technology (up to 3.20 GHz at max turbo mode), integrated 1333MHz dual-channel DDR3 memory controller, and 8MB cache Processor in LGA1156 socket |  |   |  |  |  |  |  | Small  |  |  |  |  |  |  |  |  |  |  |  |
| Implementation   | Processor in LGA1156 socket  |  |   |  |  |  |  |  | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 3.5", 1" high, no access, std disk<br>Bay ③ 3.5", .5" high, access, open (reader)<br>Slot 1: Low Profile, PCI Express 2.0 x16 (75w max)<br>Slot 2: Low Profile, 32-bit PCI 2.3  |   |  |  |  |  |  |  |  |  |  |  |
| Memory   | <b>2GB, 3GB, or 4GB std</b> , 16GB max, <b>UDIMM, PC3-10600 1333MHz DDR3</b> , four 240-pin DIMM sockets;<br><i>Italics:</i> standard memory in two sockets; two sockets available;<br><i>Non-italics:</i> standard memory in one socket; three sockets available  |  |   |  |  |  |  |  | <ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 12.5" W X 14.0" D X 3.9" H</li><li>• 317mm W X 355mm D X 99mm H</li><li>• 16.5 lb (7.5 kg) in maximum configuration</li><li>• Toolless cover flips up and tilts backward on rear hinges</li><li>• Toolless disk, optical drive removal</li><li>• Toolless adapter retention</li><li>• Toolless system board retention</li><li>• System floor stand for vertical orientation</li></ul>   |   |  |  |  |  |  |  |  |  |  |  |
| Graphics   | <i>Some:</i> <b>Intel HD Graphics</b> in processor, HDCP, DirectX® 10, uses main memory (up to 765MB [2GB models] or 1759MB [4GB models]), one analog VGA DB-15 connector, one DisplayPort™ connector, supports dual independent display<br><i>Some:</i> <b>NVIDIA® GeForce® 310</b> , PCI Express® 2.0 x16 adapter, 512MB, one analog VGA DB-15 connector, one DisplayPort connector, HDCP, DirectX 10, NVIDIA PureVideo®, NVIDIA CUDA™, 30 watts   |  |   |  |  |  |  |  | <b>Security</b> <ul style="list-style-type: none"><li>• Security chip (see information on left)</li><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable)</li><li>• Power-on password</li><li>• Hard disk password</li><li>• Boot sequence control</li><li>• Boot without keyboard and mouse</li><li>• Serial port I/O control</li><li>• Individual USB port disablement</li></ul>  |   |  |  |  |  |  |  |  |  |  |  |
| DP dongle  | None   |  |   |  |  |  |  |  | <b>Environmental Features</b> <ul style="list-style-type: none"><li>• EPEAT™ Gold rating</li><li>• ENERGY STAR® 5.0-compliant</li><li>• GREENGUARD® certified</li><li>• RoHS-compliant</li></ul> Supports ThinkVantage® technologies<br><br><b>Limited Warranty<sup>1</sup></b> <ul style="list-style-type: none"><li>➤ <b>3-year parts and labor</b></li><li>➤ <b>International Warranty Service<sup>9</sup></b></li><li>➤ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>➤ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li></ul></li><li>➤ <b>ThinkPlus services at lenovo.com/thinkplus/warranty</b></li><li>➤ <b>Post warranty maintenance services available</b></li><li>➤ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |   |  |  |  |  |  |  |  |  |  |  |
| SATA disk  | <b>250GB, 320GB, or 500GB</b> , SATA 3.0Gb/s 7200 rpm  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| SATA DVD±RW  | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| SATA Controller  | Serial ATA, SATA 3.0Gb/s, integrated in chipset, RAID 0/1, two SATA connectors for disk and optical  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| eSATA port   | None   |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Diskette drive   | None   |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Media reader   | None   |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Chipset  | <b>Intel Q57 Express Chipset</b> , Platform Controller Hub [PCH] (SATA 3.0Gb/s with RAID 0/1 support, PCI, ethernet, and USB), <b>SMSC® SCH5147</b> Super I/O  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Front ports  | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)   |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Rear ports   | Six USB 2.0, serial (9-pin), ethernet (RJ-45), monitor (VGA DB-15, DisplayPort)  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Rear audio ports   | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone-in (stereo, 3.5mm)   |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Internal connector   | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Audio  | High Definition (HD) Audio, Realtek® ALC662 codec  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Speaker  | Internal speaker for business audio  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Ethernet   | One gigabit ethernet port, Intel 82578DM, Wake on LAN®   |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Intel AMT  | None   |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Modem  | None   |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Security chip  | <b>STMicroelectronics ST19NP18</b> Trusted Platform Module (TPM), TCG 1.2-compliant  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Keyboard   | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo   |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Mouse  | Optical Wheel Mouse (USB connector), black, Lenovo logo  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| Power supply   | 240 watts with 85% efficiency, auto-sensing, active Power Factor Correction  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| <b>Preloaded operating system<sup>20</sup></b>                         |  |  | <b>Accessories</b>  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| - <i>Some:</i> Genuine Windows® 7 Professional 32                      |  |  | 1GB PC3-10600 DDR3 UDIMM 57Y4389  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| - <i>Some:</i> Genuine Windows 7 Professional 64                       |  |  | 2GB PC3-10600 DDR3 UDIMM 57Y4390  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
|  |  |  | 500GB SATA 3.0Gb/s Disk (7200 rpm) 43R1990  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
|  |  |  | 1TB SATA 3.0Gb/s Disk (7200 rpm) 45J7918  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
|  |  |  | Super Multi-Burner DL DVD±RW SATA Drive 41N5620   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
|  |  |  | DisplayPort to Single-link DVI-D Cable 45J7915  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
|  |  |  | DisplayPort to VGA Monitor Cable 57Y4393  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
|  |  |  | NVIDIA GeForce 512MB 310 (DP, VGA) 57Y4397  |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
|  |  |  | NVIDIA Quadro® 512MB FX380 LP (DP, DVI) 57Y4396   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
|  |  |  | More accessories on O-M90 sheet   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
|  |  |  | Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a> |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
|  |  |  | Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a>       |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| <b>Preloaded applications<sup>5</sup></b> (all OSes; only some listed) |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • Rescue and Recovery™   |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • Password Manager   |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • ThinkVantage System Update   |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • ThinkVantage Power Manager   |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • ThinkVantage Toolbox   |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • Norton™ Internet Security 2011 (30 days of virus definitions)        |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • Adobe® Reader®   |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • Adobe Flash® Player  |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • Skype™ for Windows   |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • Microsoft Office 2010 preloaded; purchase product key to activate    |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • Corel® Burn.Now™ (DVD±RW)  |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |
| • Corel DVD MovieFactory® (DVD±RW)                                     |  |  |   |  |  |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |

See footnotes for important warranty information


® US model announced November 30, 2010; previous models on March 2, 2010

© Lenovo

(MELB1-25) December 2010

# ThinkCentre® M90 Tower (3246) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model   | Slot x bay  | Processor   | GHz  | Cores | Memory <sup>a</sup> | SATA disk          | 2nd Disk Bay | SATA optical | Graphics   | Monitor conn   | ENERGY STAR 5.0 | Intel vPro | Win7 preload | Global Educ | Avail date |  |
|--|---|-------------|--|-------|---------------------|--------------------|--------------|--------------|------------|--|-----------------|------------|--------------|-------------|------------|--|
| 3246-B1U   | 4x4   | Core i3-530 | 2.93   | 2     | 2GB                 | 250GB <sup>2</sup> | None         | DVD±RW       | Intel HD   | VGA, DP  | ES50            | None       | Pro 32       | None        | Mar 10     |  |
| 3246-B2U   | 4x4   | Core i5-750 | 2.66   | 4     | 3GB                 | 500GB              | None         | DVD±RW       | <b>310</b> | VGA, DP  | ES50            | None       | Pro 32       | None        | Mar 10     |  |
| 3246-B4U   | 4x4   | Core i3-530 | 2.93   | 2     | 4GB                 | 320GB              | None         | DVD±RW       | Intel HD   | VGA, DP  | ES50            | None       | Pro 64       | None        | Mar 10     |  |
| 3246-B9U   | 4x4   | Core i3-550 | 3.20   | 2     | 2GB                 | 320GB              | None         | DVD±RW       | Intel HD   | VGA, DP  | ES50            | None       | Pro 64       | None        | Dec 10     |  |
| <ul style="list-style-type: none"><li>• <b>The most powerful, stable, and manageable desktop with next generation Intel platform</b></li><li>• <b>These small and medium business (SMB) models are part of the US TopSeller™ Program</b></li><li>• <b>These models have a 3-year limited warranty<sup>1</sup></b></li><li>• <b>These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)</b></li></ul>   |   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Positioning  | Ultimate security, stability, and manageability for the enterprise  |             |  |       |                     |                    |              |              |            | <b>Tower</b> <ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 6.9" W X 17.4" D X 16.3" H</li><li>• 175mm W X 442mm D X 414mm H</li><li>• 24.2 lb (11.0 kg) in max configuration</li><li>• Handle on top front</li><li>• Power button on top handle</li><li>• Toolless cover removal</li><li>• Tilted front I/O for easy access</li><li>• Toolless disk, optical drive removal</li><li>• Toolless adapter retention</li></ul>    |                 |            |              |             |            |  |
| Processor  | Intel® Core™ i3 Processor i3-530 or i3-550 with dual-core, Intel 64, Intel Hyper-Threading Technology, Virtualization Technology, integrated 1333MHz dual-channel DDR3 memory controller, and 4MB cache or Intel Core i5 Processor i5-750 with quad-core, Intel 64, Virtualization Technology, Turbo Boost Technology (up to 3.20 GHz at max turbo mode), integrated 1333MHz dual-channel DDR3 memory controller, and 8MB cache Processor in LGA1156 socket |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Implementation   |   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Memory   | 2GB, 3GB, or 4GB std, 16GB max, UDIMM, PC3-10600 1333MHz DDR3, four 240-pin DIMM sockets; Italics: standard memory in two sockets; two sockets available; Non-italics: standard memory in one socket; three sockets available   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Graphics   | Some: Intel HD Graphics in processor, HDCP, DirectX® 10, uses main memory (up to 765MB [2GB models] or 1759MB [4GB models]), one analog VGA DB-15 connector, one DisplayPort™ conn, supports dual independent display Some: NVIDIA® GeForce® 310, PCI Express® 2.0 x16 adapter, 512MB, one analog VGA DB-15 connector, one DisplayPort connector, HDCP, DirectX 10, NVIDIA PureVideo®, NVIDIA CUDA™, 30 watts   |             |  |       |                     |                    |              |              |            | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 5.25", 1.6" high, access, open<br>Bay ③ 3.5", 1" high, access, open (reader/diskette)<br>Bay ④ 3.5", 1" high, no access, std disk<br><br>Slot 1: half-length,full-height, PCIe 2.0 x16 (75w max)<br>Slot 2: half-length,full-height, PCIe 2.0 x1<br>Slot 3: half-length,full-height, 32-bit PCI 2.3<br>Slot 4: half-length,full-height, 32-bit PCI 2.3  |                 |            |              |             |            |  |
| DP dongle  | None  |             |  |       |                     |                    |              |              |            | <b>Security</b> <ul style="list-style-type: none"><li>• Security chip (see information on left)</li><li>• One lock to secure both cover and entire system to fixed object:<ul style="list-style-type: none"><li>- Padlock loop (in rear for opt padlock)</li><li>- Security slot (in rear for optional Kensington® MicroSaver® cable)</li></ul></li><li>• Power-on password</li><li>• Hard disk password</li><li>• Boot sequence control</li><li>• Boot without keyboard and mouse</li><li>• Serial port I/O control</li><li>• Individual USB port disablement</li></ul>   |                 |            |              |             |            |  |
| SATA disk  | 250GB, 320GB, or 500GB, SATA 3.0Gb/s 7200 rpm   |             |  |       |                     |                    |              |              |            | <b>Environmental Features</b> <ul style="list-style-type: none"><li>• EPEAT™ Gold rating</li><li>• ENERGY STAR® 5.0-compliant</li><li>• GREENGUARD® certified</li><li>• RoHS-compliant</li></ul><br>Supports ThinkVantage® technologies  |                 |            |              |             |            |  |
| SATA DVD±RW  | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| SATA Controller  | Serial ATA, SATA 3.0Gb/s, integrated in chipset, RAID 0/1/10, three SATA connectors for disk and optical  |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| eSATA port   | None  |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Diskette drive   | None  |             |  |       |                     |                    |              |              |            | <b>Limited Warranty<sup>1</sup></b> <ul style="list-style-type: none"><li>⇒ 3-year parts and labor</li><li>⇒ International Warranty Service<sup>9</sup></li><li>⇒ Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</li><li>⇒ Onsite service upgrade options (in eligible locations):<sup>7</sup><ul style="list-style-type: none"><li>• 3-year LOR 9x5, 4 hour response (ThinkPlus™ part number 41C9192)</li><li>• 3-year LOR 24x7, 4 hour response (ThinkPlus part number 41C9193)</li><li>• 4-year LOR 9x5, Next Business Day (ThinkPlus part number 41C9194)</li><li>• 4-year LOR 9x5, 4 hour response (ThinkPlus part number 41C9195)</li><li>• 4-year LOR 24x7, 4 hour response (ThinkPlus part number 41C9196)</li></ul></li><li>⇒ ThinkPlus services at lenovo.com/thinkplus/warranty</li><li>⇒ Post warranty maintenance services available</li><li>⇒ 24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</li></ul> |                 |            |              |             |            |  |
| Media reader   | None  |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Chipset  | Intel Q57 Express Chipset, Platform Controller Hub [PCH] (SATA 3.0Gb/s with RAID 0/1/10 support, PCI, ethernet, and USB), SMSC® SCH5147 Super I/O   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Front ports  | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Rear ports   | Six USB 2.0, serial (9-pin), ethernet (RJ-45), monitor (VGA DB-15, DisplayPort)   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Rear audio ports   | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone-in (stereo, 3.5mm)  |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Internal connector   | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Audio  | High Definition (HD) Audio, Realtek® ALC662 codec   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Speaker  | Internal speaker for business audio   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Ethernet   | One gigabit ethernet port, Intel 82578DM, Wake on LAN®  |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Intel AMT  | None  |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Modem  | None  |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Security chip  | STMicroelectronics ST19NP18 Trusted Platform Module (TPM), TCG 1.2-compliant  |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Keyboard   | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo  |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Mouse  | Optical Wheel Mouse (USB connector), black, Lenovo logo   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| Power supply   | 280 watts with variable speed fan, autosensing, 85% PSU   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| <b>Preloaded operating system<sup>20</sup></b>   |   |             | <b>Accessories</b>                           |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| - Some: Genuine Windows® 7 Professional 32   |   |             | 1GB PC3-10600 DDR3 UDIMM                     |       |                     | 57Y4389            |              |              |            |  |                 |            |              |             |            |  |
| - Some: Genuine Windows 7 Professional 64  |   |             | 2GB PC3-10600 DDR3 UDIMM                     |       |                     | 57Y4390            |              |              |            |  |                 |            |              |             |            |  |
|  |   |             | 500GB SATA 3.0Gb/s Disk (7200 rpm)           |       |                     | 43R1990            |              |              |            |  |                 |            |              |             |            |  |
|  |   |             | 1TB SATA 3.0Gb/s Disk (7200 rpm)             |       |                     | 45J7918            |              |              |            |  |                 |            |              |             |            |  |
|  |   |             | Super Multi-Burner DL DVD±RW SATA Drive      |       |                     | 41N5620            |              |              |            |  |                 |            |              |             |            |  |
|  |   |             | DisplayPort to Single-link DVI-D Cable       |       |                     | 45J7915            |              |              |            |  |                 |            |              |             |            |  |
|  |   |             | DisplayPort to VGA Monitor Cable             |       |                     | 57Y4393            |              |              |            |  |                 |            |              |             |            |  |
|  |   |             | NVIDIA GeForce 512MB 310 (DP, VGA)           |       |                     | 57Y4397            |              |              |            |  |                 |            |              |             |            |  |
|  |   |             | More accessories on O-M90 sheet              |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
|  |   |             | Acc Guide in pdf lenovo.com/accessoriesguide |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
|  |   |             | Other accessories at lenovo.com/accessories  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |
| <b>Preloaded applications<sup>5</sup></b> (all OSes; only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul> |   |             |  |       |                     |                    |              |              |            |  |                 |            |              |             |            |  |

| Type-model | Slot x bay | Processor   | Base GHz | Max Turbo GHz | Cores | Memory <sup>a</sup> | SATA disk          | SATA optical | Integrated graphics | Monitor conn | ENERGY STAR 5.0 | Intel vPro | Win7 preload | Global Educ | Avail date |
|------------|------------|-------------|----------|---------------|-------|---------------------|--------------------|--------------|---------------------|--------------|-----------------|------------|--------------|-------------|------------|
| 3257-A5U   | 1x2        | Core i5-650 | 3.20     | 3.46          | 2     | 3GB                 | 500GB <sup>2</sup> | DVD±RW       | Intel HD            | VGA, DP      | ES50            | vPro       | Pro 32       | None        | Mar 10     |
| 3257-A9U   | 1x2        | Core i5-650 | 3.20     | 3.46          | 2     | 3GB                 | 500GB              | DVD±RW       | Intel HD            | VGA, DP      | ES50            | vPro       | Pro 64       | None        | Dec 10     |

- **Next generation Intel platform with latest Intel vPro™ Technology and Intel Active Management Technology**
- **Most manageable ThinkCentre ever: supports Lenovo Secure Managed Client version 2.0\***
- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a 3-year limited warranty<sup>1</sup>**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

\* For more information on Lenovo Secure Managed Client, see [lenovo.com/acc](http://lenovo.com/acc)

|  |   |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
|--|---|---|--|----------------------------------|---------|---|---------|--|---------|----------------------------------|---------|---|---------|--|---------|--|
| Positioning Processor  | Ultimate security, stability, and manageability for the enterprise<br><b>Intel® Core™ i5 Processor i5-650</b> with dual-core, Intel 64, Hyper-Threading Technology, Turbo Boost Technology, Virtualization Technology, TXT, integrated 1333MHz dual-channel DDR3 memory controller, and 4MB cache<br>Processor in LGA1156 socket  | <b>Eco Ultra Small</b> <div><div>optical</div><div>disk</div><div>□ ○ □</div></div>   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| Implementation   |   |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| Memory   | <b>3GB std</b> , 8GB max, <b>PC3-10600 1333MHz DDR3</b> , two 204-pin SODIMM sockets (notebook);<br><i>Italics: standard memory in both sockets; no sockets available</i>   | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 3.5", 1" high, no access, std disk<br><br>Slot 1: Low Profile, 32-bit PCI 2.3 <ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 11.0" W X 9.4" D X 3.1" H</li><li>• 279mm W X 238mm D X 79mm H</li><li>• 9.2 lb (4.2 kg) in maximum configuration</li><li>• Hinged toolless cover for easy serviceability</li><li>• Toolless disk and optical drive removal</li><li>• System floor stand for vertical orientation</li></ul> |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| Graphics   | <b>Intel HD Graphics</b> in processor, HDCP, DirectX® 10, uses main memory (up to 1277MB), one analog VGA DB-15 connector, one DisplayPort™ connector, supports dual independent display  | <b>Security</b> <ul style="list-style-type: none"><li>• Security chip (see information on left)</li><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable)</li><li>• Power-on password</li><li>• Hard disk password</li><li>• Boot sequence control</li><li>• Boot without keyboard and mouse</li><li>• Individual USB port disablement</li></ul>   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| DP dongle  | None  |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| SATA disk<br>SATA DVD±RW<br>SATA Controller  | <b>500GB</b> , SATA 3.0Gb/s 7200 rpm<br>Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive<br>Serial ATA, SATA 3.0Gb/s, integrated in chipset, RAID 0/1, two SATA connectors for disk and optical  |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| eSATA port<br>Diskette drive<br>Media reader   | None<br>None<br>None  |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| Chipset  | <b>Intel Q57 Express Chipset</b> , Platform Controller Hub [PCH] (SATA 3.0Gb/s with RAID 0/1 support, PCI, ethernet, and USB), SMSC® SCH5147 Super I/O  | <b>Environmental Features</b> <ul style="list-style-type: none"><li>• EPEAT™ Gold rating</li><li>• ENERGY STAR® 5.0-compliant</li><li>• GREENGUARD® certified</li><li>• RoHS-compliant</li></ul>  |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| Front ports<br>Rear ports<br>Rear audio ports<br>Audio<br>Speaker<br>Ethernet<br>Intel AMT<br>Modem<br>Security chip   | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)<br>Six USB 2.0, ethernet (RJ-45), monitor (VGA DB-15, DisplayPort)<br>Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone-in (stereo, 3.5mm)<br>High Definition (HD) Audio, Realtek® ALC662 codec<br>Internal speaker for business audio<br>One gigabit ethernet port, Intel 82578DM, Wake on LAN®<br>Intel Active Management Technology 6.0 (Intel AMT 6.0)<br>None<br>STMicroelectronics ST19NP18 Trusted Platform Module (TPM), TCG 1.2-compliant |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| Keyboard<br>Mouse<br>Power supply  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo<br>Optical Wheel Mouse (USB connector), black, Lenovo logo<br>External AC/DC adapter, 130 watts, autosensing, 87% PSU  |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| <b>Preloaded operating system</b> <sup>20</sup> <ul style="list-style-type: none"><li>- <i>Some:</i> Genuine Windows® 7 Professional 32</li><li>- <i>Some:</i> Genuine Windows 7 Professional 64</li></ul> <b>Preloaded applications</b> <sup>5</sup> (all OSes; only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul> |   |   | <b>Limited Warranty</b> <sup>1</sup> <ul style="list-style-type: none"><li>⇒ <b>3-year parts and labor</b></li><li>⇒ <b>International Warranty Service</b><sup>9</sup></li><li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇒ <b>Onsite service upgrade options (in eligible locations):</b><sup>7</sup><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li></ul></li><li>⇒ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>⇒ <b>Post warranty maintenance services available</b></li><li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| <b>Accessories</b> <table><tr><td>500GB SATA 3.0Gb/s Disk (7200 rpm)</td><td>43R1990</td></tr><tr><td>1TB SATA 3.0Gb/s Disk (7200 rpm)</td><td>45J7918</td></tr><tr><td>Super Multi-Burner DL DVD±RW SATA Drive</td><td>41N5620</td></tr><tr><td>DisplayPort to Single-link DVI-D Cable</td><td>45J7915</td></tr><tr><td>DisplayPort to VGA Monitor Cable</td><td>57Y4393</td></tr><tr><td>Lenovo Vertical PC and Monitor Stand II</td><td>41R4474</td></tr><tr><td>ThinkCentre Ultra Small Under Desk Mount</td><td>40Y8625</td></tr></table> More accessories on O-M90 sheet<br><br>Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a><br>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a>                                       |   | 500GB SATA 3.0Gb/s Disk (7200 rpm)  | 43R1990  | 1TB SATA 3.0Gb/s Disk (7200 rpm) | 45J7918 | Super Multi-Burner DL DVD±RW SATA Drive | 41N5620 | DisplayPort to Single-link DVI-D Cable | 45J7915 | DisplayPort to VGA Monitor Cable | 57Y4393 | Lenovo Vertical PC and Monitor Stand II | 41R4474 | ThinkCentre Ultra Small Under Desk Mount | 40Y8625 |  |
| 500GB SATA 3.0Gb/s Disk (7200 rpm)   | 43R1990   |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| 1TB SATA 3.0Gb/s Disk (7200 rpm)   | 45J7918   |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| Super Multi-Burner DL DVD±RW SATA Drive  | 41N5620   |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| DisplayPort to Single-link DVI-D Cable   | 45J7915   |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| DisplayPort to VGA Monitor Cable   | 57Y4393   |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| Lenovo Vertical PC and Monitor Stand II  | 41R4474   |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |
| ThinkCentre Ultra Small Under Desk Mount   | 40Y8625   |   |  |                                  |         |   |         |  |         |                                  |         |   |         |  |         |  |

See footnotes for important warranty information

® US model announced November 30, 2010; previous model on March 2, 2010

© Lenovo  
(MELB1-27) December 2010


# ThinkCentre® M90p Small (3269) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Type-model | Slot x bay | Processor   | Base GHz | Max Turbo GHz | Cores | Memory <sup>a</sup> | SATA disk          | SATA optical | Graphics   | Monitor conn | ENERGY STAR 5.0 | Intel vPro | Win7 preload | Global Educ | Avail date |
|------------|------------|-------------|----------|---------------|-------|---------------------|--------------------|--------------|------------|--------------|-----------------|------------|--------------|-------------|------------|
| 3269-A6U   | 2x3        | Core i5-650 | 3.20     | 3.46          | 2     | 3GB                 | 500GB <sup>2</sup> | DVD±RW       | Intel HD   | VGA, DP      | ES50            | vPro       | Pro 32       | None        | Mar 10     |
| 3269-B5U   | 2x3        | Core i5-650 | 3.20     | 3.46          | 2     | 3GB                 | 500GB              | DVD±RW       | Intel HD   | VGA, DP      | ES50            | vPro       | Pro 64       | None        | Dec 10     |
| 3269-A8U   | 2x3        | Core i5-650 | 3.20     | 3.46          | 2     | 4GB                 | 320GB              | DVD±RW       | Intel HD   | VGA, DP      | ES50            | vPro       | Pro 64       | None        | Mar 10     |
| 3269-B1U   | 2x3        | Core i7-870 | 2.93     | 3.60          | 4     | 4GB                 | 500GB              | DVD±RW       | <b>310</b> | VGA, DP      | ES50            | vPro       | Pro 64       | None        | Oct 10     |

- **Next Generation Intel platform with latest Intel vPro™ Technology and Intel Active Management Technology**
- **Most manageable ThinkCentre ever: supports Lenovo Secure Managed Client version 2.0\***
- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a 3-year limited warranty<sup>1</sup>**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

\* For more information on Lenovo Secure Managed Client, see [lenovo.com/acc](http://lenovo.com/acc)

|                       |  |   |
|-----------------------|--|---|
| Positioning Processor | <p><i>Ultimate security, stability, and manageability for the enterprise</i></p> <p><b>Intel® Core™ i5 Processor i5-650 with dual-core,</b> Intel 64, Hyper-Threading Technology, Turbo Boost Technology, Virtualization Technology, TXT, integrated 1333MHz dual-channel DDR3 memory controller, and 4MB cache or</p> <p><b>Intel Core i7 Processor i7-870 with quad-core,</b> Intel 64, Hyper-Threading Technology, Turbo Boost Technology, Virtualization Technology, TXT, integrated 1333MHz dual-channel DDR3 memory controller, and 8MB cache</p> <p>Processor in LGA1156 socket</p> | <p><b>Small</b></p>  <p>Bay ① 5.25", 1.6" high, access, std optical<br/>         Bay ② 3.5", 1" high, no access, std disk<br/>         Bay ③ 3.5", .5" high, access, open (reader)</p> <p>Slot 1: Low Profile, PCI Express 2.0 x16 (75w max)<br/>         Slot 2: Low Profile, 32-bit PCI 2.3</p> <ul style="list-style-type: none"> <li>• Business black color; metal case</li> <li>• 12.5" W X 14.0" D X 3.9" H</li> <li>• 317mm W X 355mm D X 99mm H</li> <li>• 16.5 lb (7.5 kg) in maximum configuration</li> <li>• Toolless cover flips up and tilts backward on rear hinges</li> <li>• Toolless disk, optical drive removal</li> <li>• Toolless adapter retention</li> <li>• Toolless system board retention</li> <li>• System floor stand for vertical orientation</li> </ul> |
| Implementation        |  |   |
| Memory                | <p><b>3GB or 4GB std,</b> 16GB max, <b>UDIMM, PC3-10600 1333MHz DDR3,</b> four 240-pin DIMM sockets;</p> <p><i>Italics:</i> standard memory in two sockets; two sockets available</p>  |   |
| Graphics              | <p><i>Some:</i> <b>Intel HD Graphics</b> in processor, HDCP, DirectX® 10, uses main memory (up to 1277MB[3GB models] or 1759MB [4GB models]), one analog VGA DB-15 connector, one DisplayPort™ connector, supports dual independent display</p> <p><i>Some:</i> <b>NVIDIA® GeForce® 310,</b> PCI Express® 2.0 x16 adapter, 512MB, one analog VGA DB-15 connector, one DisplayPort connector, HDCP, DirectX 10, NVIDIA PureVideo®, NVIDIA CUDA™, 30 watts</p>   |   |
| DP dongle             | None   |   |
| SATA disk             | <b>320GB or 500GB,</b> SATA 3.0Gb/s 7200 rpm   |   |
| SATA DVD±RW           | Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive  |   |
| SATA Controller       | Serial ATA, SATA 3.0Gb/s, integrated in chipset, RAID 0/1, two SATA connectors for disk and optical  |   |
| eSATA port            | None   |   |
| Diskette drive        | None   |   |
| Media reader          | None   |   |
| Chipset               | <b>Intel Q57 Express Chipset,</b> Platform Controller Hub [PCH] (SATA 3.0Gb/s with RAID 0/1 support, PCI, ethernet, and USB), <b>SMSC® SCH5147</b> Super I/O   |   |
| Front ports           | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)   |   |
| Rear ports            | Six USB 2.0, serial (9-pin), ethernet (RJ-45), monitor (VGA DB-15, DisplayPort)  |   |
| Rear audio ports      | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone-in (stereo, 3.5mm)   |   |
| Internal connector    | Two USB 2.0 planar conn (1 used; one open for media reader or 2 rear USB ports)  |   |
| Audio                 | High Definition (HD) Audio, Realtek® ALC662 codec  |   |
| Speaker               | Internal speaker for business audio  |   |
| Ethernet              | One gigabit ethernet port, Intel 82578DM, Wake on LAN®   |   |
| Intel AMT             | Intel Active Management Technology 6.0 (Intel AMT 6.0)   |   |
| Modem                 | None   |   |
| Security chip         | STMicroelectronics ST19NP18 Trusted Platform Module (TPM), TCG 1.2-compliant   |   |
| Keyboard              | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo   |   |
| Mouse                 | Optical Wheel Mouse (USB connector), black, Lenovo logo  |   |
| Power supply          | 240 watts with 85% efficiency, auto-sensing, active Power Factor Correction  |   |

|  |   |                          |         |                          |         |                                    |         |                                  |         |   |         |  |         |                                  |         |                                      |         |   |         |
|--|---|--------------------------|---------|--------------------------|---------|------------------------------------|---------|----------------------------------|---------|---|---------|--|---------|----------------------------------|---------|--------------------------------------|---------|---|---------|
| <p><b>Preloaded operating system<sup>20</sup></b></p> <ul style="list-style-type: none"> <li>- <i>Some:</i> Genuine Windows® 7 Professional 32</li> <li>- <i>Some:</i> Genuine Windows 7 Professional 64</li> </ul> <p><b>Preloaded applications<sup>5</sup></b> (all OSes; only some listed)</p> <ul style="list-style-type: none"> <li>• Rescue and Recovery™</li> <li>• Password Manager</li> <li>• ThinkVantage System Update</li> <li>• ThinkVantage Power Manager</li> <li>• ThinkVantage Toolbox</li> <li>• Norton™ Internet Security 2011 (30-day)</li> <li>• Adobe® Reader®</li> <li>• Adobe Flash® Player</li> <li>• Skype™ for Windows</li> <li>• Microsoft Office 2010 preloaded; purchase product key to activate</li> <li>• Corel® Burn.Now™ (DVD±RW)</li> <li>• Corel DVD MovieFactory® (DVD±RW)</li> </ul> | <p><b>Accessories</b></p> <table> <tr> <td>1GB PC3-10600 DDR3 UDIMM</td><td>57Y4389</td></tr> <tr> <td>2GB PC3-10600 DDR3 UDIMM</td><td>57Y4390</td></tr> <tr> <td>500GB SATA 3.0Gb/s Disk (7200 rpm)</td><td>43R1990</td></tr> <tr> <td>1TB SATA 3.0Gb/s Disk (7200 rpm)</td><td>45J7918</td></tr> <tr> <td>Super Multi-Burner DL DVD±RW SATA Drive</td><td>41N5620</td></tr> <tr> <td>DisplayPort to Single-link DVI-D Cable</td><td>45J7915</td></tr> <tr> <td>DisplayPort to VGA Monitor Cable</td><td>57Y4393</td></tr> <tr> <td>NVIDIA® GeForce® 512MB 310 (DP, VGA)</td><td>57Y4397</td></tr> <tr> <td>NVIDIA Quadro® 512MB FX380 LP (DP, DVI)</td><td>57Y4396</td></tr> </table> <p>More accessories on O-M90 sheet</p> <p>Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a></p> <p>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a></p> | 1GB PC3-10600 DDR3 UDIMM | 57Y4389 | 2GB PC3-10600 DDR3 UDIMM | 57Y4390 | 500GB SATA 3.0Gb/s Disk (7200 rpm) | 43R1990 | 1TB SATA 3.0Gb/s Disk (7200 rpm) | 45J7918 | Super Multi-Burner DL DVD±RW SATA Drive | 41N5620 | DisplayPort to Single-link DVI-D Cable | 45J7915 | DisplayPort to VGA Monitor Cable | 57Y4393 | NVIDIA® GeForce® 512MB 310 (DP, VGA) | 57Y4397 | NVIDIA Quadro® 512MB FX380 LP (DP, DVI) | 57Y4396 |
| 1GB PC3-10600 DDR3 UDIMM   | 57Y4389   |                          |         |                          |         |                                    |         |                                  |         |   |         |  |         |                                  |         |                                      |         |   |         |
| 2GB PC3-10600 DDR3 UDIMM   | 57Y4390   |                          |         |                          |         |                                    |         |                                  |         |   |         |  |         |                                  |         |                                      |         |   |         |
| 500GB SATA 3.0Gb/s Disk (7200 rpm)   | 43R1990   |                          |         |                          |         |                                    |         |                                  |         |   |         |  |         |                                  |         |                                      |         |   |         |
| 1TB SATA 3.0Gb/s Disk (7200 rpm)   | 45J7918   |                          |         |                          |         |                                    |         |                                  |         |   |         |  |         |                                  |         |                                      |         |   |         |
| Super Multi-Burner DL DVD±RW SATA Drive  | 41N5620   |                          |         |                          |         |                                    |         |                                  |         |   |         |  |         |                                  |         |                                      |         |   |         |
| DisplayPort to Single-link DVI-D Cable   | 45J7915   |                          |         |                          |         |                                    |         |                                  |         |   |         |  |         |                                  |         |                                      |         |   |         |
| DisplayPort to VGA Monitor Cable   | 57Y4393   |                          |         |                          |         |                                    |         |                                  |         |   |         |  |         |                                  |         |                                      |         |   |         |
| NVIDIA® GeForce® 512MB 310 (DP, VGA)   | 57Y4397   |                          |         |                          |         |                                    |         |                                  |         |   |         |  |         |                                  |         |                                      |         |   |         |
| NVIDIA Quadro® 512MB FX380 LP (DP, DVI)  | 57Y4396   |                          |         |                          |         |                                    |         |                                  |         |   |         |  |         |                                  |         |                                      |         |   |         |

|   |
|---|
| <p><b>Security</b></p> <ul style="list-style-type: none"> <li>• Security chip (see information on left)</li> <li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable)</li> <li>• Power-on password</li> <li>• Hard disk password</li> <li>• Boot sequence control</li> <li>• Boot without keyboard and mouse</li> <li>• Serial port I/O control</li> <li>• Individual USB port disablement</li> </ul>   |
| <p><b>Environmental Features</b></p> <ul style="list-style-type: none"> <li>• EPEAT™ Gold rating</li> <li>• ENERGY STAR® 5.0-compliant</li> <li>• GREENGUARD® certified</li> <li>• RoHS-compliant</li> </ul> <p>Supports ThinkVantage® technologies</p>   |
| <p><b>Limited Warranty<sup>1</sup></b></p> <ul style="list-style-type: none"> <li>⇒ <b>3-year parts and labor</b></li> <li>⇒ <b>International Warranty Service®</b></li> <li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li> <li>⇒ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b> <ul style="list-style-type: none"> <li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li> <li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li> <li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li> <li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li> <li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li> </ul> </li> <li>⇒ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li> <li>⇒ <b>Post warranty maintenance services available</b></li> <li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li> </ul> |

See footnotes for important warranty information

US model announced November 30, 2010; previous models on March 2 or September 28, 2010

© Lenovo  
(MELB1-28) December 2010

### Personal Systems Reference (PSREF)

© Lenovo  
(MELB1-29) December 2010

**Partial list of accessories supported on ThinkCentre M90 and M90p****Memory***Eco Ultra Small 3244/3692/3257/3853/5296 use notebook memory:*

|  |         |              |
|--|---------|--------------|
| 1GB PC3-10600 DDR3 L-H SODIMM          | 55Y3709 | ann 03/02/10 |
| 1GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 57Y4415 | ann 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM          | 55Y3710 | ann 03/02/10 |
| 2GB PC3-10600 DDR3 L-H SODIMM (25Pack) | 57Y4416 | ann 03/02/10 |
| 4GB PC3-10600 DDR3 L-H SODIMM          | 55Y3711 | ann 03/02/10 |

*Small 3245/5485/3269/5536/5864, and**Tower 3246/5474/3282/5498/5852 use desktop memory:*

|  |         |              |
|--|---------|--------------|
| 1GB PC3-10600 DDR3 Low-Halogen UDIMM   | 57Y4389 | ann 01/12/10 |
| 1GB PC3-10600 DDR3 L-H UDIMM (25-Pack) | 57Y4419 | ann 01/12/10 |
| 2GB PC3-10600 DDR3 Low-Halogen UDIMM   | 57Y4390 | ann 01/12/10 |
| 2GB PC3-10600 DDR3 L-H UDIMM (25-Pack) | 57Y4420 | ann 01/12/10 |

More information at

[www.lenovo.com/support/desktopmemorycompatibility](http://www.lenovo.com/support/desktopmemorycompatibility)**Optical**

|  |         |              |
|--|---------|--------------|
| DVD-ROM DL SATA 1.5Gb/s 16X-48X Max <sup>4</sup> | 41N5618 | ann 09/26/06 |
| Super Multi-Burner DL DVD±RW SATA Drive          | 41N5620 | ann 09/26/06 |
| Blu-ray™ Burner SATA 1.5Gb/s Drive               | 45K1675 | ann 03/31/09 |

**Storage and removable storage**

|                                    |         |              |
|------------------------------------|---------|--------------|
| 250GB SATA 3.0Gb/s Disk (7200 rpm) | 41N3015 | ann 01/24/06 |
| 500GB SATA 3.0Gb/s Disk (7200 rpm) | 43R1990 | ann 11/06/07 |
| 1TB SATA 3.0Gb/s Disk (7200 rpm)   | 45J7918 | ann 08/19/08 |

|   |         |              |
|---|---------|--------------|
| USB 2.0 Portable 320GB Hard Disk                    | 45K1689 | ann 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk                    | 45K1690 | ann 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk             | 43R2018 | ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk             | 43R2019 | ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive <sup>53</sup> | 57Y4400 | ann 01/07/10 |
| USB 2.0 Portable DVD Burner                         | 43N3264 | ann 01/05/10 |

<sup>53</sup> USB-only attach.**Graphics***Small 3245/5485/3269/5536/5864 support Low Profile:*

|                                       |         |              |
|---------------------------------------|---------|--------------|
| NVIDIA® Quadro® 256MB NVS 290         |         |              |
| (2-DVI or 2-VGA via DMS59 dongles)    | 43R1765 | ann 12/18/07 |
| NVIDIA Quadro 256MB NVS 295 (2-DP)    | 45K1669 | ann 04/21/09 |
| NVIDIA Quadro 512MB FX 380 LP         |         |              |
| (DP, DVI with a DVI to VGA converter) | 57Y4396 | ann 02/02/10 |
| NVIDIA GeForce® 310 512MB (DP, VGA)   | 57Y4397 | ann 02/02/10 |
| NVIDIA GeForce 310 512MB DMS59        |         |              |
| (2-DVI or 2-VGA via DMS59 dongles)    | 57Y4167 | ann 03/02/10 |

*Tower 3246/5474/3282/5498/5852 support 75 watts max:*

|   |         |              |
|---|---------|--------------|
| NVIDIA Quadro 256MB NVS 290             | 43R1765 | ann 12/18/07 |
| NVIDIA Quadro 256MB NVS 295 (2-DP)      | 45K1669 | ann 04/21/09 |
| NVIDIA Quadro 512MB NVS450 (4-DP/4-DVI) | 57Y4398 | ann 01/19/10 |
| NVIDIA GeForce 310 512MB (DP, VGA)      | 57Y4397 | ann 02/02/10 |
| NVIDIA GeForce 310 512MB DMS59          | 57Y4167 | ann 03/02/10 |

More information at [www.lenovo.com/support/graphiccards](http://www.lenovo.com/support/graphiccards)**Keyboard**

|   |         |              |
|---|---------|--------------|
| Preferred Pro USB Keyboard                          | 73P5220 | ann 06/21/05 |
| Enhanced Performance USB Keyboard                   | 73P2620 | ann 03/23/04 |
| Ultraslim Wireless Keyboard and Mouse <sup>52</sup> | 57Y4700 | ann 09/15/09 |
| ThinkPad® USB Keyboard with TrackPoint              | 55Y9003 | ann 08/18/09 |
| Lenovo® USB Fingerprint Keyboard                    | 73P4730 | ann 02/22/05 |
| Lenovo USB Smartcard Keyboard                       | 51J0155 | ann 03/24/09 |

<sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver.More information at [www.lenovo.com/support/keyboards](http://www.lenovo.com/support/keyboards)**Mouse**

|   |         |              |
|---|---------|--------------|
| Lenovo Optical Mouse (USB)                            | 06P4069 | ann 05/21/03 |
| Lenovo ScrollPoint® Mouse(USB, Optical)               | 31P7405 | ann 08/27/02 |
| Lenovo Laser Mouse (USB)                              | 41U3074 | ann 01/23/07 |
| Lenovo Wireless Laser Mouse - Black <sup>52</sup>     | 45K1696 | ann 11/25/08 |
| Lenovo Wireless Laser Mouse - Red/Black <sup>52</sup> | 51J0198 | ann 11/25/08 |

More information at [www.lenovo.com/support/mice](http://www.lenovo.com/support/mice)**Multimedia**

ThinkPad In-Ear Headphones<sup>60</sup> 57Y4488 ann 01/07/10  
<sup>60</sup> Has a 1.2 meter (3.9-foot) cable. Best when systems are in close proximity. Example: SFF placed on a desk.

**Security**

|  |         |              |
|--|---------|--------------|
| Kensington® MicroSaver® Cable Lock <sup>56</sup> | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock <sup>56</sup>    | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock                       | 57Y4303 | ann 08/24/10 |
| USB Gemplus GemPC Smart Card Reader              | 41N3040 | ann 02/21/06 |

<sup>56</sup> Attaching to any form factor not only secures the ThinkCentre to the work area, but it also prevents users from opening the chassis itself.**Mounting Device***Eco Ultra Small 3244/3692/3257/3853/5296 support under desk mounting device:*

|  |         |              |
|--|---------|--------------|
| ThinkCentre Ultra Small Under Desk Mount | 40Y8625 | ann 09/06/05 |
|--|---------|--------------|

**Monitors**

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Lenovo D186 Wide 18.5" Monitor      | 2580AB1 | ann 01/12/10 |
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann 09/17/08 |

More information at [www.lenovo.com/thinkvision](http://www.lenovo.com/thinkvision)**Monitor Accessories<sup>46</sup>***Eco Ultra Small 3244/3692/3257/3853/5296 support:*

|   |         |              |
|---|---------|--------------|
| Lenovo Vertical PC and Monitor Stand II | 41R4474 | ann 01/27/09 |
|---|---------|--------------|

*All:*

|  |         |              |
|--|---------|--------------|
| Lenovo USB-to-DVI Monitor Adapter              | 45K5296 | ann 05/12/09 |
| DisplayPort™ to Single-link DVI-D Cable        | 45J7915 | ann 08/05/08 |
| DisplayPort to VGA Monitor Cable               | 57Y4393 | ann 08/04/09 |
| ThinkVision USB Soundbar                       | 40Y7616 | ann 08/23/05 |
| ThinkVision Soundbar                           | 45K1263 | ann 09/16/08 |
| Kensington MicroSaver Cable Lock <sup>56</sup> | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock <sup>56</sup>  | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock                     | 57Y4303 | ann 08/24/10 |
| ThinkCentre Extend Arm                         | 57Y4352 | ann 07/06/10 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on desktop accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/desktopaccessories](http://www.lenovo.com/support/desktopaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)



Lenovo ThinkCentre M90z with Frame Stand



Lenovo ThinkCentre M90z with Height Adjustable Stand Option 57Y4351  
(57Y4351 is not compatible to Multi-touch models)



Tool-Less Back Cover Removal



Handle




Dual Independent Display with Optional Lenovo ThinkVision Monitor  
and Lenovo Ultralim Wireless Keyboard/Mouse Kit (57Y4700)

| Type-model  | Proc-<br>essor  | GHz  | Memory | Widescreen<br>display  | Camera<br>(mega-<br>pixel) | Integrated<br>graphics | SATA<br>disk       | SATA<br>optical | PCle<br>Mini Card<br>802.11   | Stand<br>type | Intel<br>vPro | Win7<br>preload | Global<br>Educ | Avail<br>date |  |
|---|---|------|--------|--|----------------------------|------------------------|--------------------|-----------------|---|---------------|---------------|-----------------|----------------|---------------|--|
| 3429-A1U  | G6950   | 2.80 | 2GBx1  | 23.0" Full HD  |                            | Intel HD               | 320GB <sup>2</sup> | DVD±RW          | Intel 1000  | Frame         |               | Pro 32          | None           | Jun 10        |  |
| 3429-A2U  | i3-530  | 2.93 | 2+1GB  | 23.0" Full HD  | 2.0M                       | Intel HD               | 500GB              | DVD±RW          | Intel 1000  | Frame         |               | Pro 32          | None           | Jun 10        |  |
| 3429-D6U  | G6960   | 2.93 | 2GBx1  | 23.0" Full HD  | 2.0M                       | Intel HD               | 320GB              | DVD±RW          | Intel 1000  | Frame         |               | Pro 64          | None           | Jan 11        |  |
| 3429-D3U  | i3-550  | 3.20 | 2+1GB  | 23.0" Full HD  | 2.0M                       | Intel HD               | 320GB              | DVD±RW          | Intel 1000  | Frame         |               | Pro 64          | None           | Dec 10        |  |
| 3429-A3U  | i5-650  | 3.20 | 2GBx2  | 23.0" Full HD  | 2.0M                       | Intel HD               | 500GB              | DVD±RW          | Intel 1000  | Frame         | vPro          | Pro 64          | None           | Jun 10        |  |
| <ul style="list-style-type: none"><li>• <b>Best space saving solution &amp; excellent cable management</b></li><li>• <b>These small and medium business (SMB) models are part of the US TopSeller™ Program</b></li><li>• <b>These models have a 3-year limited warranty<sup>1</sup></b></li><li>• <b>These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)</b></li></ul>  |   |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Positioning Processor   | All-In-One PC for the enterprise<br><b>Intel® Pentium® Processor G6950 or G6960 with dual-core,</b> Intel 64, Virtualization Technology, integrated 1066MHz dual-channel DDR3 memory controller, and 3MB cache or<br><b>Intel Core™ i3 Processor i3-530 or i3-550 with dual-core,</b> Intel 64, Hyper-Threading Technology, Virtualization Technology, integrated 1333MHz dual-channel DDR3 memory controller, and 4MB cache or<br><b>Intel Core i5 Processor i5-650 with dual-core,</b> Intel 64, Hyper-Threading Technology, Turbo Boost Technology, Virtualization Technology, TXT, integrated 1333MHz dual-channel DDR3 memory controller, and 4MB cache<br>Processor in LGA1156 socket |      |        |  |                            |                        |                    |                 | All-In-One<br><br>All: <ul style="list-style-type: none"><li>• Business black color</li><li>• Handle in rear</li><li>• Support VESA mount (100mm)</li><li>• Tool-less back cover, disk, optical drive, memory removal</li></ul> Model(s) with Frame stand: <ul style="list-style-type: none"><li>• 22" W X 4.29" D X 17.4" H</li><li>• 560mm W X 109mm D X 443mm H</li><li>• 23.6 lb (10.7 kg) in maximum configuration</li></ul> Bay ① 3.5", 1" high, no access, std disk (desktop)<br>Bay ② slim, .5" high, access, std optical (notebook)  |               |               |                 |                |               |  |
| Memory  | 2GB, 3GB, or 4GB std, 8GB max <sup>3</sup> , PC3-10600 1333MHz DDR3*, dual-channel capable, two 204-pin SODIMM sockets (notebook)<br>* System automatically clocks down for processors with 1066MHz DDR3 memory controller  |      |        |  |                            |                        |                    |                 | <b>Security</b> <ul style="list-style-type: none"><li>• Security chip (see information left)</li><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; Kensington lock also locks chassis)</li><li>• Boot sequence control</li><li>• Boot without keyboard, mouse</li><li>• Individual USB port disablement</li></ul>  |               |               |                 |                |               |  |
| Graphics  | Intel HD Graphics in processor, HDCP, DirectX® 10, uses main memory (up to 765MB [2GB models], 1277MB [3GB models], or 1759MB [4GB models]), one DisplayPort™ connector, supports dual independent display  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| DP dongle   | None  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Widescreen  | 23.0" (584.2mm) Full HD 1080p (1920x1080) TFT color, anti-glare, CCFL backlight, 250 nits, 16:9 aspect ratio, 1000:1 dynamic contrast ratio, work as standalone monitor via VGA-in connector  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Multi-touch Camera  | None<br>Some: Camera on top of screen, 2.0-megapixel, fixed focus, integrated digital MIC array with stereo, LED indicator, physical on/off switch  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| SATA disk   | 320GB or 500GB, SATA 3.0Gb/s, 3.5" wide, 7200 rpm   |      |        |  |                            |                        |                    |                 | Supports ThinkVantage® technologies <ul style="list-style-type: none"><li>• EPEAT™ Gold rating</li><li>• ENERGY STAR® 5.0-compliant</li><li>• TCO Certified Edge</li><li>• GREENGUARD® certified</li><li>• RoHS-compliant</li></ul>   |               |               |                 |                |               |  |
| SATA DVD±RW   | DVD burner, SATA 1.5Gb/s, 12.7mm high   |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| eSATA port  | None  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Diskette drive  | None  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Media reader  | None  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Chipset   | Intel Q57 Express Chipset<br>Platform Controller Hub (PCH) for SATA, ethernet, and USB  |      |        |  |                            |                        |                    |                 | <b>Limited Warranty<sup>1</sup></b><br>⇒ 3-year parts and labor<br>⇒ International Warranty Service®<br>⇒ Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts <sup>3</sup> , 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)<br>⇒ Onsite service upgrade options (in eligible locations): <sup>7</sup> <ul style="list-style-type: none"><li>• 3-year LOR 9x5, 4 hour response (ThinkPlus™ part number 41C9192)</li><li>• 3-year LOR 24x7, 4 hour response (ThinkPlus part number 41C9193)</li><li>• 4-year LOR 9x5, Next Business Day (ThinkPlus part number 41C9194)</li><li>• 4-year LOR 9x5, 4 hour response (ThinkPlus part number 41C9195)</li><li>• 4-year LOR 24x7, 4 hour response (ThinkPlus part number 41C9196)</li></ul> ⇒ ThinkPlus services at lenovo.com/thinkplus/warranty<br>⇒ Post warranty maintenance services available<br>⇒ 24 hour x 7 day <sup>14</sup> toll-free support during the warranty period <sup>1</sup> via 800-426-7378 |               |               |                 |                |               |  |
| Ports   | Rear: four USB 2.0, ethernet (RJ-45), DisplayPort, VGA-in connector<br>Side: two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)<br>One PCI Express Mini Card slot<br>11b/g/n wireless <sup>13</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2   |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| PCle Mini Card  | Intel 1000  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Bluetooth™  | None  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Ethernet  | One gigabit ethernet port, Intel 82578DM  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Audio   | High Definition (HD) Audio, Realtek® ALC269 codec   |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Speaker   | Two internal speakers (2watt x 2)   |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| IEEE 1394   | None  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Intel AMT   | vPro model(s): Intel Active Management Technology 6.0 (Intel AMT 6.0)   |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Modem   | None  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Security chip   | STMicroelectronics ST19NP18 Trusted Platform Module (TPM), TCG 1.2-compliant  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Keyboard  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Mouse   | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Power supply  | 150 watts, autosensing, 85% PSU, 80 PLUS® Bronze qualified  |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Preloaded operating system <sup>20</sup> <ul style="list-style-type: none"><li>- Some: Genuine Windows® 7 Professional 32</li><li>- Some: Genuine Windows 7 Professional 64</li></ul>   |   |      |        | Accessories <ul style="list-style-type: none"><li>2GB PC3-10600 DDR3 SODIMM 55Y3710</li><li>ThinkCentre M90z Height Adjustable Stand 57Y4351</li><li>More accessories on O-M90Z sheet</li><li>Acc Guide in pdf lenovo.com/accessoriesguide</li><li>Other accessories at lenovo.com/accessories</li></ul> |                            |                        |                    |                 |   |               |               |                 |                |               |  |
| Preloaded applications <sup>5</sup> (all OSes; only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton Internet Security 2011 (30-day)</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul> |   |      |        |  |                            |                        |                    |                 |   |               |               |                 |                |               |  |

See footnotes for important warranty information

<sup>13</sup> US model announced January 4, 2011; previous models on May 11 or November 30, 2010

| Type-model  | Proc-<br>essor   | GHz  | Memory | Widescreen<br>display   | Camera<br>(mega-<br>pixel) | Integrated<br>graphics | SATA<br>disk       | SATA<br>optical | PCle<br>Mini Card<br>802.11  | Media<br>reader | Intel<br>vPro | Win7<br>preload | Global<br>Educ | Avail<br>date |  |  |  |  |  |  |
|---|--|------|--------|---|----------------------------|------------------------|--------------------|-----------------|--|-----------------|---------------|-----------------|----------------|---------------|--|--|--|--|--|--|
| 0870-A3U  | i3-530   | 2.93 | 2GBx1  | 23.0" Full HD   | 2.0M                       | Intel HD               | 320GB <sup>2</sup> | DVD±RW          | Intel 1000   |                 |               | Pro 32          | None           | Jun 10        |  |  |  |  |  |  |
| 0870-A4U  | i5-650   | 3.20 | 2GBx2  | 23.0" Full HD   | 2.0M                       | Intel HD               | 500GB              | DVD±RW          | Intel 1000   | Media           | vPro          | Pro 32          | None           | Jun 10        |  |  |  |  |  |  |
| 0870-A6U  | i5-650   | 3.20 | 2GBx2  | 23.0" Full HD   | 2.0M                       | Intel HD               | 500GB              | DVD±RW          | Intel 1000   |                 | vPro          | Pro 64          | None           | Dec 10        |  |  |  |  |  |  |
| <ul style="list-style-type: none"><li>• <b>Best space saving solution &amp; excellent cable management</b></li><li>• <b>These small and medium business (SMB) models are part of the US TopSeller™ Program</b></li><li>• <b>These models have a 3-year limited warranty<sup>1</sup></b></li><li>• <b>These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)</b></li></ul>  |  |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Positioning Processor   | <i>All-In-One PC for the enterprise</i><br><b>Intel® Core™ i3 Processor i3-530 with dual-core,</b> Intel 64, Hyper-Threading Technology, Virtualization Technology, integrated 1333MHz dual-channel DDR3 memory controller, and 4MB cache or<br><b>Intel Core i5 Processor i5-650 with dual-core,</b> Intel 64, Hyper-Threading Technology, Turbo Boost Technology, Virtualization Technology, TXT, integrated 1333MHz dual-channel DDR3 memory controller, and 4MB cache<br>Processor in LGA1156 socket |      |        |   |                            |                        |                    |                 | <b>All-In-One</b> <ul style="list-style-type: none"><li>• Business black color</li><li>• 22" W X 4.57" D X 17.4" H</li><li>• 560mm W X 116mm D X 443mm H</li><li>• 25.3 lb (11.5 kg) in maximum configuration</li><li>• Handle in rear</li><li>• Support VESA mount (100mm)</li><li>• Tool-less back cover, disk, optical drive, memory removal</li><li>• Frame stand</li></ul> Bay ① 3.5", 1" high, no access, std disk (desktop)<br>Bay ② slim, .5" high, access, std optical (notebook)   |                 |               |                 |                |               |  |  |  |  |  |  |
| Implementation  |  |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Memory  | <b>2GB or 4GB</b> std, 8GB max <sup>8</sup> , <b>PC3-10600 1333MHz DDR3</b> , dual-channel capable, two 204-pin SODIMM sockets (notebook)  |      |        |   |                            |                        |                    |                 |   |                 |               |                 |                |               |  |  |  |  |  |  |
| Graphics  | <b>Intel HD Graphics</b> in processor, HDCP, DirectX® 10, uses main memory (up to 765MB [2GB models] or 1759MB [4GB models]), one DisplayPort™ connector, supports dual independent display  |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| DP dongle   | None   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Widescreen  | <b>23.0"</b> (584.2mm) <b>Full HD 1080p (1920x1080) TFT color</b> , anti-glare, CCFL backlight, 250 nits, 16:9 aspect ratio, 1000:1 dynamic contrast ratio, work as standalone monitor via VGA-in connector  |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Multi-touch   | Supports Multi-touch function  |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Camera  | Camera on top of screen, 2.0-megapixel, fixed focus, integrated digital MIC array with stereo, LED indicator, physical switch on/off   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| SATA disk   | <b>320GB or 500GB</b> , SATA 3.0Gb/s, 3.5" wide, 7200 rpm  |      |        |   |                            |                        |                    |                 | <b>Security</b> <ul style="list-style-type: none"><li>• Security chip (see information left)</li><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; Kensington lock also locks chassis)</li><li>• Boot sequence control</li><li>• Boot without keyboard, mouse</li><li>• Individual USB port disablement</li></ul> Supports ThinkVantage® technologies   |                 |               |                 |                |               |  |  |  |  |  |  |
| SATA DVD±RW   | DVD burner, SATA 1.5Gb/s, 12.7mm high  |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| eSATA port  | None   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Diskette drive  | None   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Media reader  | Some: Single Slot SD Media Card Reader   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Chipset   | <b>Intel Q57 Express Chipset</b><br>Platform Controller Hub (PCH) for SATA, ethernet, and USB  |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Ports   | <i>Rear:</i> four USB 2.0, ethernet (RJ-45), DisplayPort, VGA-in connector<br><i>Side:</i> two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| PCIe Mini Card  | One PCI Express Mini Card slot   |      |        |   |                            |                        |                    |                 | <b>Limited Warranty<sup>1</sup></b> <ul style="list-style-type: none"><li>⇒ <b>3-year parts and labor</b></li><li>⇒ <b>International Warranty Service<sup>9</sup></b></li><li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇒ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 41C9192)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9193)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 41C9194)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 41C9195)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 41C9196)</li></ul></li><li>⇒ <b>ThinkPlus services at lenovo.com/thinkplus/warranty</b></li><li>⇒ <b>Post warranty maintenance services available</b></li><li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |                 |               |                 |                |               |  |  |  |  |  |  |
| Intel 1000  | 11b/g/n wireless <sup>13</sup> , PCIe Half Mini Card, Intel Centrino® Wireless-N 1000, 1x2   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Bluetooth™  | None   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Ethernet  | One gigabit ethernet port, Intel 82578DM   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Audio   | High Definition (HD) Audio, Realtek® ALC269 codec  |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Speaker   | Two internal speakers (2watt x 2)  |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| IEEE 1394   | None   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Intel AMT   | <i>vPro model(s):</i> Intel Active Management Technology 6.0 (Intel AMT 6.0)<br><i>Non-vPro model(s):</i> None   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Modem   | None   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Security chip   | STMicroelectronics ST19NP18 Trusted Platform Module (TPM), TCG 1.2-compliant   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Keyboard  | Preferred Pro USB Keyboard (USB connector), 104-key, black, Lenovo® logo   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Mouse   | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| Power supply  | 150 watts, autosensing, 85% PSU, 80 PLUS® Bronze qualified   |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| <b>Preloaded operating system<sup>20</sup></b><br>- Some: Genuine Windows® 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64   |  |      |        | <b>Accessories</b><br>2GB PC3-10600 DDR3 SODIMM 55Y3710<br>More accessories on O-M90Z sheet<br>Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a><br>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a> |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |
| <b>Preloaded applications<sup>5</sup></b> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Lenovo Message Center Plus</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul> |  |      |        |   |                            |                        |                    |                 |  |                 |               |                 |                |               |  |  |  |  |  |  |

See footnotes for important warranty information

US model announced November 30, 2010; previous models on May 11, 2010

## Partial list of accessories supported on ThinkCentre M90z AIO

**Memory**

|                                    |         |              |
|------------------------------------|---------|--------------|
| 1GB PC3-10600 DDR3 SODIMM          | 55Y3709 | ann 03/02/10 |
| 1GB PC3-10600 DDR3 SODIMM (25Pack) | 57Y4415 | ann 03/02/10 |
| 2GB PC3-10600 DDR3 SODIMM          | 55Y3710 | ann 03/02/10 |
| 2GB PC3-10600 DDR3 SODIMM (25Pack) | 57Y4416 | ann 03/02/10 |
| 4GB PC3-10600 DDR3 SODIMM          | 55Y3711 | ann 03/02/10 |

More information at

[www.lenovo.com/support/desktopmemorycompatibility](http://www.lenovo.com/support/desktopmemorycompatibility)**Storage and removable storage**

|                                    |         |              |
|------------------------------------|---------|--------------|
| 250GB SATA 3.0Gb/s Disk (7200 rpm) | 41N3015 | ann 01/24/06 |
| 500GB SATA 3.0Gb/s Disk (7200 rpm) | 43R1990 | ann 11/06/07 |
| 1TB SATA 3.0Gb/s Disk (7200 rpm)   | 45J7918 | ann 08/19/08 |

|   |         |              |
|---|---------|--------------|
| USB 2.0 Portable 320GB Hard Disk                    | 45K1689 | ann 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk                    | 45K1690 | ann 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk             | 43R2018 | ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk             | 43R2019 | ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive <sup>53</sup> | 57Y4400 | ann 01/07/10 |
| USB 2.0 Portable DVD Burner                         | 43N3264 | ann 01/05/10 |

<sup>53</sup> USB-only attach.**Keyboard**

|   |         |              |
|---|---------|--------------|
| Preferred Pro USB Keyboard                          | 73P5220 | ann 06/21/05 |
| Enhanced Performance USB Keyboard                   | 73P2620 | ann 03/23/04 |
| Ultraslim Wireless Keyboard and Mouse <sup>52</sup> | 57Y4700 | ann 09/15/09 |
| ThinkPad USB Keyboard with TrackPoint               | 55Y9003 | ann 08/18/09 |
| Lenovo® USB Fingerprint Keyboard                    | 73P4730 | ann 02/22/05 |
| Lenovo USB Smartcard Keyboard                       | 51J0155 | ann 03/24/09 |

<sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver.More information at [www.lenovo.com/support/keyboards](http://www.lenovo.com/support/keyboards)**Mouse**

|  |         |              |
|--|---------|--------------|
| Lenovo Optical Mouse (USB)               | 06P4069 | ann 05/21/03 |
| Lenovo ScrollPoint® Mouse (USB, Optical) | 31P7405 | ann 08/27/02 |
| Lenovo Laser Mouse (USB)                 | 41U3074 | ann 01/23/07 |

More information at [www.lenovo.com/support/mice](http://www.lenovo.com/support/mice)**Multimedia**

|                             |         |              |
|-----------------------------|---------|--------------|
| ThinkPad® In-Ear Headphones | 57Y4488 | ann 01/07/10 |
|-----------------------------|---------|--------------|

**Security**

|  |         |              |
|--|---------|--------------|
| Kensington® MicroSaver® Cable Lock <sup>56</sup> | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock <sup>56</sup>    | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock                       | 57Y4303 | ann 08/24/10 |
| USB Gemplus GemPC Smart Card Reader              | 41N3040 | ann 02/21/06 |

<sup>56</sup> Attaching to any form factor not only secures the ThinkCentre to the work area, but it also prevents users from opening the chassis itself.**Stand**

|  |         |              |
|--|---------|--------------|
| ThinkCentre M90z Height Adjustable Stand <sup>59</sup> | 57Y4351 | ann 05/04/10 |
| ThinkCentre Extend Arm <sup>57</sup>                   | 57Y4352 | ann 07/06/10 |

<sup>57</sup> Compatible when ThinkCentre Extend Arm is desk (clamp)

mounted only, wall mount is not supported.

<sup>59</sup> Not compatible to Multi-touch models.**Monitors**

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Lenovo D186 Wide 18.5" Monitor      | 2580AB1 | ann 01/12/10 |
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann 09/17/08 |

More information at [www.lenovo.com/thinkvision](http://www.lenovo.com/thinkvision)**Monitor Accessories<sup>46</sup>**

|  |         |              |
|--|---------|--------------|
| Lenovo USB-to-DVI Monitor Adapter              | 45K5296 | ann 05/12/09 |
| DisplayPort™ to Single-link DVI-D Cable        | 45J7915 | ann 08/05/08 |
| DisplayPort to VGA Monitor Cable               | 57Y4393 | ann 08/04/09 |
| Kensington MicroSaver Cable Lock <sup>56</sup> | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock <sup>56</sup>  | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock                     | 57Y4303 | ann 08/24/10 |
| ThinkCentre Extend Arm                         | 57Y4352 | ann 07/06/10 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on desktop accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/desktopaccessories](http://www.lenovo.com/support/desktopaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)



Lenovo ThinkCentre A70 Small and  
Lenovo ThinkCentre A70 Tower



Lenovo ThinkCentre A70 Tower  
with Lenovo ThinkVision monitor



Lenovo ThinkCentre A70 Small



Lenovo ThinkCentre A70 Small  
with Lenovo ThinkVision monitor



Lenovo ThinkCentre A70 Tower



Lenovo ThinkCentre A70 Small

| Name       | Type-model | Slot x bay | Processor        | GHz  | L2 cache | Cores | Memory <sup>a</sup> | SATA disk          | SATA optical | Graphics | Win7 preload | Global Educ | Avail date |
|------------|------------|------------|------------------|------|----------|-------|---------------------|--------------------|--------------|----------|--------------|-------------|------------|
| <b>A70</b> | 7844-D4U   | 4x2        | Celeron E3300    | 2.50 | 1MB      | 2     | 1GB                 | 320GB <sup>2</sup> | DVD          | GMA      | Pro 32       | None        | Aug 10     |
| <b>A70</b> | 7844-C1U   | 4x2        | Pentium E5500    | 2.80 | 2MB      | 2     | 2GB                 | 320GB              | DVD±RW       | GMA      | Pro 32       | None        | Aug 10     |
| <b>A70</b> | 7844-B4U   | 4x2        | Core 2 Duo E7500 | 2.93 | 3MB      | 2     | 2GB                 | 320GB              | DVD±RW       | GMA      | Pro 32       | None        | Aug 10     |

- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a 1-year limited warranty<sup>1</sup>**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

|  |   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
|--|---|--|--|---|--|-------------------------|---------|-------------------------|---------|------------------------------------|---------|---|---------|---|---------|----------------------------------|---------|--------------------------------------|---------|--------------------------------------|---------|---|---------|---------------------------------|--|---|--|---|--|
| Positioning Processor  | Quality, reliability, and security for small/medium businesses<br><b>Intel® Celeron® Processor E3300 with dual-core</b> , 800MHz system bus, and 1MB L2 cache or<br><b>Intel Pentium® Processor E5500 with dual-core</b> , 800MHz system bus, and 2MB L2 cache or<br><b>Intel Core™ 2 Duo Processor E7500 with dual-core</b> , 1066MHz system bus, and 3MB L2 cache<br>Processor in LGA775 socket |  |  | <b>Small</b> <div><div>disk<br/>(in rear)</div><div>optical</div><div>□ ○ ○ □</div></div> <div>Bay ① 5.25", 1.6" high, access, std optical<br/>Bay ② 3.5", 1" high, no access, std disk</div> <div>Slot 1: Low Profile, PCI Express x16 (45w max)<br/>Slot 2: Low Profile, PCI Express x1<br/>Slot 3: Low Profile, PCI Express x1<br/>Slot 4: Low Profile, 32-bit PCI 2.3</div> <div><ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 13.1" W X 14.5" D X 3.8" H</li><li>• 333mm W X 368mm D X 97mm H</li><li>• 18.7 lb (8.5 kg) in maximum configuration</li><li>• Highlighted optical drive button for easy access</li><li>• System floor stand for vertical orientation</li></ul></div>  |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Implementation   |   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Memory   | <b>1GB</b> or <b>2GB std</b> , 4GB max <sup>8</sup> , <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, two 240-pin DIMM sockets;<br><i>Non-italics:</i> standard memory in one socket; one socket available   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Graphics   | <b>Intel Graphics Media Accelerator X4500 (GMA X4500)</b> , integrated graphics in G41, uses main memory (up to 253MB [1GB models], 765MB [2GB models]), one analog VGA DB-15 connector, DirectX® 10, supports dual independent display with optional ADD2 adapter  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| SATA disk  | <b>320GB</b> , SATA 3.0Gb/s 7200 rpm, vibration dampening mounts  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| SATA controller  | Serial ATA, SATA 3.0Gb/s, integrated in ICH7  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| SATA DVD   | <i>Some:</i> DVD-ROM DL SATA 1.5Gb/s 16-48X Max <sup>4</sup> Drive  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| SATA DVD±RW  | <i>Some:</i> Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| SATA cables  | Two SATA cables (each 1-drop to device), three SATA connectors on planar  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| eSATA port   | None  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Diskette drive   | None  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Media reader   | None  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Chipset  | <b>Intel G41 Express Chipset</b> (PCI Express® x16), I/O Controller Hub 7 [ICH7] (SATA 3.0Gb/s, PCI Express x1, PCI 2.3, USB, LPC bus)  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Front ports  | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Rear ports   | Four USB 2.0, serial (9-pin), ethernet (RJ-45), monitor (VGA DB-15)   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Rear audio ports   | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone (stereo, 3.5mm)   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Audio  | High Definition (HD) Audio, Realtek® ALC662 codec   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Speaker  | None  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| IEEE 1394  | None  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Ethernet   | Gigabit ethernet on planar, Realtek® RTL8111DL  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Intel AMT  | None  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Modem  | None  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Security chip  | None  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Keyboard   | Lenovo Slim USB Keyboard (USB connector), black, Lenovo® logo   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Mouse  | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo  |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Power supply   | 180 watts, universal, manual switch   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
|  |   |  |  | <b>Security</b> <ul style="list-style-type: none"><li>• One lock to secure both cover and entire system to fixed object:<ul style="list-style-type: none"><li>- Padlock loop (in rear for opt padlock)</li><li>- Security slot (in rear for optional Kensington® Microsaver® cable)</li></ul></li><li>• Power-on password</li><li>• Boot sequence control</li><li>• Serial port I/O control</li><li>• USB port disablement</li></ul>  |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
|  |   |  |  | Supports ThinkVantage® technologies   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
|  |   |  |  | RoHS-compliant  |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| <b>Preloaded operating system</b> <sup>20</sup> <ul style="list-style-type: none"><li>- Genuine Windows® 7 Professional 32</li></ul> <b>Preloaded applications</b> <sup>5</sup> (only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul> |   |  |  | <b>Accessories</b> <table><tr><td>1GB PC3-8500 DDR3 UDIMM</td><td>45J5434</td></tr><tr><td>2GB PC3-8500 DDR3 UDIMM</td><td>45J5435</td></tr><tr><td>DVD-ROM DL SATA 1.5Gb/s 16-48X Max</td><td>41N5618</td></tr><tr><td>Super Multi-Burner DL DVD±RW SATA Drive</td><td>41N5620</td></tr><tr><td>DisplayPort™ to Single-link DVI-D Cable</td><td>45J7915</td></tr><tr><td>DisplayPort to VGA Monitor Cable</td><td>57Y4393</td></tr><tr><td>ADD2 DVI-D Monitor Connection (HDCP)</td><td>43R1985</td></tr><tr><td>NVIDIA® GeForce® 310 512MB (DP, VGA)</td><td>57Y4397</td></tr><tr><td>NVIDIA Quadro® 512MB FX 380 LP (DP,DVI)</td><td>57Y4396</td></tr><tr><td colspan="2">More accessories on O-A70 sheet</td></tr><tr><td colspan="2">Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a></td></tr><tr><td colspan="2">Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a></td></tr></table>  |  | 1GB PC3-8500 DDR3 UDIMM | 45J5434 | 2GB PC3-8500 DDR3 UDIMM | 45J5435 | DVD-ROM DL SATA 1.5Gb/s 16-48X Max | 41N5618 | Super Multi-Burner DL DVD±RW SATA Drive | 41N5620 | DisplayPort™ to Single-link DVI-D Cable | 45J7915 | DisplayPort to VGA Monitor Cable | 57Y4393 | ADD2 DVI-D Monitor Connection (HDCP) | 43R1985 | NVIDIA® GeForce® 310 512MB (DP, VGA) | 57Y4397 | NVIDIA Quadro® 512MB FX 380 LP (DP,DVI) | 57Y4396 | More accessories on O-A70 sheet |  | Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a> |  | Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a> |  |
| 1GB PC3-8500 DDR3 UDIMM  | 45J5434   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| 2GB PC3-8500 DDR3 UDIMM  | 45J5435   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| DVD-ROM DL SATA 1.5Gb/s 16-48X Max   | 41N5618   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Super Multi-Burner DL DVD±RW SATA Drive  | 41N5620   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| DisplayPort™ to Single-link DVI-D Cable  | 45J7915   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| DisplayPort to VGA Monitor Cable   | 57Y4393   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| ADD2 DVI-D Monitor Connection (HDCP)   | 43R1985   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| NVIDIA® GeForce® 310 512MB (DP, VGA)   | 57Y4397   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| NVIDIA Quadro® 512MB FX 380 LP (DP,DVI)  | 57Y4396   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| More accessories on O-A70 sheet  |   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a>  |   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
| Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a>  |   |  |  |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |
|  |   |  |  | <b>Limited Warranty</b> <sup>1</sup> <ul style="list-style-type: none"><li>⇒ <b>1-year parts and labor</b> (ThinkPlus™ part number 45K5951)</li><li>⇒ <b>International Warranty Service<sup>9</sup></b></li><li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇒ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>1-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 45K5951)</li><li>• <b>2-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 45K5949)</li><li>• <b>2-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 45K5952)</li><li>• <b>3-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 45K5950)</li><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 45K5953)</li></ul></li><li>⇒ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>⇒ <b>Post warranty maintenance services available</b></li><li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |   |         |                                 |  |   |  |   |  |

# ThinkCentre® A70 Tower (7099) - TopSeller (Windows 7)

Personal Systems Reference (PSREF)

| Name       | Type-model | Slot x bay | Processor        | GHz  | L2 cache | Cores | Memory <sup>8</sup> | SATA disk          | 2nd Disk Bay | SATA optical | Graphics | Win7 preload | Global Educ | Avail date |
|------------|------------|------------|------------------|------|----------|-------|---------------------|--------------------|--------------|--------------|----------|--------------|-------------|------------|
| <b>A70</b> | 7099-C2U   | 4x2        | Celeron E3300    | 2.50 | 1MB      | 2     | 1GB                 | 320GB <sup>2</sup> | None         | DVD          | GMA      | Pro 32       | None        | Aug 10     |
| <b>A70</b> | 7099-B8U   | 4x2        | Pentium E5500    | 2.80 | 2MB      | 2     | 2GB                 | 320GB              | None         | DVD±RW       | GMA      | Pro 32       | None        | Aug 10     |
| <b>A70</b> | 7099-E6U   | 4x2        | Pentium E5500    | 2.80 | 2MB      | 2     | 3GB                 | 320GB              | None         | DVD±RW       | GMA      | Prem 32      | None        | Aug 10     |
| <b>A70</b> | 7099-E5U   | 4x2        | Pentium E5500    | 2.80 | 2MB      | 2     | 4GB                 | 500GB              | None         | DVD±RW       | GMA      | Pro 64       | None        | Aug 10     |
| <b>A70</b> | 7099-A5U   | 4x2        | Core 2 Duo E7500 | 2.93 | 3MB      | 2     | 2GB                 | 320GB              | None         | DVD±RW       | GMA      | Pro 32       | None        | Aug 10     |

- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **These models have a 1-year limited warranty<sup>1</sup>**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

|   |  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
|---|--|--|---|---|--|-------------------------|---------|-------------------------|---------|------------------------------------|---------|---|---------|---|---------|----------------------------------|---------|--------------------------------------|---------|--------------------------------------|---------|
| Positioning Processor   | Quality, reliability, and security for small/medium businesses<br><b>Intel® Celeron® Processor E3300</b> with <b>dual-core</b> , 800MHz system bus, and 1MB L2 cache or<br><b>Intel Pentium® Processor E5500</b> with <b>dual-core</b> , 800MHz system bus, and 2MB L2 cache or<br><b>Intel Core™ 2 Duo Processor E7500</b> with <b>dual-core</b> , 1066MHz system bus, and 3MB L2 cache<br>Processor in LGA775 socket |  |   | <b>Tower</b> <ul style="list-style-type: none"><li>• Business black color; metal case</li><li>• 6.3" W X 14.0" D X 15.4" H</li><li>• 160mm W X 355mm D X 392mm H</li><li>• 23.1 lb (10.5 kg) in max configuration</li><li>• Non-slip designed handle on top front</li><li>• Power button on top handle</li><li>• Highlighted optical drive button for easy access</li></ul> <div><div>optical</div><div>3.5"BD</div></div>  |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Implementation  | Processor in LGA775 socket   |  |   | Bay ① 5.25", 1.6" high, access, std optical<br>Bay ② 3.5", 1" high, no access, std disk   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Memory  | <b>1GB, 2GB, 3GB, or 4GB std</b> , 4GB max <sup>8</sup> , <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, two 240-pin DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets avail;<br><i>Non-italics:</i> standard memory in one socket; one socket available  |  |   | Slot 1: half-length, full-height, PCI Express x16 (45w max)<br>Slot 2: half-length, full-height, PCI Express x1<br>Slot 3: half-length, full-height, PCI Express x1<br>Slot 4: half-length, full-height, 32-bit PCI 2.3   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Graphics  | <b>Intel Graphics Media Accelerator X4500 (GMA X4500)</b> , integrated graphics in G41, uses main memory (up to 253MB [1GB models], 765MB [2GB models], 1277MB [3GB models], or 1759MB [4GB models]), one analog VGA DB-15 connector, DirectX® 10, supports dual independent display with optional ADD2 adapter  |  |   | <div><b>Security</b><ul style="list-style-type: none"><li>• One lock to secure both cover and entire system to fixed object:<ul style="list-style-type: none"><li>- Padlock loop (in rear for opt padlock)</li><li>- Security slot (in rear for optional Kensington® Microsaver® cable)</li></ul></li><li>• Power-on password</li><li>• Boot sequence control</li><li>• Serial port I/O control</li><li>• USB port disablement</li></ul></div> <div>Supports ThinkVantage® technologies</div> <div>RoHS-compliant</div> |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| SATA disk   | <b>320GB or 500GB</b> , SATA 3.0Gb/s 7200 rpm, vibration dampening   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| SATA controller   | Serial ATA, SATA 3.0Gb/s, integrated in ICH7   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| SATA DVD  | <i>Some:</i> DVD-ROM DL SATA 1.5Gb/s 16-48X Max <sup>4</sup> Drive   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| SATA DVD±RW   | <i>Some:</i> Super Multi-Burner DL DVD±RW SATA 1.5Gb/s Drive   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| SATA cables   | Two SATA cables (each 1-drop to device), three SATA connectors on planar   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| eSATA port  | None   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Diskette drive  | None   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Media reader  | None   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Chipset   | <b>Intel G41 Express Chipset</b> (PCI Express® x16), I/O Controller Hub 7 [ICH7] (SATA 3.0Gb/s, PCI Express x1, PCI 2.3, USB, LPC bus)   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Front ports   | Two USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Rear ports  | Four USB 2.0, serial (9-pin), ethernet (RJ-45), monitor (VGA DB-15)  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Rear audio ports  | Line-in (stereo, 3.5mm), line-out (stereo, 3.5mm), microphone (stereo, 3.5mm)  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Audio   | High Definition (HD) Audio, Realtek® ALC662 codec  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Speaker   | None   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| IEEE 1394   | None   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Ethernet  | Gigabit ethernet on planar, Realtek® RTL8111DL   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Intel AMT   | None   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Modem   | None   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Security chip   | None   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Keyboard  | Lenovo Slim USB Keyboard (USB connector), black, Lenovo® logo  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Mouse   | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo   |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Power supply  | 180 watts, universal, manual switch  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| <b>Preloaded operating system<sup>20</sup></b> <ul style="list-style-type: none"><li>- <i>Some:</i> Genuine Windows® 7 Home Premium 32</li><li>- <i>Some:</i> Genuine Windows 7 Professional 32</li><li>- <i>Some:</i> Genuine Windows 7 Professional 64</li></ul> <b>Preloaded applications<sup>5</sup></b> (all OSes; only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• Password Manager</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul> |  |  | <b>Accessories</b> <table><tr><td>1GB PC3-8500 DDR3 UDIMM</td><td>45J5434</td></tr><tr><td>2GB PC3-8500 DDR3 UDIMM</td><td>45J5435</td></tr><tr><td>DVD-ROM DL SATA 1.5Gb/s 16-48X Max</td><td>41N5618</td></tr><tr><td>Super Multi-Burner DL DVD±RW SATA Drive</td><td>41N5620</td></tr><tr><td>DisplayPort™ to Single-link DVI-D Cable</td><td>45J7915</td></tr><tr><td>DisplayPort to VGA Monitor Cable</td><td>57Y4393</td></tr><tr><td>ADD2 DVI-D Monitor Connection (HDCP)</td><td>43R1985</td></tr><tr><td>NVIDIA® GeForce® 310 512MB (DP, VGA)</td><td>57Y4397</td></tr></table> More accessories on O-A70 sheet<br><br>Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a><br>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a>  |   |  | 1GB PC3-8500 DDR3 UDIMM | 45J5434 | 2GB PC3-8500 DDR3 UDIMM | 45J5435 | DVD-ROM DL SATA 1.5Gb/s 16-48X Max | 41N5618 | Super Multi-Burner DL DVD±RW SATA Drive | 41N5620 | DisplayPort™ to Single-link DVI-D Cable | 45J7915 | DisplayPort to VGA Monitor Cable | 57Y4393 | ADD2 DVI-D Monitor Connection (HDCP) | 43R1985 | NVIDIA® GeForce® 310 512MB (DP, VGA) | 57Y4397 |
| 1GB PC3-8500 DDR3 UDIMM   | 45J5434  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| 2GB PC3-8500 DDR3 UDIMM   | 45J5435  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| DVD-ROM DL SATA 1.5Gb/s 16-48X Max  | 41N5618  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| Super Multi-Burner DL DVD±RW SATA Drive   | 41N5620  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| DisplayPort™ to Single-link DVI-D Cable   | 45J7915  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| DisplayPort to VGA Monitor Cable  | 57Y4393  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| ADD2 DVI-D Monitor Connection (HDCP)  | 43R1985  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
| NVIDIA® GeForce® 310 512MB (DP, VGA)  | 57Y4397  |  |   |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |
|   |  |  | <b>Limited Warranty<sup>1</sup></b> <ul style="list-style-type: none"><li>⇒ <b>1-year parts and labor</b></li><li>⇒ <b>International Warranty Service<sup>9</sup></b></li><li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇒ <b>Onsite service upgrade options (in eligible locations):<sup>7</sup></b><ul style="list-style-type: none"><li>• <b>1-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 45K5951)</li><li>• <b>2-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 45K5949)</li><li>• <b>2-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 45K5952)</li><li>• <b>3-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 45K5950)</li><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 45K5953)</li></ul></li><li>⇒ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>⇒ <b>Post warranty maintenance services available</b></li><li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |   |  |                         |         |                         |         |                                    |         |   |         |   |         |                                  |         |                                      |         |                                      |         |

See footnotes for important warranty information  
US models announced August 3, 2010

© Lenovo  
(T1JN1-2) November 2010

## Partial list of accessories supported on ThinkCentre A70

## Memory

|                                   |         |              |
|-----------------------------------|---------|--------------|
| 1GB PC3-8500 DDR3 UDIMM           | 45J5434 | ann 11/18/08 |
| 1GB PC3-8500 DDR3 UDIMM (25-Pack) | 57Y4421 | ann 11/10/09 |
| 2GB PC3-8500 DDR3 UDIMM           | 45J5435 | ann 11/18/08 |
| 2GB PC3-8500 DDR3 UDIMM (25-Pack) | 57Y4422 | ann 11/10/09 |

More information at

[www.lenovo.com/support/desktopmemorycompatibility](http://www.lenovo.com/support/desktopmemorycompatibility)

## Optical

|  |         |              |
|--|---------|--------------|
| DVD-ROM DL SATA 1.5Gb/s 16X-48X Max <sup>4</sup> | 41N5618 | ann 09/26/06 |
| Super Multi-Burner DL DVD±RW SATA Drive          | 41N5620 | ann 09/26/06 |

## Storage and removable storage

|   |         |              |
|---|---------|--------------|
| 250GB SATA 3.0Gb/s Disk (7200 rpm)                  | 41N3015 | ann 01/24/06 |
| 500GB SATA 3.0Gb/s Disk (7200 rpm)                  | 43R1990 | ann 11/06/07 |
| USB 2.0 Portable Secure 160GB Hard Disk             | 43R2018 | ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk             | 43R2019 | ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive <sup>53</sup> | 57Y4400 | ann 01/07/10 |
| USB 2.0 Portable DVD Burner                         | 43N3264 | ann 01/05/10 |
| <sup>53</sup> USB-only attach.                      |         |              |

## Graphics

Small 7844 support Low Profile:

|   |         |              |
|---|---------|--------------|
| DisplayPort™ to Single-link DVI-D Cable <sup>50</sup> | 45J7915 | ann 08/05/08 |
| DisplayPort to VGA Monitor Cable <sup>50</sup>        | 57Y4393 | ann 08/04/09 |
| ADD2 DVI-D Monitor Connection (HDCP)                  | 43R1985 | ann 11/06/07 |
| NVIDIA® Quadro® 512MB FX 380 LP                       |         |              |
| (DP, DVI with a DVI to VGA converter)                 | 57Y4396 | ann 02/02/10 |
| NVIDIA GeForce® 310 512MB (DP, VGA)                   | 57Y4397 | ann 02/02/10 |
| NVIDIA GeForce 310 512MB DMS59                        |         |              |
| (2-DVI or 2-VGA via DMS59 dongles)                    | 57Y4167 | ann 03/02/10 |

Tower 7099 support 75 watts max:

|  |         |              |
|--|---------|--------------|
| DisplayPort to Single-link DVI-D Cable <sup>50</sup> | 45J7915 | ann 08/05/08 |
| DisplayPort to VGA Monitor Cable <sup>50</sup>       | 57Y4393 | ann 08/04/09 |
| ADD2 DVI-D Monitor Connection (HDCP)                 | 43R1985 | ann 11/06/07 |
| NVIDIA GeForce 310 512MB (DP, VGA)                   | 57Y4397 | ann 02/02/10 |
| NVIDIA GeForce 310 512MB DMS59                       | 57Y4167 | ann 03/02/10 |

<sup>50</sup> Attaches to the ThinkCentre compatible DisplayPort graphics card.More information at [www.lenovo.com/support/graphiccards](http://www.lenovo.com/support/graphiccards)

## Keyboard

|   |         |              |
|---|---------|--------------|
| Preferred Pro USB Keyboard                          | 73P5220 | ann 06/21/05 |
| Enhanced Performance USB Keyboard                   | 73P2620 | ann 03/23/04 |
| Ultraslim Wireless Keyboard and Mouse <sup>52</sup> | 57Y4700 | ann 09/15/09 |
| ThinkPad USB Keyboard with TrackPoint               | 55Y9003 | ann 08/18/09 |
| Lenovo® USB Fingerprint Keyboard                    | 73P4730 | ann 02/22/05 |
| Lenovo USB Smartcard Keyboard                       | 51J0155 | ann 03/24/09 |

<sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver.More information at [www.lenovo.com/support/keyboards](http://www.lenovo.com/support/keyboards)

## Mouse

|   |         |              |
|---|---------|--------------|
| Lenovo Optical Mouse (USB)                            | 06P4069 | ann 05/21/03 |
| Lenovo ScrollPoint® Mouse (USB, Optical)              | 31P7405 | ann 08/27/02 |
| Lenovo Laser Mouse (USB)                              | 41U3074 | ann 01/23/07 |
| Lenovo Wireless Laser Mouse - Black <sup>52</sup>     | 45K1696 | ann 11/25/08 |
| Lenovo Wireless Laser Mouse - Red/Black <sup>52</sup> | 51J0198 | ann 11/25/08 |

More information at [www.lenovo.com/support/mice](http://www.lenovo.com/support/mice)

## Multimedia

|  |         |              |
|--|---------|--------------|
| ThinkPad In-Ear Headphones <sup>60</sup> | 57Y4488 | ann 01/07/10 |
|--|---------|--------------|

<sup>60</sup> Has a 1.2 meter (3.9-foot) cable. Best when systems are in close proximity. Example: SFF placed on a desk.

## Modem

|                      |         |              |
|----------------------|---------|--------------|
| USB 2.0 Lenovo Modem | 43R1814 | ann 02/26/08 |
|----------------------|---------|--------------|

## Security

|  |         |              |
|--|---------|--------------|
| Kensington® MicroSaver® Cable Lock <sup>56</sup> | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock <sup>56</sup>    | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock                       | 57Y4303 | ann 08/24/10 |
| USB Gemplus GemPC Smart Card Reader              | 41N3040 | ann 02/21/06 |

<sup>56</sup> Attaching to any form factor not only secures the ThinkCentre to the work area, but it also prevents users from opening the chassis itself.

## Monitors

|                                     |         |              |
|-------------------------------------|---------|--------------|
| Lenovo D186 Wide 18.5" Monitor      | 2580AB1 | ann 01/12/10 |
| Lenovo L2230x Wide 21.5" Monitor    | 5453HB1 | ann 06/10/10 |
| ThinkVision® L1711p 17" Monitor     | 5047HB2 | ann 10/20/09 |
| ThinkVision L1900p 19" Monitor      | 4431HE1 | ann 11/11/08 |
| ThinkVision L1951p Wide 19" Monitor | 2448HB6 | ann 10/20/09 |
| ThinkVision L2250p Wide 22" Monitor | 2572HB6 | ann 10/20/09 |
| ThinkVision L2251p Wide 22" Monitor | 2572HD6 | ann 10/20/09 |
| ThinkVision L2251x Wide 22" Monitor | 2578HB6 | ann 10/20/09 |
| ThinkVision L2321x Wide 23" Monitor | 4014HB6 | ann 06/10/10 |
| ThinkVision L2440p Wide 24" Monitor | 4420HB2 | ann 09/17/08 |

More information at [www.lenovo.com/thinkvision](http://www.lenovo.com/thinkvision)Monitor Accessories<sup>46</sup>

|  |         |              |
|--|---------|--------------|
| Lenovo USB-to-DVI Monitor Adapter              | 45K5296 | ann 05/12/09 |
| ThinkVision USB Soundbar                       | 40Y7616 | ann 08/23/05 |
| ThinkVision Soundbar                           | 45K1263 | ann 09/16/08 |
| Kensington MicroSaver Cable Lock <sup>56</sup> | 73P2582 | ann 12/29/03 |
| Kensington Twin Head Cable Lock <sup>56</sup>  | 45K1620 | ann 09/30/08 |
| Lenovo Security Cable Lock                     | 57Y4303 | ann 08/24/10 |
| ThinkCentre Extend Arm                         | 57Y4352 | ann 07/06/10 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)


For more information on desktop accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/desktopaccessories](http://www.lenovo.com/support/desktopaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)



Lenovo ThinkCentre A70z All-In-One  
( Wireless keyboard & mouse  
on selected models only)



Lenovo ThinkCentre A70z All-In-One



Lenovo ThinkCentre A70z All-In-One



Lenovo ThinkCentre A70z All-In-One



ThinkCentre A70z Performance Stand  
57Y4277



ThinkCentre Extend Arm  
57Y4352

| Type-model  | Proc-<br>essor   | GHz  | Memory | Widescreen<br>display | Camera<br>(mega-<br>pixel)                   | Integrated<br>graphics | SATA<br>disk       | SATA<br>optical | Mini PCIe<br>802.11<br>wireless  | Keyboard<br>/Mouse | ENERGY<br>STAR 5.0 | Win7<br>preload | Global<br>Educ | Avail<br>date |  |
|---|--|------|--------|-----------------------|--|------------------------|--------------------|-----------------|--|--------------------|--------------------|-----------------|----------------|---------------|--|
| 0401-A2U  | E3300  | 2.50 | 1GB    | 19.0" WXGA+           |  | GMA X4500              | 320GB <sup>2</sup> | DVD±RW          |  | USB                | ES50               | Prem 32         | None           | Jun 10        |  |
| 0401-A3U  | E5500  | 2.80 | 2GB    | 19.0" WXGA+           | 1.3M   | GMA X4500              | 320GB              | DVD±RW          |  | USB                | ES50               | Pro 32          | None           | Jun 10        |  |
| 0401-D3U  | E5500  | 2.80 | 3GB    | 19.0" WXGA+           | 1.3M   | GMA X4500              | 320GB              | DVD±RW          | 11b/g/n <sup>12</sup>  | USB                | ES50               | Prem 32         | None           | Jun 10        |  |
| 0401-B6U  | E5500  | 2.80 | 4GB    | 19.0" WXGA+           | 1.3M   | GMA X4500              | 500GB              | DVD±RW          | 11b/g/n  | USB                | ES50               | Pro 32          | None           | Jun 10        |  |
| 0401-R6U  | E5700  | 3.00 | 2GB    | 19.0" WXGA+           | 1.3M   | GMA X4500              | 320GB              | DVD±RW          | 11b/g/n  | USB                | ES50               | Pro 64          | None           | Dec 10        |  |
| 0401-B7U  | E7500  | 2.93 | 2GB    | 19.0" WXGA+           | 1.3M   | GMA X4500              | 320GB              | DVD±RW          | 11b/g/n  | USB                | ES50               | Pro 32          | None           | Jun 10        |  |
| 0401-R7U  | E7500  | 2.93 | 2GB    | 19.0" WXGA+           | 1.3M   | GMA X4500              | 320GB              | DVD±RW          | 11b/g/n  | USB                | ES50               | Pro 64          | None           | Dec 10        |  |
| 0401-A5U  | E7500  | 2.93 | 4GB    | 19.0" WXGA+           | 1.3M   | GMA X4500              | 320GB              | DVD±RW          | 11b/g/n  | Wireless           | ES50               | Pro 64          | None           | Jun 10        |  |
| <ul style="list-style-type: none"><li>• <b>These small and medium business (SMB) models are part of the US TopSeller™ Program</b></li><li>• <b>Best space saving solution &amp; excellent cable management</b></li><li>• <b>These models have a 1-year limited warranty<sup>1</sup></b></li><li>• <b>These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)</b></li></ul>  |  |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Positioning Processor   | All-In-One PC for business customers<br><b>Intel® Celeron® Processor E3300</b> with <b>dual-core</b> , 800MHz system bus, and 1MB L2 cache or<br><b>Intel Pentium® Processor E5500</b> or <b>E5700</b> with <b>dual-core</b> , 800MHz system bus, and 2MB L2 cache or<br><b>Intel Core™ 2 Duo Processor E7500</b> with <b>dual-core</b> , 1066MHz system bus, and 3MB L2 cache<br>Processor in LGA775 socket |      |        |                       |  |                        |                    |                 | <b>All-In-One</b> <ul style="list-style-type: none"><li>• Business black color</li><li>• 18.58" W X 2.87" D X 14.0" H</li><li>• 472mm W X 73mm D X 356mm H</li><li>• 17.6 lb (8 kg) in maximum configuration</li><li>• Handle in rear</li><li>• Support VESA mount (100mm)</li><li>• Picture frame style metallic stand (Tilt 10°-35°)</li></ul>   |                    |                    |                 |                |               |  |
| Implementation  |  |      |        |                       |  |                        |                    |                 | Bay ① 3.5", 1" high, no access, std disk (desktop)<br>Bay ② slim, .5" high, access, std optical (notebook)   |                    |                    |                 |                |               |  |
| Memory  | 1GB, 2GB, 3GB, or 4GB std, 4GB max <sup>8</sup> ,<br>PC3-8500 1066MHz DDR3,<br>non-parity, dual-channel capable, two 240-pin DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available<br><i>Non-italics:</i> standard memory in one socket; one socket available   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Graphics  | Intel Graphics Media Accelerator X4500 (GMA X4500),<br>integrated graphics in G41, uses main memory, DirectX® 10   |      |        |                       |  |                        |                    |                 | <b>Security</b> <ul style="list-style-type: none"><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; Kensington lock also locks chassis)</li><li>• Boot sequence control</li><li>• Boot without keyboard, mouse</li><li>• USB port disablement</li></ul>   |                    |                    |                 |                |               |  |
| SATA disk   | 320GB or 500GB, SATA 3.0Gb/s, 3.5" wide, 7200 rpm  |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| SATA DVD±RW   | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable  |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| eSATA port  | None   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Diskette drive  | None   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Media reader  | None   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Widescreen display  | 19.0" (482.6mm) WXGA+ (1440x900) TFT color, anti-glare,<br>CCFL backlight, 300 nits, 16:10 aspect ratio, 1000:1 contrast ratio<br><i>Some:</i> Camera on top of screen, 1.3-megapixel, fixed focus, integrated microphone (mono), LED indicator  |      |        |                       |  |                        |                    |                 | Supports ThinkVantage® technologies  |                    |                    |                 |                |               |  |
| Camera  |  |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Chipset   | Intel G41 Express Chipset; I/O Controller Hub 7 (ICH7)   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Ports   | Rear: Three USB 2.0, serial (9-pin), ethernet (RJ-45)<br>Side: Three USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)  |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Mini PCI Express  | One Mini PCI Express slot<br><i>Some:</i> 11b/g/n wireless <sup>13</sup> , Mini PCIe adapter, Broadcom® BCM43225   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| 11b/g/n <sup>12</sup>   |  |      |        |                       |  |                        |                    |                 | ENERGY STAR® 5.0-compliant<br>RoHS-compliant   |                    |                    |                 |                |               |  |
| Audio   | High Definition (HD) Audio, CONEXANT™ CX20582 codec  |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Speaker   | Two internal speakers (2 watt x 2)   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| IEEE 1394   | None   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Ethernet  | Gigabit ethernet on planar, Realtek® RTL8111DL   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Intel AMT   | None   |      |        |                       |  |                        |                    |                 | <b>Limited Warranty<sup>1</sup></b> <ul style="list-style-type: none"><li>⇒ 1-year parts and labor</li><li>⇒ International Warranty Service<sup>9</sup></li><li>⇒ Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</li><li>⇒ Onsite service upgrade options (in eligible locations):<sup>7</sup><ul style="list-style-type: none"><li>• 1-year LOR 9x5, 4 hour response (ThinkPlus™ part number 45K5951)</li><li>• 2-year LOR 9x5, Next Business Day (ThinkPlus part number 45K5949)</li><li>• 2-year LOR 9x5, 4 hour response (ThinkPlus part number 45K5952)</li><li>• 3-year LOR 9x5, Next Business Day (ThinkPlus part number 45K5950)</li><li>• 3-year LOR 9x5, 4 hour response (ThinkPlus part number 45K5953)</li></ul></li><li>⇒ ThinkPlus services at lenovo.com/thinkplus/warranty</li><li>⇒ Post warranty maintenance services available</li><li>⇒ 24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</li></ul> |                    |                    |                 |                |               |  |
| Modem   | None   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Security chip   | None   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Keyboard  | Some: Ultralim Wireless Keyboard (2.4GHz via USB receiver), black<br>Some: Preferred Pro USB Keyboard (USB), 104-key, black, Lenovo® logo  |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Mouse   | Some: Ultralim Wireless Mouse (2.4GHz via USB receiver), 1000 dpi, black<br>Some: Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo   |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Power supply  | 130 watts, autosensing, 85% PSU  |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Preloaded operating system <sup>20</sup>  |  |      |        |                       | Accessories                                  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| - Some: Genuine Windows® 7 Home Premium 32<br>- Some: Genuine Windows 7 Professional 32<br>- Some: Genuine Windows 7 Professional 64  |  |      |        |                       | 1GB PC3-8500 DDR3 UDIMM                      |                        |                    |                 |  | 45J5434            |                    |                 |                |               |  |
|   |  |      |        |                       | 2GB PC3-8500 DDR3 UDIMM                      |                        |                    |                 |  | 45J5435            |                    |                 |                |               |  |
|   |  |      |        |                       | ThinkCentre A70z Performance Stand           |                        |                    |                 |  | 57Y4277            |                    |                 |                |               |  |
|   |  |      |        |                       | More accessories on O-A70Z sheet             |                        |                    |                 |  |                    |                    |                 |                |               |  |
|   |  |      |        |                       | Acc Guide in pdf lenovo.com/accessoriesguide |                        |                    |                 |  |                    |                    |                 |                |               |  |
|   |  |      |        |                       | Other accessories at lenovo.com/accessories  |                        |                    |                 |  |                    |                    |                 |                |               |  |
| Preloaded applications <sup>5</sup> (all OSes; only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Lenovo Online Data Backup</li><li>• Norton™ Internet Security 2011 (30-day)</li><li>• Adobe® Reader®</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul> |  |      |        |                       |  |                        |                    |                 |  |                    |                    |                 |                |               |  |

See footnotes for important warranty information

US models announced November 30, 2010; previous models on May 25 or June 1, 2010

© Lenovo

(TYMA2-1) December 2010

| Type-model | Proc-<br>essor | GHz  | Memory | Widescreen<br>display | Camera<br>(mega-<br>pixel) | Integrated<br>graphics | SATA<br>disk       | SATA<br>optical | Mini PCIe<br>802.11<br>wireless | Keyboard<br>/Mouse | ENERGY<br>STAR 5.0 | Win7<br>preload | Global<br>Educ | Avail<br>date |
|------------|----------------|------|--------|-----------------------|----------------------------|------------------------|--------------------|-----------------|---------------------------------|--------------------|--------------------|-----------------|----------------|---------------|
| 2565-A6U   | E5500          | 2.80 | 2GB    | 19.0" WXGA+           | 1.3M                       | GMA X4500              | 320GB <sup>2</sup> | DVD±RW          | 11b/g/n <sup>12</sup>           | USB                | ES50               | Pro 32          | None           | Jun 10        |
| 2565-A7U   | E7500          | 2.93 | 4GB    | 19.0" WXGA+           | 1.3M                       | GMA X4500              | 320GB              | DVD±RW          | 11b/g/n                         | USB                | ES50               | Pro 64          | None           | Jun 10        |

- **These small and medium business (SMB) models are part of the US TopSeller™ Program**
- **Best space saving solution & excellent cable management**
- **These models have a 3-year limited warranty<sup>1</sup>**
- **These systems are Microsoft® Office 2010 Product Key Ready (O10PKR)**

|  |   |  |   |  |  |  |  |  |  |  |
|--|---|--|---|--|--|--|--|--|--|--|
| Positioning Processor  | All-In-One PC for business customers<br><b>Intel® Pentium® Processor E5500</b> with <b>dual-core</b> , 800MHz system bus, and 2MB L2 cache or<br><b>Intel Core™ 2 Duo Processor E7500</b> with <b>dual-core</b> , 1066MHz system bus, and 3MB L2 cache<br>Processor in LGA775 socket                |  | <b>All-In-One</b> <ul style="list-style-type: none"><li>• Business black color</li><li>• 18.58" W X 2.87" D X 14.0" H</li><li>• 472mm W X 73mm D X 356mm H</li><li>• 17.6 lb (8 kg) in maximum configuration</li><li>• Handle in rear</li><li>• Support VESA mount (100mm)</li><li>• Picture frame style metallic stand (Tilt 10°-35°)</li></ul> Bay ① 3.5", 1" high, no access, std disk (desktop)<br>Bay ② slim, .5" high, access, std optical (notebook) |  |  |  |  |  |  |  |
| Implementation   |   |  |   |  |  |  |  |  |  |  |
| Memory   | <b>2GB</b> or <b>4GB</b> std, 4GB max <sup>8</sup> , <b>PC3-8500 1066MHz DDR3</b> , non-parity, dual-channel capable, two 240-pin DIMM sockets;<br><i>Italics:</i> standard memory in both sockets; no sockets available<br><i>Non-italics:</i> standard memory in one socket; one socket available |  |   |  |  |  |  |  |  |  |
| Graphics   | <b>Intel Graphics Media Accelerator X4500 (GMA X4500)</b> , integrated graphics in G41, uses main memory, DirectX® 10   |  |   |  |  |  |  |  |  |  |
| SATA disk  | <b>320GB</b> , SATA 3.0Gb/s, 3.5" wide, 7200 rpm  |  |   |  |  |  |  |  |  |  |
| SATA DVD±RW  | DVD burner, SATA 1.5Gb/s, 12.7mm high, fixed, not removable   |  |   |  |  |  |  |  |  |  |
| eSATA port   | None  |  |   |  |  |  |  |  |  |  |
| Diskette drive   | None  |  |   |  |  |  |  |  |  |  |
| Media reader   | None  |  |   |  |  |  |  |  |  |  |
| Widescreen display   | <b>19.0"</b> (482.6mm) <b>WXGA+ (1440x900) TFT color</b> , anti-glare, CCFL backlight, 300 nits, 16:10 aspect ratio, 1000:1 contrast ratio  |  |   |  |  |  |  |  |  |  |
| Camera   | Camera on top of screen, 1.3-megapixel, fixed focus, integrated microphone (mono), LED indicator  |  |   |  |  |  |  |  |  |  |
| Chipset  | <b>Intel G41 Express Chipset</b> ; I/O Controller Hub 7 (ICH7)  |  |   |  |  |  |  |  |  |  |
| Ports  | <i>Rear:</i> Three USB 2.0, serial (9-pin), ethernet (RJ-45)<br><i>Side:</i> Three USB 2.0, microphone (stereo, 3.5mm), headphone (stereo, 3.5mm)   |  |   |  |  |  |  |  |  |  |
| Mini PCI Express   | One Mini PCI Express slot   |  |   |  |  |  |  |  |  |  |
| 11b/g/n <sup>12</sup>  | 11b/g/n wireless <sup>13</sup> , Mini PCIe adapter, Broadcom® BCM43225  |  |   |  |  |  |  |  |  |  |
| Audio  | High Definition (HD) Audio, CONEXANT™ CX20582 codec   |  |   |  |  |  |  |  |  |  |
| Speaker  | Two internal speakers (2 watt x 2)  |  |   |  |  |  |  |  |  |  |
| IEEE 1394  | None  |  |   |  |  |  |  |  |  |  |
| Ethernet   | Gigabit ethernet on planar, Realtek® RTL8111DL  |  |   |  |  |  |  |  |  |  |
| Intel AMT  | None  |  |   |  |  |  |  |  |  |  |
| Modem  | None  |  |   |  |  |  |  |  |  |  |
| Security chip  | None  |  |   |  |  |  |  |  |  |  |
| Keyboard   | Preferred Pro USB Keyboard (USB), 104-key, black, Lenovo® logo  |  |   |  |  |  |  |  |  |  |
| Mouse  | Optical Wheel Mouse (USB connector), 400 dpi, black, Lenovo logo  |  |   |  |  |  |  |  |  |  |
| Power supply   | 130 watts, autosensing, 85% PSU   |  |   |  |  |  |  |  |  |  |
| <table><tr><td><b>Preloaded operating system</b><sup>20</sup><ul style="list-style-type: none"><li>- <i>Some:</i> Genuine Windows® 7 Professional 32</li><li>- <i>Some:</i> Genuine Windows 7 Professional 64</li></ul></td><td><b>Accessories</b><ul style="list-style-type: none"><li>1GB PC3-8500 DDR3 UDIMM 45J5434</li><li>2GB PC3-8500 DDR3 UDIMM 45J5435</li><li>ThinkCentre A70z Performance Stand 57Y4277</li><li>More accessories on O-A70Z sheet</li></ul></td></tr><tr><td colspan="2"><b>Preloaded applications</b><sup>5</sup> (all OSes; only some listed)<ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Lenovo Online Data Backup</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul></td><td>Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a><br/>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a></td></tr></table>  |   |  | <b>Preloaded operating system</b> <sup>20</sup> <ul style="list-style-type: none"><li>- <i>Some:</i> Genuine Windows® 7 Professional 32</li><li>- <i>Some:</i> Genuine Windows 7 Professional 64</li></ul>  | <b>Accessories</b> <ul style="list-style-type: none"><li>1GB PC3-8500 DDR3 UDIMM 45J5434</li><li>2GB PC3-8500 DDR3 UDIMM 45J5435</li><li>ThinkCentre A70z Performance Stand 57Y4277</li><li>More accessories on O-A70Z sheet</li></ul> | <b>Preloaded applications</b> <sup>5</sup> (all OSes; only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Lenovo Online Data Backup</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul> |  | Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a><br>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a> |  |  |  |
| <b>Preloaded operating system</b> <sup>20</sup> <ul style="list-style-type: none"><li>- <i>Some:</i> Genuine Windows® 7 Professional 32</li><li>- <i>Some:</i> Genuine Windows 7 Professional 64</li></ul>   | <b>Accessories</b> <ul style="list-style-type: none"><li>1GB PC3-8500 DDR3 UDIMM 45J5434</li><li>2GB PC3-8500 DDR3 UDIMM 45J5435</li><li>ThinkCentre A70z Performance Stand 57Y4277</li><li>More accessories on O-A70Z sheet</li></ul>  |  |   |  |  |  |  |  |  |  |
| <b>Preloaded applications</b> <sup>5</sup> (all OSes; only some listed) <ul style="list-style-type: none"><li>• Rescue and Recovery™</li><li>• ThinkVantage System Update</li><li>• ThinkVantage Power Manager</li><li>• ThinkVantage Toolbox</li><li>• Lenovo Online Data Backup</li><li>• Norton™ Internet Security 2011 (30 days of virus definitions)</li><li>• Adobe® Reader®</li><li>• Adobe Flash® Player</li><li>• Skype™ for Windows</li><li>• Microsoft Office 2010 preloaded; purchase product key to activate</li><li>• Corel® Burn.Now™ (DVD±RW)</li><li>• Corel DVD MovieFactory® (DVD±RW)</li></ul>   |   | Acc Guide in pdf <a href="http://lenovo.com/accessoriesguide">lenovo.com/accessoriesguide</a><br>Other accessories at <a href="http://lenovo.com/accessories">lenovo.com/accessories</a> |   |  |  |  |  |  |  |  |
| <table><tr><td colspan="2"><b>Security</b><ul style="list-style-type: none"><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; Kensington lock also locks chassis)</li><li>• Boot sequence control</li><li>• Boot without keyboard, mouse</li><li>• USB port disablement</li></ul></td></tr><tr><td colspan="2">Supports ThinkVantage® technologies</td></tr><tr><td colspan="2">ENERGY STAR® 5.0-compliant<br/>RoHS-compliant</td></tr><tr><td colspan="2"><b>Limited Warranty</b><sup>1</sup><ul style="list-style-type: none"><li>⇒ <b>3-year parts and labor</b></li><li>⇒ <b>International Warranty Service</b><sup>9</sup></li><li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇒ <b>Onsite service upgrade options (in eligible locations):</b><sup>7</sup><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 45K5955)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 45K5956)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 45K5957)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 45K5958)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 45K5959)</li></ul></li><li>⇒ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>⇒ <b>Post warranty maintenance services available</b></li><li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul></td></tr></table> |   |  | <b>Security</b> <ul style="list-style-type: none"><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; Kensington lock also locks chassis)</li><li>• Boot sequence control</li><li>• Boot without keyboard, mouse</li><li>• USB port disablement</li></ul>  |  | Supports ThinkVantage® technologies  |  | ENERGY STAR® 5.0-compliant<br>RoHS-compliant   |  | <b>Limited Warranty</b> <sup>1</sup> <ul style="list-style-type: none"><li>⇒ <b>3-year parts and labor</b></li><li>⇒ <b>International Warranty Service</b><sup>9</sup></li><li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇒ <b>Onsite service upgrade options (in eligible locations):</b><sup>7</sup><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 45K5955)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 45K5956)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 45K5957)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 45K5958)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 45K5959)</li></ul></li><li>⇒ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>⇒ <b>Post warranty maintenance services available</b></li><li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul> |  |
| <b>Security</b> <ul style="list-style-type: none"><li>• Security slot (in rear for attachment of optional Kensington® MicroSaver® cable; Kensington lock also locks chassis)</li><li>• Boot sequence control</li><li>• Boot without keyboard, mouse</li><li>• USB port disablement</li></ul>   |   |  |   |  |  |  |  |  |  |  |
| Supports ThinkVantage® technologies  |   |  |   |  |  |  |  |  |  |  |
| ENERGY STAR® 5.0-compliant<br>RoHS-compliant   |   |  |   |  |  |  |  |  |  |  |
| <b>Limited Warranty</b> <sup>1</sup> <ul style="list-style-type: none"><li>⇒ <b>3-year parts and labor</b></li><li>⇒ <b>International Warranty Service</b><sup>9</sup></li><li>⇒ <b>Customer Replaceable Unit (CRU) parts only (with limited onsite service for selected parts<sup>3</sup>, 8 am - 5 pm, Mon - Fri coverage excluding holidays, next business day response time)</b></li><li>⇒ <b>Onsite service upgrade options (in eligible locations):</b><sup>7</sup><ul style="list-style-type: none"><li>• <b>3-year LOR 9x5, 4 hour response</b> (ThinkPlus™ part number 45K5955)</li><li>• <b>3-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 45K5956)</li><li>• <b>4-year LOR 9x5, Next Business Day</b> (ThinkPlus part number 45K5957)</li><li>• <b>4-year LOR 9x5, 4 hour response</b> (ThinkPlus part number 45K5958)</li><li>• <b>4-year LOR 24x7, 4 hour response</b> (ThinkPlus part number 45K5959)</li></ul></li><li>⇒ <b>ThinkPlus services at <a href="http://lenovo.com/thinkplus/warranty">lenovo.com/thinkplus/warranty</a></b></li><li>⇒ <b>Post warranty maintenance services available</b></li><li>⇒ <b>24 hour x 7 day<sup>14</sup> toll-free support during the warranty period<sup>1</sup> via 800-426-7378</b></li></ul>   |   |  |   |  |  |  |  |  |  |  |

See footnotes for important warranty information  
 US models announced June 1, 2010

© Lenovo  
 (TYMA2-2) June 2010

## Partial list of accessories supported on ThinkCentre A70z AIO

**Memory**

AIO 1165 use desktop memory:

|                                   |         |              |
|-----------------------------------|---------|--------------|
| 1GB PC2-6400 DDR2 UDIMM           | 41U2977 | ann 09/26/06 |
| 1GB PC2-6400 DDR2 UDIMM (25-Pack) | 51J0549 | ann 03/17/09 |
| 2GB PC2-6400 DDR2 UDIMM           | 41U2978 | ann 01/08/08 |
| 2GB PC2-6400 DDR2 UDIMM (25-Pack) | 51J0550 | ann 03/17/09 |

AIO 0401/2565 use desktop memory:

|                                   |         |              |
|-----------------------------------|---------|--------------|
| 1GB PC3-8500 DDR3 UDIMM           | 45J5434 | ann 11/18/08 |
| 1GB PC3-8500 DDR3 UDIMM (25-Pack) | 57Y4421 | ann 11/10/09 |
| 2GB PC3-8500 DDR3 UDIMM           | 45J5435 | ann 11/18/08 |
| 2GB PC3-8500 DDR3 UDIMM (25-Pack) | 57Y4422 | ann 11/10/09 |

More information at

[www.lenovo.com/support/desktopmemorycompatibility](http://www.lenovo.com/support/desktopmemorycompatibility)**Storage and removable storage**

|   |         |              |
|---|---------|--------------|
| 250GB SATA 3.0Gb/s Disk (7200 rpm)      | 41N3015 | ann 01/24/06 |
| 500GB SATA 3.0Gb/s Disk (7200 rpm)      | 43R1990 | ann 11/06/07 |
| USB 2.0 Portable 320GB Hard Disk        | 45K1689 | ann 03/17/09 |
| USB 2.0 Portable 500GB Hard Disk        | 45K1690 | ann 05/26/09 |
| USB 2.0 Portable Secure 160GB Hard Disk | 43R2018 | ann 11/18/08 |
| USB 2.0 Portable Secure 320GB Hard Disk | 43R2019 | ann 11/18/08 |
| eSATA/USB 2.0 Secure 500GB Hard Drive   | 57Y4400 | ann 01/07/10 |
| USB 2.0 Portable DVD Burner             | 43N3264 | ann 01/05/10 |

**Keyboard**

|   |         |              |
|---|---------|--------------|
| Preferred Pro USB Keyboard                          | 73P5220 | ann 06/21/05 |
| Enhanced Performance USB Keyboard                   | 73P2620 | ann 03/23/04 |
| UltraSlim Wireless Keyboard and Mouse <sup>52</sup> | 57Y4700 | ann 09/15/09 |
| ThinkPad USB Keyboard with TrackPoint               | 55Y9003 | ann 08/18/09 |
| Lenovo® USB Fingerprint Keyboard                    | 73P4730 | ann 02/22/05 |
| Lenovo USB Smartcard Keyboard                       | 51J0155 | ann 03/24/09 |

<sup>52</sup> Wireless via 2.4GHz technology using a micro-size USB receiver.More information at [www.lenovo.com/support/keyboards](http://www.lenovo.com/support/keyboards)**Mouse**

|   |         |              |
|---|---------|--------------|
| Lenovo Optical Mouse (USB)                            | 06P4069 | ann 05/21/03 |
| Lenovo ScrollPoint® Mouse (USB, Optical)              | 31P7405 | ann 08/27/02 |
| Lenovo Laser Mouse (USB)                              | 41U3074 | ann 01/23/07 |
| Lenovo Wireless Laser Mouse - Black <sup>52</sup>     | 45K1696 | ann 11/25/08 |
| Lenovo Wireless Laser Mouse - Red/Black <sup>52</sup> | 51J0198 | ann 11/25/08 |

More information at [www.lenovo.com/support/mice](http://www.lenovo.com/support/mice)**Multimedia**

|                             |         |              |
|-----------------------------|---------|--------------|
| ThinkPad® In-Ear Headphones | 57Y4488 | ann 01/07/10 |
|-----------------------------|---------|--------------|

**Security**

|  |         |              |
|--|---------|--------------|
| Kensington® MicroSaver® Cable Lock <sup>56</sup> | 73P2582 | ann 12/29/03 |
| Lenovo Security Cable Lock                       | 57Y4303 | ann 08/24/10 |
| USB Gemplus GemPC Smart Card Reader              | 41N3040 | ann 02/21/06 |

<sup>56</sup> Attaching to any form factor not only secures the ThinkCentre to the work area, but it also prevents users from opening the chassis itself.**Stand**

|                                    |         |              |
|------------------------------------|---------|--------------|
| ThinkCentre A70z Performance Stand | 57Y4277 | ann 11/17/09 |
| ThinkCentre Extend Arm             | 57Y4352 | ann 07/06/10 |

**Monitor Accessories<sup>46</sup>**

|  |         |              |
|--|---------|--------------|
| Lenovo USB-to-DVI Monitor Adapter              | 45K5296 | ann 05/12/09 |
| Kensington MicroSaver Cable Lock <sup>56</sup> | 73P2582 | ann 12/29/03 |
| Lenovo Security Cable Lock                     | 57Y4303 | ann 08/24/10 |

<sup>46</sup> Compatible on selected Lenovo and ThinkVision monitors.More information at [www.lenovo.com/support/monitoraccessories](http://www.lenovo.com/support/monitoraccessories)

For more information on desktop accessories, please visit:

[www.lenovo.com/support/accessories](http://www.lenovo.com/support/accessories)  
[www.lenovo.com/support/desktopaccessories](http://www.lenovo.com/support/desktopaccessories)  
[www.lenovo.com/support/security](http://www.lenovo.com/support/security)

Other accessories at [www.lenovo.com/accessories](http://www.lenovo.com/accessories)Accessories Guide pdf at [www.lenovo.com/accessoriesguide](http://www.lenovo.com/accessoriesguide)

**Partial list of Lenovo® ThinkPlus Services<sup>7</sup>  
for ThinkCentre desktops**

For more information see:

[http://www.lenovo.com/services\\_warranty/us/en/index.html](http://www.lenovo.com/services_warranty/us/en/index.html)
**ThinkPlus service upgrade options for ThinkCentre M series**
***ThinkCentre desktop with 1-year Onsite warranty***
*LOR = Lenovo Onsite Repair*

|                                  |         |
|----------------------------------|---------|
| 1-year LOR 9x5 4-hour response   | 41C9189 |
| 2-year LOR 9x5 Next Business Day | 41C9187 |
| 2-year LOR 9x5 4-hour response   | 41C9190 |
| 3-year LOR 9x5 Next Business Day | 41C9188 |
| 3-year LOR 9x5 4-hour response   | 41C9191 |

***ThinkCentre desktop with 3-year Onsite warranty***
*LOR = Lenovo Onsite Repair*

|                                  |         |
|----------------------------------|---------|
| 3-year LOR 9x5 4-hour response   | 41C9192 |
| 3-year LOR 24x7 4-hour response  | 41C9193 |
| 4-year LOR 9x5 Next Business Day | 41C9194 |
| 4-year LOR 9x5 4-hour response   | 41C9195 |
| 4-year LOR 24x7 4-hour response  | 41C9196 |

**ThinkPlus service upgrade options for ThinkCentre A series**
***ThinkCentre desktop with 1-year Onsite warranty***
*LOR = Lenovo Onsite Repair*

|                                  |         |
|----------------------------------|---------|
| 1-year LOR 9x5 4-hour response   | 45K5951 |
| 2-year LOR 9x5 Next Business Day | 45K5949 |
| 2-year LOR 9x5 4-hour response   | 45K5952 |
| 3-year LOR 9x5 Next Business Day | 45K5950 |
| 3-year LOR 9x5 4-hour response   | 45K5953 |

***ThinkCentre desktop with 3-year Onsite warranty***
*LOR = Lenovo Onsite Repair*

|                                  |         |
|----------------------------------|---------|
| 3-year LOR 9x5 4-hour response   | 45K5955 |
| 3-year LOR 24x7 4-hour response  | 45K5956 |
| 4-year LOR 9x5 Next Business Day | 45K5957 |
| 4-year LOR 9x5 4-hour response   | 45K5958 |
| 4-year LOR 24x7 4-hour response  | 45K5959 |
| 5-year LOR 9x5 Next Business Day | 45K5963 |

**ThinkPlus Secure Business**
***Lenovo Online Data Backup***

- Secure offsite data storage
- 256-bit Advanced Encryption System
- Data recovery or access in case of an unforeseen event
- Automatic, remote management
- Choose which business critical data to back up

|   |         |
|---|---------|
| 1-year Lenovo Online Data Backup - 10GB | 51J0787 |
| 1-year Lenovo Online Data Backup - 25GB | 51J0795 |

**ThinkPlus Priority Support for enterprise customers**

- 9x5 next-business-day response Lenovo Onsite Repair
- 24x7 support with priority routing and advanced level technicians

***ThinkCentre desktop with 1-year Onsite warranty***

|                         |         |
|-------------------------|---------|
| 3-year Priority Support | 45J9087 |
|-------------------------|---------|

***ThinkCentre desktop with 3-year Onsite warranty***

|   |         |
|---|---------|
| 3-year Priority Support                 | 45J9088 |
| 4-year Priority Support                 | 45J9089 |
| 5-year Priority Support                 | 45J9090 |
| 3-year Priority Support 4-hour response | 45J9091 |
| 4-year Priority Support 4-hour response | 45J9092 |
| 5-year Priority Support 4-hour response | 45J9093 |

**Availability:** All offers subject to availability. Lenovo reserves the right to alter product offerings and specifications at any time, without notice. Lenovo is not responsible for photographic or typographic errors.

**Warranty:** For a copy of applicable product warranties, write to: Warranty Information, P.O. Box 12195, RTP, NC, 27709, Attn: Dept ZPYA/B676. Lenovo makes no representation or warranty regarding third party products or services.

<sup>1</sup> **Limited warranty:** Support unrelated to a warranty issue may be subject to additional charges.

<sup>2</sup> **Hard drive:** GB = billion bytes, TB = trillion bytes. Accessible capacity is less; up to 4GB is service partition.

<sup>3</sup> **Limited onsite service systems** are designed to be repaired during the applicable warranty period primarily with customer-replaceable parts provided by Lenovo. Lenovo will only send a technician onsite to perform a repair if (a) remote telephone diagnosis and/or customer part replacement are unable to resolve the problem, or (b) the part is one of the few designated by Lenovo for onsite replacement. For a list of onsite replaceable parts, contact Lenovo. In the United States call 1-800-426-7378. Support unrelated to a warranty issue may be subject to additional charges. Lenovo onsite repair (LOR), 8 am to 5 pm, Monday through Friday coverage excluding holidays, next business day (NBD) response time.

<sup>4</sup> **CD and DVD list** maximum rates; rates are variable and are often less than the maximum.

<sup>5</sup> **Included software** may differ from its retail version (if available), and may not include user manuals or all program functionality. License agreements may apply.

<sup>6</sup> **Multi-Burner Plus** (part number 73P3305 or 73P3370) is a DVD±RW device that reads and writes to DVD-RAM, DVD-R, DVD-RW, DVD+R, and DVD+RW. It also reads and writes to CD-R and CD-RW media. 73P3370 also writes to DVD+R double layer media.

<sup>7</sup> **ThinkPlus Services:** These services are available for machines normally used for business, professional, or trade purposes, rather than personal, family, or household purposes. Not all machine types and models are covered. Service period begins with the equipment date of purchase. Service must be purchased during the original limited product warranty period. Service levels are response time objectives and are not guarantees. If the machine problem turns out to be a Customer Replaceable Unit (CRU), a part will be express shipped to you for quick replacement. Onsite 24x7x2-hour service is not available in all locations. P&L means parts and labor. P/U means pick-up. See ThinkPlus terms and conditions for complete details and restrictions.

<sup>8</sup> **Memory:** For PCs without a separate graphics card, memory supports both system and video. Accessible system memory may be up to 384MB less than the amount stated, depending on video mode.

<sup>9</sup> **International Warranty Service** is available in any country in which this product is sold and serviced. Service delivery methods and parts availability vary by country, may be different from that in the country of purchase, and are subject to change without notice. Fees and restrictions may apply in some countries.

<sup>10</sup> **Modem speeds:** Public network download speeds are limited to 53Kbps. Upload speeds are limited to 48Kbps for V.92 modems. Actual speeds depend on many factors and are often less than the maximum possible. V.92 functions and speeds require compatible phone line and server equipment. Check with your telephone and ISP service providers for availability.

<sup>11</sup> **For combination drives,** maximum speeds only are given in the following order: CD read, CD write, CD re-write, DVD read.

<sup>12</sup> **The IEEE 802.11n specification (MIMO)** has been finalized and is currently in IEEE 802.11n-2009 release. The maximum speed depends on the access point device and the number of integrated antenna used for connection. An adapter with 11a/b, 11a/b/g, 11b/g/n, or 11a/b/g/n can communicate on any of its supported formats.

<sup>13</sup> **Wireless capability:** Requires compatible wireless-enabled options sold separately.

<sup>14</sup> **Response times may vary.** May exclude some holidays. Telephone support may be subject to additional charges.

<sup>15</sup> **Update Connector** is available at no charge to registered customers during the limited warranty period. Line charges may apply.

<sup>16</sup> **Embedded Security Subsystem** works with optional VPN software.

- <sup>18</sup> **Embedded Security Subsystem** may require download of client security software from the Web.
- <sup>19</sup> **Asset ID** allows system-specific information to be stored in a chip inside the system; it does not have any radio frequency support.
- <sup>20</sup> **Operating System:** Level of support varies by operating system. Operating systems not preloaded on the system may not provide full feature functionality. Refer to [lenovo.com/pc/support](http://lenovo.com/pc/support) and enter your machine type and model number for more information.

This publication was developed for products and services offered in the United States. Lenovo may not offer the products, services or features discussed in this document in other countries. Lenovo may withdraw an offering at any time. Information is subject to change without notice. Consult your local representative for information on offerings available in your area.

Lenovo reserves the right to change specifications and other product information at any time without prior notice. Lenovo is not responsible for photographic or typographical errors. LENOVO PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some jurisdictions do not allow disclaimer of express or implied warranties in certain transactions; therefore this disclaimer may not apply to you.



**Trademarks:** Lenovo, the Lenovo logo, New World. New Thinking., Access Connections, Rescue and Recovery, ThinkCentre, ThinkPad, ThinkVantage, and ThinkVision are trademarks of Lenovo. Microsoft, Windows, and Vista are registered trademarks of Microsoft Corporation. Intel, the Intel logo, Intel Inside logo, Intel Core and Core Inside are trademarks of Intel Corporation in the US and other countries. Other company, product, or service names may be trademarks or service marks of others.

Visit [www.lenovo.com/safecomputing](http://www.lenovo.com/safecomputing) periodically for the latest information on safe and effective computing.

Visit [www.lenovo.com/psref](http://www.lenovo.com/psref) for the latest version of Personal Systems Reference.

© Lenovo, 2011.  
All rights reserved.

Lenovo  
1009 Think Place  
Morrisville, NC 27560  
U.S.A.

January 2011  
tcbook.pdf